AUTHOR INDEX

VOLUME 56,1984
British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
CNM = Combined Meeting of the Neuroanaesthetists' Travelling Club with German and Austrian Neuroanaesthetists papers
C = Correspondence
E = Editorial
R = Book review

AALTONEN, L. *see* IISALO, E. 899
ABBOUD, T. K., SHNIDER, S. M., DAILEY, P. A., RAYA, J. A., SARKIS, F., GROBLER, N. N., SADRI, S., KHOO, S. -S., DESOUSA, B., BAYSINGER, C. L. and MILLER, F. 1351
ABOULEISH, E. I. and BRYANT, D. Accidental dural puncture, (*C*) 668
ABRAMS, L. M. *see* FRYMAN, P. N. 1197
ACHOLA, K. *see* AITKENHEAD, A. R. 813; DERBYSHIRE, D. R., (*ARS*) 429P
ADAMS, A. P. *see* CASHMAN, J. N., (*ARS*) 805P; PEARCE, A. C., (*CNM*) 1310P; SKELLY, A. M., (*ARS*) 1279P
AERTS, C. *see* VOISIN, C. 415
AHERNE, G. W. *see* VATER, M. 821
AHMAD, I. *see* SOSIS, M., (*C*) 928
AITKENHEAD, A. R. Anaesthesia and bowel surgery 95; *see* VATER, M. 821
AITKENHEAD, A. R., VATER, M., ACHOLA, K., COOPER, C. M. S. and SMITH, G. Pharmacokinetics of single-dose i.v. morphine in normal volunteers and patients with end-stage renal failure 813
AKEN, H. VAN, PUCHSTEIN, C., FITCH, W. and GRAHAM, D. I. Haemodynamic and cerebral effects of ATP-induced hypotension 1409; Responsiveness of the cerebral circulation to alterations in mean arterial pressure during the administration of adenosine triphosphate, (*CNM*) 1295P
AKEN, H. VAN *see* ZANDER, V., (*CNM*) 1304P
ALEXANDER, F. E. *see* ROGERS, D. J. DE S., (*ARS*) 801P
ALEXANDER, J. and BLACK, A. M. S. Comparing extradural and i.v. diamorphine and buprenorphine after abdominal surgery, (*ARS*) 1283P
AL-KHUDHAIRI, D., JAMES, P. D. and GILLBE, C. The interrelation between hypoxia, positive end-expiratory pressure and phrenic nerve activity in the anaesthetized dog, (*ARS*) 799P
AL-KHUDHAIRI, D. *see* GORDON, G. 1161
ALLEN, M. C. *see* MOORE, R. A. 837; PHILLIPS, D. M. 829; SEAR, J. W., (*ARS*) 430P
ALLISON, R. H. *see* FRAME, W. T. 263
AMESS, J. A. L. *see* AMOS, R. J. 103
AMOS, R. J., AMESS, J. A. L., NANCEKIEVILL, D. G. and REES, G. M. Prevention of nitrous oxide-induced megaloblastic changes in bone marrow using folic acid 103
ANDERBERG, B. *see* RUTBERG, H. 233
ANDERSEN, R. S. *see* CRAWFORD, M. E. 165
ANDERSON, D. J. *see* GORDON, G. 1161
ANDRÉASSON, L. E. *see* NILSSON, K. 375
ANDREWS, C. J. H. and HUTTON, P. Simultaneous infusion of doxapram and fentanyl, (*ARS*) 801P
ANDREWS, I. C. *see* FROST, E. A. M., (*R*) 809
ANDREWS, S. *see* ELTRINGHAM, R., (*R*) 1175
ANIS, N. A. *see* LODGE, D. 1143
ANTONIOS, W. R. A. *see* LEES, N. W. 1239
ANTROBUS, J. H. L. and HUTCHINSON, A. The laryngeal mask, (*C*) 671
ARDITIS, J., TSACONA, H. and GIALA, M. Accidental administration of adrenaline during i.v. regional anaesthesia, (*C*) 923
ARMSTRONG, I. R. and JENKINSON, J. L. Blood-glucose concentrations in neurosurgical patients under general anaesthesia, (*CNM*) 1306P
ARNDT, J. O. *see* INOUE, K. 1259
ARTUSIO, J. F. *see* YAO, F. -S. F., (*R*) 208
ASKITOPOULOU, H. *see* WHITWAM, J. G. 187
ASTLEY, B. A., KATZ, R. L. and PAYNE, J. P. Simultaneous recording of recovery of electrical and mechanical responses during recovery from neuromuscular blockade with vecuronium, (*ARS*) 793P
ASTLEY, B. A. *see* HUGHES, R., (*ARS*) 796P
AUN, C. *see* FRANK, M. 355
AUSTIN, C. *see* WALKER, M., (*ARS*) 1281P
AXELSSON, K. H., EDSTRÖM, H. H. and WIDMAN, G. B. Spinal anaesthesia with glucose-free 0.5% bupivacaine: effects of different volumes 271

BADEN, J. M., SERRA, M. and MAZZE, R. I. Inhibition of fetal methionine synthase by nitrous oxide 523
BAHAR, M., ROSEN, M. and VICKERS, M. D. Chronic cannulation of the intradural or extradural space in the rat 405
BAIN, W. H. and TAYLOR, K. M., (editors). *Handbook of Intensive Care*, (*R*) 1062
BAKER, A. B. Changes in residual volume following oxygen breathing, (*C*) 672; *see* BLACK, A. M. S. 509
BAKER, J. A. *see* LYLE, D. J. R. 645
BAKER, T. *see* STANEC, A. 607
BALDWIN, D. *see* MOORE, R. A. 837; PHILLIPS, D. M. 829; SEAR, J. W., (*ARS*) 430P
BAMBER, D. B., *see* CUMMINGS, G. C. 573
BARAKA, A., CAVA, L. and JAOUDE, C. A. Atracurium *v.* suxamethonium in a case of organophosphorous poisoning, (*C*) 673
BARAKA, A. and JAUDE, C. A. Atracurium in a parturient with atypical cholinesterase, (*C*) 930
BARINOFF, T. *see* JOUPPILA, P. 1379
BARKER, I. and HARRISON, K. M. Induced hypotension in intracranial aneurysm surgery, (*CNM*) 1295P
BARKER, I. and LAURENCE, A. S. Suxamethonium-induced myalgia, and relation with intraoperative myoglobin changes following alcuronium, midazolam and lignocaine pretreatments, (*ARS*) 796P
BARKER, J. and NIMMO, W. S. Althesin, ketamine and lignocaine infusion for neurosurgery, (*CNM*) 1309P
BARNES, P. K., WATKINS, J., RENZY-MARTIN, N. DE

and THOMAS, V. J. E. Plasma histamine concentrations after administration of atracurium, (*ARS*) 795P
BARRATT, R. L., GRAHAM, G. G. and TORDA, T. A. Kinetics of thipentone in relation to the site of sampling 1385
BARSOUM, L. Z. *see* MEE, E. W., (*CNM*) 1297P
BAXTER, A. D., FLYNN, J. F. and JENNINGS, F. O. Continuous intercostal nerve blockade, (*C*) 665
BAYSINGER, C. *see* ABBOUD, T. K. 1351
BEASLEY, J. M. *see* JONES, S. E. F. 137
BEATTY, P. C. W., COOLEY, J. M., KAY, B. and HEALY, T. E. J. A microcomputer calibrator (MC) for a mass spectrometer (MS) for use in anaesthesia, (*ARS*) 803P
BEATTY, P. C. W. and KAY, B. Closed circuit anaesthesia, (*C*), 928
BEATTY, P. C. W., KAY, B. and HEALY, T. E. J. Measurement of the rates of nitrous oxide uptake and nitrogen excretion in man 223
BECKER, D. P. *see* MILLER, J. D., (*CNM*) 1313P
BECKMAN, A. *see* WERNER, O. 995; 1343
BEHNIA, R., KOUSHANPOUR, E., GOLDSTICK, T. K., LINDE, H. W. and OSBORN, R. Renal tissue oxygenation following induced hypotension in dogs 1037
BELL, C. F., CAMPBELL, I. T., MINORS, D. S. and WATERHOUSE, J. M. Body temperature rhythms in intensive care, (*ARS*) 428P
BELL, C. F. *see* HUNTER, J. M., (*ARS*) 1285P
BENCINI, A. and NEWTON, D. E. F. Rate of onset of good intubating conditions, respiratory depression and hand muscle paralysis after vecuronium 959
BERDEAUX, A. *see* ECOFFEY, C. 1399
BERGERET, S. *see* GAUDY, J. H. 631
BERGMAN, N. A. *see* HENEGMAN, C. P. H. 437
BEST, N., SINOSICH, M. J., TEISNER, B., GRUDZINSKAS, J. G. and FISHER, M. McD. Complement activation during cardiopulmonary bypass by heparin–protamine interaction 339
BETHUNE, D. W. *see* NOBLE, J. 1439
BEVAN, D. R. *see* ROBBINS, R. 1095
BEVAN, J. C. *see* ROBBINS, R. 1095
BEVIS, R. *Anaesthesia in Midwifery*, (*R*) 1058
BICHARD, A. R. *see* LITTLE, H. J. 1153
BICKFORD SMITH, P. J. *see* MACDONALD, R. 1201
BILLER, M. *see* MURR, R., (*CNM*) 1305P
BIRD, T. *see* MARSHALL, M., (*R*) 1063
BISSET, W. I. K., BUTLER, A. R. and GLIDEWELL, C. Nitroprusside infusions, (*C*) 311
BLACK, A. M. S., HAHN, C. E. W., MAYNARD, P. and SCOTT, I. L. Measurement of lung volume by multiple indicator dilution. *Difference in apparent volume of distribution of oxygen, nitrogen and argon* 289
BLACK, A. M. S., SCOTT, I. L., HAHN, C. E. W., MAYNARD, P. and BAKER, A. B. Measurement of lung volume by multiple indicator dilution. *Testing a modelled hypothesis with on-line computation* 509
BLACK, A. M. S. *see* ALEXANDER, J., (*ARS*) 1283P; RADFORD, S. G., (*ARS*) 1289P; SCOTT, I. L. 385
BLACKMAN, G. L. *see* MORGAN, D. J. 349
BLIGNAUT, P. *see* MAHARAJ, R. J. 459
BLITT, C. D. *Catheterization Techniques for Invasive Cardiovascular Monitoring*, (*R*) 208
BOADEN, R. W. and HUTTON, P. Digital computer control of gas flow, (*ARS*) 799P
DE BOER, A. G., DE LEEDE, L. G. J. and BREIMER, D. D. Drug absorption by sublingual and rectal routes 69
BØGGILD-MADSEN, B. *see* SCHURIZEK, B., (*C*) 312
BOGOD, G. D. *see* HANNING, C. D., (*ARS*) 802P
BOITIER, J. F. *see* GAUDY, J. H. 631
BOLDY, D. A. R., ENGLISH, J. S. C., LANG, G. S. and HOARE, A. M. Sedation for endoscopy: a comparison between diazepam, and diazepam plus pethidine with naloxone reversal 1109
BOOIJ, L. H. D. J. *see* DE LANGE, J. J., (*C*) 670; DRIESSEN, J. J. 1131
BOROS, M., CHAUDHRY, I. A., NAGASHIMA, H., DUNCALF, R. M., SHERMAN, E. H. and FOLDES, F. F. Myoneural effects of pethidine and droperidol 195
BOSCOE, M. J. *see* SKELLY, A. M., (*ARS*) 1279
BOURNE, W. A. *see* STEPHENS, I. D. 465
BOVILL, J. G., WEZEL, H. V., SCHULLER, J. and HOENEVELD, M. Comparison of nitroglycerine, verapamil and nifedipine in coronary artery surgery, (*ARS*) 804P
BOVILL, J. G. *see* SCHULLER, J. L. 1101
BRADSHAW, E. G., HARPER, N. S. and PLEUVRY, B. S. A comparison of the rat and guineapig phrenic nerve–diaphragm preparations as models to investigate neuromuscular blocking drugs, (*ARS*) 1287P
BRADSHAW, E. G. *see* HARPER, H. J. N. 1089
BREIMER, D. D. *see* DE BOER, A. G. 69
BRIGGS, L. P. *see* WRIGHT, P. J. 613
BRISTOW, A. S. *see* GREEN, D. W. 981
BROCK-UTNE, J.-G. *see* MAHARAJ, R. J. 459; STRUBE, P. J., (*C*) 921
BRODRICK, P., BROMLEY, L. and JEWKES, D. The use of chlormethiazole (Heminevrin) to control post-craniotomy epilepsy, (*CNM*) 1312P
BROMLEY, L. *see* BRODRICK, P., (*CNM*) 1312P
BROOKER, J., STAFFORD, M. A. and HULL, C. J. Anaesthesia for short procedures: a comparison of differing concentrations of alfentanil in methohexitone, (*ARS*) 1293P
BROOKER, J. *see* STAFFORD, M. A., (*ARS*) 1284P
BROWN, A. S., DONALDSON, A. A. and STEERS, A. J. W. Spontaneous intracranial haemorrhage from aneurysm: a multifactorial review, (*CNM*) 1298P
BROWN, B. R. jr., (editor). *Fluid and Blood Therapy in Anaesthesia*, (*R*) 1062; *New Pharmacologic Vistas in Anesthesia*, (*R*) 1061
BROWN, D. T. *see* DRUMMOND, G. B., (*ARS*) 1280P; McCULLOCH, W. J., (*ARS*) 1281P
BROWN, F. F., HALSEY, M. J., WARDLEY-SMITH, B. and MARTIN, P. A. Anaesthetic biotransformation investigated with ^{19}F *in vivo* nuclear magnetic resonance, (*ARS*) 805P
BRYANT, D. *see* ABOULEISH, E. I., (*C*) 668
BUCKLEY, P. M. Increase in resistance of in-line breathing filters in humidified air 637
BULLINGHAM, R. E. S., (guest editor). *Opiate Analgesia*, (*R*) 1055
BULLINGHAM, R. E. S. *see* MOORE, R. A. 837; PHILLIPS, D. M. 829; SEAR, J. W., (*ARS*) 430P
BURNSIDE, G. W. *see* GRAY, W. M. 543
BURT, D. E. R. *see* WALKER, M., (*ARS*) 1281P
BUSHMAN, J. A. and ENDERBY, D. H. Closed circuit anaesthesia, (*C*) 927
BUTLER, A. R. *see* BISSET, W. J. K., (*C*) 311
BUZELLO, W. *see* NOELDGE, G. 473
BYRNE, A. J. *see* YEOMAN, P. M., (*ARS*) 1291P

CALVEY, T. N. *see* ISHERWOOD, C. N. 843
CAMERON, M. M. *see* DEARDEN, N. M., (*CNM*) 1314P
CAMMELLI, F. *see* RESTELLI, L. 1051
CAMPBELL, B. C., PARIKH, R. K., NAISMITH, A., SEWNAUTH, D. and REID, J. L. 257 Comparison of fentanyl and halothane supplementation to general anaesthesia on the stress response in upper abdominal surgery 257
CAMPBELL, I. T. *see* BELL, C. F., (*ARS*) 428P
CAMPBELL, L. T. *see* RAMADAN, M. E., (*ARS*) 1293P
CAMPKIN, T. V. Isoflurane and cranial extradural pressure. *A study in neurosurgical patients* 1083; Isoflurane: effects on cranial extradural pressure in neurosurgical patients,

(*CNM*) 1308P
CAMPKIN, T. V. and HONIGSBERGER, L. Isoflurane: its effect on the encephalogram in patients during carotid endarterectomy, (*CNM*) 1300P
CARAPETIS, R. J. *see* RUNCIMAN, W. B. 1015; 1117; 1247
CARL, P., CRAWFORD, M. E. and RAVLO, O. Fixation of extradural catheters by means of subcutaneous tissue tunnelling 1369
CARL, P. *see* CRAWFORD, M. E. 165
CARMICHAEL, L. M. *see* MILLER, J. D., (*CNM*) 1313P
CARNIE, J. and KUMAR, B. An analysis of thirty years of contributions to the British Anaesthetic Literature (1953–1982) 1171
CARSON, I. W. *see* LOWRY, K. G., (*ARS*) 1288P
CARTER, J. A., CLARKE, T. N. S. and PRYS-ROBERTS, C. Recovery of baroreflex control of heart rate after methohexitone – nitrous oxide anaesthesia in man, (*ARS*) 1285P
CARUGO, D. *see* CERCHIARI, E. L. 325
CASHMAN, J. N., JONES, R. M., FOSTER, J. M. G. and ADAMS, A. P. A comparison of morphine and aspirin infusion for the relief of postoperative pain, (*ARS*) 805P
CASHMAN, J. N. *see* CASSON, W. R., (*ARS*) 1281P; JONES, R. M., (*ARS*) 793P
CASSON, W. R., JONES, R. M. and CASHMAN, J. N. The incidence of cardiac arrhythmia during anaesthesia for dental extractions: halothane and isoflurane compared, (*ARS*) 1281P
CASSON, W. R. *see* JONES, R. M., (*ARS*) 793P
CASTHELY, P. A. *see* FRYMAN, P. N. 1197
CAVA, L. *see* BARAKA, A., (*C*) 673
CERCHIARI, E. L., CARUGO, D., DELLA PUPPA, T. and RAVIZZA, A. Reliability of the vestibulo-ocular reflex as an index of the effects of hypnotic drugs in the central nervous system 325
CHAKRABARTI, M. K. *see* WHITWAM, J. G. 187; 411
CHAMBERS, W. A. *see* PARRIS, M. R., (*ARS*) 1284P
CHAN, K. *see* ISHERWOOD, C. N. 843
CHAUDHRY, I. A. *see* BOROS, M. 195
CHESTER, A. *see* GIBBS, N. M., (*C*) 1179
CHESTNUTT, W. N., LOWRY, K. G., ELLIOTT, P., MIRAKHUR, R. K., PANDIT, S. K. and DUNDEE, J. W. Failure of two benzodiazepines to prevent suxamethonium-induced muscle pain, (*ARS*) 807P
CHILCOAT, R. T., LUNN, J. N. and MAPLESON, W. W. Computer assistance in the control of depth of anaesthesia 1417
CHILD, D. C. *see* MILLER, J. D., (*CNM*) 1313P
CHRISTENSEN, F. R. and LUND, J. Accidental dural puncture, (*C*) 668.
CHRUBASIK, J., VOGEL, W. and FRIEDRICH, G. Extradural, on-demand, low-dose infusion of morphine and morphine metabolism under conditions of intensive care, (*CNM*) 1307P
CHUNG, D. C. and LAM, A. M. *Essentials of Anesthesiology*, (*R*) 674
CLARKE, K. *see* LINTER, S. P. K. 203
CLARKE, K. W. *see* HALL, L. W., (*R*) 674
CLARKE, R. S. J. Nausea and vomiting 19
CLARKE, R. S. J. *see* GIBSON, F. M., (*ARS*) 794P; MIRAKHUR, R. K., (*C*) 927; WRIGHT, P. J. 613
CLARKE, T. N. S. *see* CARTER, J. A., (*ARS*) 1285P
CLAUSEN, J. L., (editor). *Pulmonary Function Testing Guidelines and Controversies*, (*R*) 1060
COAKHAM, H. C. *see* LAYCOCK, J. R. D., (*CNM*) 1304P
COHEN, S., HALSEY, M. J. and WARDLEY-SMITH, B. Pressure reversal of benzodiazepine "anaesthesia", (*ARS*) 806P
COHEN, S. *see* MARX, G. F. 1009
COLLIER, P. S. *see* ELLIOTT, P., (*ARS*) 800P; FEE, J. P. H., (*ARS*) 1280P; HARPER, K. W., (*ARS*) 1288P
COLLIS, J. M. *see* NOBLE, J. 1439
CONOSCENTE, F. *see* RESTELLI, L. 1051
CONWAY, C. M. Effect of the circle system upon the concentration and second gas effects, (*ARS*) 423P
COOLEY, J. M. *see* BEATTY, P. C. W., (*ARS*) 803P
COOPER, C. M. S. *see* AITKENHEAD, A. R. 813
COOPER, G. M. *see* LOW, J. M. 849
COTTON, B. R. and SMITH, G. The lower oesophageal sphincter and anaesthesia 37
COTTRELL, J. E. *see* FRYMAN, P. N. 1197
COUDERC, E., FERRIER, C., HABERER, J. P., MENZEL, D. and DUVALDESTIN, P. Thiopentone pharmacokinetics in patients with chronic alcoholism 1393
COUSINS, M. J. *see* SEOW, L. T., (*C*) 666
COUTINO, P. E. *see* FRANK, M. 1075
COVINO, B. G. *see* WILDSMITH, J. A. W., (*ARS*) 1282P
COWAN, B. N., HOWIE, J. C., McKILLOP, J., TWEDDEL, A. and FITCH, W. Does left ventricular ejection fraction select patients suitable for pulmonary artery catheterization?, (*ARS*) 426P
COX, D. and NIBLETT, D. J. Studies on continuous positive airway pressure breathing systems 905
COZANITIS, D. A., LEINO, P. and VAHERI, A. Viruses and endotracheal tubes, (*C*) 1317
CRAWFORD, J. S. The pre-anaesthesia fasting period, (*C*) 925
CRAWFORD, M. E., CARL, P., ANDERSEN, R. S. and MIKKELSEN, B. O. Comparison between midazolam and thiopentone-based balanced anaesthesia for day-case surgery 165
CRAWFORD, M. E. *see* CARL, P. 1369
CRESCENTI, A. *see* STELLA, L. 369
CRIPPS, T. P. *see* HEWITT, P. B., (*CNM*) 1308P
CROSS, R. *see* REYNOLDS, A. D. 267
CROWHURST, J. A. and ROSEN, M. General anaesthesia for Caesarean section in severe pre-eclampsia. *Comparison of the renal and hepatic effects of enflurane and halothane* 587
CROWTHER, A. *see* HARRIS, M. N. E. 1213
CRUL, J. E. F. *see* DRIESSEN, J. J. 1131
CUMMINGS, G. C., BAMBER, D. B., EDSTROM, H. H. and RUBIN, A. P. Subarachnoid blockade with bupivacaine. *A comparison with cinchocaine* 573
CUNITZ, G., SCHREGEL, W. and MORGENROTH, K. Occurrence of brain swelling during anaesthesia and intensive care, (*CNM*) 1311P
CURRIE, J. M. Measurement of the depth to the extradural space using ultrasound 345
CUSCHIERI, R. J., MORRAN, C. G. and McARDLE, C. S. Comparison of morphine and sublingual buprenorphine following abdominal surgery 855
CUSCHIERI, R. J. *see* MORTON, N. S., (*C*) 665
CUTFIELD, G. R., FRANCIS, C. M., FOEX, P., RYDER, W. A. and JONES, L. A. Isoflurane anaesthesia and coronary vascular reserve, (*ARS*) 1287P

DAGNINO, J. and PRYS-ROBERTS, C. Studies of anaesthesia in relation to hypertension. VI: Cardiovascular responses to extradural blockade of treated and untreated hypertensive patients 1065
DAILEY, P. A. *see* ABBOUD, T. K. 1351
DALE, O. and NILSEN, O. G. Displacement of some basic drugs from human serum proteins by enflurane, halothane and their major metabolites. *An in vitro study* 535
DAVENPORT, J. *see* WREN, W. S., (*ARS*) 798P; 881
DAVIES, A. E. and NAVARATNARAJAH, M. Vagina delivery in a patient with a phaeochromocytoma. *A case report* 913
DAVIES, J. M. and TWEED, W. A. Regional distribution of myocardial blood flow in fetal asphyxia, (*ARS*) 430P
DAVIS, J. M. *see* JONES, S. E. F. 137
DAVIS, W. O. M. *see* WEATHERILL, D., (*ARS*) 423P

DAWLING, S. *see* SKELLY, A. M., (*ARS*) 1279P
DAWSON, A. D. G. Intercostal nerve blockade, (*C*) 1318
DEARDEN, N. M. Changes in residual volume following oxygen breathing, (*C*) 672
DEARDEN, N. M., GIBSON, J. S., McDOWALL, D. G., GIBSON, R. M. and CAMERON, M. M. High dose dexamethasone on outcome from severe head injury, (*CNM*) 1314P
DEBOER, G. E. *see* SETHNA, D. H., (*C*) 924
DELLA PUPPA, T. *see* CERCHIARI, E. L. 325
DENBOROUGH, M. A. *see* GALLOWAY, G. J., (*C*) 663
DERBYSHIRE, D. R., HUNT, P. C. W., ACHOLA, K. and SMITH, G. Midazolam and thiopentone: catecholamine and arterial pressure responses to induction and tracheal intubation in the elderly, (*ARS*) 429P
DERBYSHIRE, D. R. and SMITH, G. Sympathoadrenal responses to anaesthesia and surgery 725
DESMONTS, J. M. and MARTY, J. Anaesthetic management of patients with phaeochromocytoma 781
DESPARMET, J. *see* ECOFFEY, C. 1399
DICKINS, J. *see* LYLE, D. J. R. 645
DINGWALL, A. TENS, analgesia and plasma (met) enkaphalin, (*ARS*) 1289P
DOENICKE, A., DUKA, T. and SUTTMANN, H. Venous reactions following etomidate, (*C*) 933
DONALDSON, A. *see* BROWN, A. S., (*CNM*) 1298P
DONATI, F. *see* ROBBINS, R. 1095
DORRANCE, D. E. *see* MEE, E. W., (*CNM*) 1297P
DOWNING, J. W. *see* STRUBE, P. J., (*C*) 921
DOYLE, R. L., FOËX, P., RYDER, W. A. and JONES, L. A. Effect of halothane on left ventricular relaxation, (*ARS*) 1286P
DRIESSEN, J. J., VREE, T. B., EGMOND, J. VAN., BOOIJ, L. H. D. J. and CRUL, J. F. F. *In vitro* interaction of diazepam and oxazepam with pancuronium and suxamethonium 1131
DRUMMOND, G. B. Atropine increases inspiratory flow during enflurane anaesthesia after pethidine premedication 565; Effect of airway occlusion on respiratory timing during anaesthesia with enflurane or halothane 215
DRUMMOND, G. B., McCULLOCH, W. J. and BROWN, D. T. Contribution of expiratory muscle activity to ventilation during anaesthesia, (*ARS*) 1280P
DRUMMOND, G. B. and PARK, G. R. Arterial oxygen saturation before intubation of the trachea. *An assessment of oxygenation techniques* 987; Changes in intragastric pressure on induction of anaesthesia 873; Preoxygenation techniques – three big breaths might do, (*ARS*) 422P
DRUMMOND, G. B. *see* McCULLOCH, W. J., (*ARS*) 1281P
DUFFY, S. W. *see* ROSS, J. A. S. 527
DUKA, T. *see* DOENICKE, A., (*C*) 933
DUNCALF, R. M. *see* BOROS, M. 195
DUNDEE, J. W. Fifty years of thiopentone, (*E*) 211
DUNDEE, J. W., HALLIDAY, N. J., LOUGHRAN, P. G. and HARPER, K. W. Some factors influencing the response to midazolam, (*ARS*) 804P
DUNDEE, J. W. *see* CHESTNUTT, W. N., (*ARS*) 807P; ELLIOT, P., (*ARS*) 800P; (*ARS*) 800P; FEE, J. P. H., (*ARS*) 1280P; HARPER, K. W., (*ARS*) 1288P; LOWRY, K. G., (*ARS*) 1288P; McMURRAY, T. J., (*ARS*) 429P; WRIGHT, P. J. 613
DURANT, P. A. C. and JOUCKEN, K. Bronchospasm and hypotension during cardiopulmonary bypass after preoperative cimetidine and labetalol therapy 917
DURKIN, M. *see* ELTRINGHAM, R., (*R*) 1175
DUTHIE, D. J. R., FRASER, R. and NIMMO, W. S. The effect of induction of anaesthesia by etomidate on corticosteroid synthesis in man, (*ARS*) 1292P
DUTTON, D. A., MOIR, D. D., HOWIE, H. B., THORBURN, J. and WATSON, R. Choice of local anaesthetic drug for extradural Caesarean section. *Comparison of 0.5% and 0.75% bupivacaine and 1.5% etidocaine* 1361
DUVALDESTIN, P. *see* COUDERC, E. 1393

EAGAR, B. M., FLYNN, P. J. and HUGHES, R. Infusion of atracurium for long surgical procedures 447
EAGAR, B. M. *see* PATRICK, M., (*ARS*) 430P; 861
ECOFFEY, C., DESPARMET, J., BERDEAUX, A., MAURY, M., GIUDICELLI, J. F. and SAINT-MAURICE, C. Pharmacokinetics of lignocaine in children following caudal anaesthesia 1399
EDSTRÖM, H. H. *see* AXELSSON, K. H. 271; CUMMINGS, G. C. 573; MØLLER, I. W. 1191; SKRETTING, P. 155
EGER, E. I. II. The pharmacology of isoflurane 71S
EGMOND, J. VAN. *see* DRIESSEN, J. J. 1131
EKSTRÖM-JODAL, B. *see* NILSSON, K. 375
ELLIOT, P., DUNDEE, J. W., COLLIER, P. S. and McCLEAN, E. The influence of two H_2-receptor antagonists, cimetidine and ranitidine, on the systemic availability of temazepam, (*ARS*) 800P
ELLIOTT, P., PANDIT, S. K., PATTERSON, C. C. and DUNDEE, J. W. The plasma concentrations and reduction in anxiety produced by two oral preanaesthetic medications, (*ARS*) 800P
ELLIOTT, P. *see* CHESTNUTT, W. N., (*ARS*) 807P; HARPER, K. W., (*ARS*) 1288P
ELLIS, F. R. European malignant hyperpyrexia group, (*E*) 1183
ELLIS, F. R., FLETCHER, R., HALSALL, P. J., HEFFRON, J. J. A., LEHANE, M., MORTIER, W., ØRDING, H., RANKLEV, E., SPORN, R., STEINBEREITNER, K., THEUNYNCK, D. and VERBURG, R. (The European Malignant Hyperpyrexia Group.) A protocol of the investigation of malignant hyperpyrexia (MH) susceptibility 1267
ELLIS, F. R. and HALSALL, P. J. Suxamethonium spasm. A differential diagnostic conundrum 381
ELLIS, R. H. *James Robinson on the Inhalation of The Vapour of Ether*, (*R*) 1175
ELTRINGHAM, R., DURKIN, M. and ANDREWS, S. *Post Anaesthetic Recovery – A Practical Approach*, (*R*) 1175
ENDERBY, D. H. *see* BUSHMAN, J. A., (*C*) 927
ENGBÆK, J., ØRDING, H., PEDERSEN, T. and VIBY-MOGENSEN, J. Dose–response relationships and neuromuscular blocking effects of vecuronium and pancuronium during ketamine anaesthesia 953
ENGLISH, J. S. C. *see* BOLDY, D. A. R. 1109
ENZENBACH, R. *see* MURR, R., (*CNM*) 1305P
ESKOLA, J., SALO, M., VILJANEN, M. K. and RUUSKANEN, O. Impaired β lymphocyte function during open-heart surgery. *Effects of anaesthesia and surgery* 333
EVANS, M. *see* FRANK, M. 355
EVANS, S. J. W. *see* WARK, K. J., (*ARS*) 1283P

FAITHFULL, N. S., KLEIN, J., ZEE, H. T. VAN DER and SALT, P. J. Intraperitoneal oxygenation using perfluocarbon solutions, (*ARS*) 424P; Whole-body oxygenation using intraperitoneal perfusion of fluorocarbons 867
FASSOULAKI, A., KANIARIS, P. and VARONOS, D. D. Do general anaesthetics perturb lipid membranes? *The role of cholesterol* 1045
FAULDING, S. and HALL, G. M. Plasma analgesic concentration—fact or fallacy?, (*E*) 811
FEE, J. P. H., DUNDEE, J. W., McCLEAN, E. and COLLIER, P. S. Plasma diazepam concentrations following valium and Diazemuls i.v., (*ARS*) 1280P
FELLOWS, I. W. *see* YEOMAN, P. M., (*ARS*) 1291P
FERNANDES, A. *see* MØLLER, I. W. 1191

FERRACCI, F. *see* GAUDY, J. H. 631
FERRES, C. J. *see* GIBSON, F. M., (*ARS*) 794P
FERRIER, C. *see* COUDERC, E. 1393
FIERRO, L. E. *see* SHARROCK, N., (*C*) 1447
FIRESTONE, S. *see* SATWICZ, P. R. 479
FISCHER, F. *see* REINERY, G. F., (*CNM*) 1303P
FISHER, A. *see* PHILLIPS, D. M. 829
FISHER, M. *see* GREEN, D. W. 981
FISHER, M. F. and KIMBERLEY, P. S. The King's College Hospital/Napp Laboratories Pain Recorder, (*ARS*) 424P
FISHER, M. McD. *see* BEST, N. 339
FITCH, W. *see* AKEN, H. VAN., (*CNM*) 1295P; 1409; COWAN, B. N., (*ARS*) 426P; GOODWIN, N., (*E*) 1321
FLEMING, J. S. *see* ROYSTON, D., (*ARS*) 427P
FLETCHER, R. and JONSON, B. Deadspace and the single breath test for carbon dioxide during anaesthesia and artificial ventilation. *Effects of tidal volume and frequency of respiration* 109
FLETCHER, R. *see* ELLIS, F. R. 1267; ØRDING, H. 1183
FLYNN, J. F. *see* BAXTER, A. D., (*C*) 665
FLYNN, P. *see* FRANK, M. 355
FLYNN, P. J., FRANK, M. and HUGHES, R. Use of atracurium in Caesarean section 599
FLYNN, P. J., HUGHES, R. and WALTON, B. Use of atracurium in cardiac surgery involving cardiopulmonary bypass with induced hypothermia 967
FLYNN, P. J., INGRAM, D. and SEBEL, P. S. Effect of nitrous oxide (N_2O) on visual auditory and somatosensory evoked potentials, (*ARS*) 421P
FLYNN, P. J. *see* EAGAR, B. M. 447; SEBEL, P. S. 1403
FOËX, P. Alpha and beta-adrenoceptor antagonists 751
FOËX, P. and SMITH, G. The adrenals and sympathoadrenal system, (*E*) 675
FOËX, P. *see* CUTFIELD, G. R., (*ARS*) 1287P; DOYLE, R. L., (*ARS*) 1286P
FOLDES, F. Rapid tracheal intubation with non-depolarizing neuromuscular blocking drugs: the priming principle, (*C*) 663
FOLDES, F. F. *see* BOROS, M. 195
FORSTER, A. *see* MOREL, D., (*C*) 664
FOSTER, J. M. G. *see* CASHMAN, J. N., (*ARS*) 805P
FRAME, W. T., ALLISON, R. H., MOIR, D. D. and NIMMO, W. S. Effect of naloxone on gastric emptying during labour 263
FRANCIS, C. M. *see* CUTFIELD, G. R., (*ARS*) 1287P
FRANK, M., EVANS, M., FLYNN, P. and AUN, C. Comparison of the prophylactic use of magnesium trisilicate mixture B.P.C., sodium citrate mixture or cimetidine during labour 355
FRANK, M., MAYNARD, D. E., TSANACLIS, L. M., MAJOR, E. and COUTINO, P. E. Changes in cerebral electrical activity measured by the cerebral function analysing monitor following bolus injections of thiopentone 1075
FRANK, M. *see* FLYNN, P. J. 599; YATE, P. M., (*CNM*) 1298P
FRASER, R. *see* DUTHIE, D. J. R., (*ARS*) 1292P
FRENKEL, C. and PFEIFER, G. Pharmacokinetic aspects of CSF penetration of fosfomycin, (*CNM*) 1310P
FRESHWATER, J. V. Anaesthesia for Caesarean section and the Jervell, Lange-Nielsen Syndrome (prolonged Q-T interval) 655
FRIEDRICH, G. *see* CHRUBASIK, J., (*CNM*) 1307P
FROST, E. A. M. Inhalation anaesthetic agents in neurosurgery 47S
FROST, E. A. M. and ANDREWS, I. C. *Recovery Room Care*, (*R*) 809
FRYMAN, P. N., TRINER, L., SCHRANZ, M., HARTUNG, J., CASTHELY, P. A., ABRAMS, L. M., KEANEY, A. E. and COTTRELL, J. E. Effect of voltatile anaesthetics and nitrous oxide–fentanyl anaesthesia on bleeding time 1197
FUJINAGA, M. *see* STEVANS, J. E. 395
FURUYA, H. *see* KISHI, Y. 1003

GABEL, R. A. *see* SHARROCK, N. E. 285
GALLAGHER, E. G. *see* MAGEE, D. A. 977
GALLAGHER, T. J., (editor). *Advances in Anesthesia, Volume 1*, (*R*) 1176
GALLOWAY, D. J. *see* OWEN, H., (*ARS*) 1292P
GALLOWAY, G. J. and DENBOROUGH, M. A. Phosphorus-31 nuclear magnetic resonance studies of muscle metabolism in malignant hyperthermia, (*C*) 663
GARDINER, J. *see* MURPHY, D. F. 1113
GAUDY, J. H., BERGERET, S., BOITIER, J. F. and FERRACCI, F. Hypoxic ventilatory drive in the dog under Althesin 631
GEDDES, C. *see* TUNSTALL, M. E. 659
GEIGER, K., (editor). *European Advances in Intensive Care. International Anesthesiology Clinics.* Vol. 2, No. 2., (*R*) 1056
GIALA, M. *see* ARDITIS, J., (*C*) 923
GIBBS, N. M., OH, T. E. and CHESTER, A. Blood viscosity and blood film morphology during prolonged sedation with Althesin, (*C*) 1179
GIBSON, F. M., MIRAKHUR, R. K., CLARKE, R. S. J. and FERRES, C. J. Vecuronium–tubocurarine combination: potentiation of neuromuscular block, (*ARS*) 794P
GIBSON, J. S. *see* DEARDEN, N. M., (*CNM*) 1314P
GIBSON, R. M. *see* DEARDEN, N. M., (*CNM*) 1314P
GILBERTON, A. A., (editor) *Intravenous Technique and Therapy*, (*R*) 1175
GILETTE, M. T. *see* LEBOWITZ, P. W., (*R*) 1175
GILLBE, C. *see* AL-KHUDHAIRI, D., (*ARS*) 799P
GILLMAN, M. A. and LIGHTIGFIELD, F. J. Recovery after brain injury—some neurotransmitter and clinical implications, (*C*) 1319
GILSBACH, J. M. *Intraoperative Doppler Sonography in Neurosurgery*, (*R*) 1060.
GISSEN, A. J. *see* WILDSMITH, J. A. W., (*ARS*) 1282P
GIUDICELLI, J. F. *see* ECOFFEY, C. 1399
GLASS, P. S. A. Mechanism of action of extradural compared with intrathecal opiates, (*C*) 669
GLEN, J. B. and HUNTER, S. C. Differences between the emulsion and Cremophor formulations of propofol ("Diprovan"; ICI 35 868), (*ARS*) 807P; Pharmacology of an emulsian formulation of ICI 36 868 617
GLIDEWELL, C. *see* BISSET, W. I. K., (*C*) 311
GOLDSTICK, T. K. *see* BEHNIA, R. 1037
GOODWIN, N. and FITCH, W. The computer and anaesthesia. *A personal view of the new technology*, (*E*) 1321
GORDON, G., GRUNDY, E. M., AL-KHUDHAIRI, D., ANDERSON, D. J. and WHITWAM, J. G. Antagonism of the effects of midazolam on phrenic nerve activity in the dog by RO 15-1788 and RO-15-3505 1161
GORDON, G. *see* WHITWAM, J. G. 411
GÖTZ, H. *see* PASCH, T., (*CNM*) 1296P
GRAHAM, D. J. *see* AKEN, H. VAN., (*CNM*) 1295; 1409
GRAHAM, G. G. *see* BARRATT, R. L. 1385
GRAHAM, N. *see* HANNING, C. D., (*ARS*) 802P
GRAY, W. M. and BURNSIDE, G. W. Calibration atmosphere generator for operation theatre pollution studies *A system for the controlled production of trace concentrations of inhalation anaesthetics* 543
GRAY, W. M. *see* WEATHERILL, D., (*ARS*) 423P
GREEN, D. W., BRISTOW, A. S. E. and FISHER, M. Comparison of i.v. glycopyrrolate and atropine in the prevention of bradycardia and arrhythmias following repeated doses of suxamethonium in children 981
GREENFIELD, A. A. *see* WRIGHT, P. J. 613
GREGUS, J. *see* WILDSMITH, J. A. W., (*ARS*) 1282P
GROBLER, N. N. *see* ABBOUD, T. K. 1351
GROVER, V. K. *see* KAUSHIK, S. 1229

GRUDZINSKAS, J. G. *see* BEST, N. 339
GRUNDY, D. *see* SCRATCHERD, T. 3
GRUNDY, E. M. *see* GORDON, G. 1161
GUGGENBERGER, H., HEUSER, D. and SEBOLDT, H. Cerebral blood flow and extracellular ion homeostasis during hypervolaemic haemodilution, (*CNM*) 1305P
GUGGENBERGER, H. *see* HEUSER, D., (*CNM*) 1296P
GUPTA, M. *see* SINGHAL, M., (*C*) 1317
GUSTAFSON, C. The central and peripheral circulation during and after sodium nitroprusside-induced hypotension in the rat 1029

HAAPANIEMI, L. *see* PITKÄNEN, M. 279
HABERER, J. P. *see* COUDERC, E. 1393
HAHN, C. E. W. *see* BLACK, A. M. S. 289, 509; SCOTT, I. L. 385
HÅKANSON, E. *see* RUTBERG, H. 233
HALL, G. *see* SMITH, G., (*E*) 1
HALL, G. M. *see* FAULDING, S., (*E*) 811; LACOUMENTA, S. 493
HALL, G. M., WOOD, G. V. and PATERSON, J. L. Half-life of plasma cholinesterase 903
HALL, L. W. and CLARKE, K. W. *Veterinary Anaesthesia*, 8th edition, (*R*) 674
HALL-DAVIES, G. *see* JONES, S. E. F. 137
HALLIDAY, N. J. *see* DUNDEE, J. W., (*ARS*) 804P; HARPER, K. W., (*ARS*) 1288P
HALSALL, P. J. *see* ELLIS, F. R. 381; 1267
HALSEY, M. J. A reassessment of the molecular structure–functional relationships of the inhaled general anaesthetics 95
HALSEY, M. J., WARDLEY-SMITH, B. Hydrogen bonding in mechanisms of anaesthesia tested with chloroform and deuterated chloroform, (*C*) 1448
HALSEY, M. J. *see* BROWN, F. F., (*ARS*) 805P; COHEN, S., (*ARS*) 806P
HAMMOND, J. E. and WRIGHT, D. J. Comparison of the resistances of double-lumen endobronchial tubes 299
HAMMOND, J. E. *see* McLEOD, B. J., (*ARS*) 1286P
HANNING, C. D., BOGOD, G. D., SMITH, G., McNEILL, M. and GRAHAM, N. Further development of a sustained release morphine suppository, (*ARS*) 802P
HANNING, C. D. *see* SHRIBMAN, A. J., (*ARS*) 792P
HARDY, I. *see* NOBLE, J. 1439
HARGREAVES, J. *see* NIGHTINGALE, P., (*ARS*) 808P
HARPER, K. W., COLLIER, P. S., DUNDEE, J. W., ELLIOTT, P., HALLIDAY, N. J. and LOWRY, K. G. Age and nature of operation influence the pharmacokinetics of midazolam, (*ARS*) 1288P
HARPER, K. W. *see* DUNDEE, J. W., (*ARS*) 804P
HARPER, N. J. N., BRADSHAW, E. G. and HEALY, T. E. J. Antagonism of alcuronium with edrophonium or neostigmine 1089
HARPER, N. S. *see* BRADSHAW, E. G., (*ARS*) 1287P
HARRIS, M. N. E., PLANTEVIN, O. M. and CROWTHER, A. Cardiac arrhythmias during anaesthesia for laparosopy 1213
HARRISON, G. R., SHAH, J. L. and PARKIN, I. G. Resin infection studies of the lumbar extradural space, (*ARS*) 797P
HARRISON, K. M. *see* BARKER, P., (*CNM*) 1295P
HARRISON, M. J. Maintenance of drug concentrations at the therapeutic threshold, (*ARS*) 1291P
HARTUNG, J. *see* FRYMAN, P. N. 119
HARVEY, J. T. *see* LOW, J. M. 849
HATCH, D. J. *see* LINDAHL, S. G. E. 121
HAWES, D. W. C. *see* LYLE, D. J. R. 645
HEALY, T. E. J. *see* BEATTY, P. C. W. (*ARS*) 803P; 223; HARPER, N. J. N. 1089: NIGHTINGALE, P., (*ARS*) 808P
HEFFRON, J. J. A. *see* ELLIS, F. R. 1267
HEMPELMANN, G. *see* RUSS, W., (*CNM*) 1301P
HENEGHAN, C. P. H., BERGMAN, N. A. and JONES, J. G. Changes in lung volume and ($P_{AO_2} - Pa_{O_2}$) during anaesthesia 437
HENEGHAN, C. P. H., THORNTON, C., NAVARATNARAJAH, M. and JONES, J. G. The effect of Althesin on the auditory evoked response in man, (*ARS*) 792P
HENEGHAN, C. P. H. *see* THORNTON, C. 315
HENZEL, D. *see* COUDERC, E. 1393
HEUSER, D., GUGGENBERGER, H. and MORRIS, P. J. ATP or SNP for intraoperative controlled hypotension? An experimental study on CBF and extracellular ion homeostasis, (*CNM*) 1296P
HEUSER, D. *see* GUGGENBERGER, H., (*CNM*) 1305P
HEWITT, P. B. and CRIPPS, T. P. Anaesthesia for epilepsy surgery, (*CNM*) 1308P
HEWITT, P. B. *see* PEARCE, A. C., (*CNM*) 1310P
HEY, O. *see* REINERY, G. F., (*CNM*) 1303P
HIBBERT, G. R. *see* KUMAR, B., (*ARS*) 797P
HICKS, P. E. *see* LANGER, S. Z. 689
HINKSEN, H. *see* NOELDGE, G. 473
HO, P. C. *see* STEPHENS, I. D. 456
HOARE, A. M. *see* BOLDY, D. A. R. 1109
HOBZA, P., MERCIER, P. and SANDORFY, C. Hydrogen bonding in mechanisms of anaesthesia tested with chloroform and deuterated chloroform (*C*) 1447
HODGE, M. *see* PEARCE, A. C., (*ARS*) 794P
HODGES, J. R. The hypothalamo–pituitary–adrenocortical system 701
HOENEVELD, M. *see* BOVILL, J. G., (*ARS*) 804P
HOKE, M. *see* SCHOEPPNER, H., (*CNM*) 1300P
HOLE, P. *see* HÜTTEL, M. S., (*C*) 933; SCHOU OLESEN, A. 171
HOLLOWAY, A. M. *see* STEPHENS, I. D. 465
HONIGSBERGER, L. *see* CAMPKIN, T. U., (*CNM*) 1300P
HOUSTON, T. and PLEUVRY, B. J. Comparison of some pharmacological properties of 4-aminopyridine and 3,4-diaminopyridine *in vivo* 1139
HOVORKA, J. *see* LEHTINEN, A.-M. 239; 247
HOWIE, H. B. *see* DUTTON, D. A. 1361
HOWIE, J. C. *see* COWAN, B. N., (*ARS*) 426P
HUG, C. C. jr. *see* PRYS-ROBERTS, C., (*R*) 1058
HUGHES, R., ASTLEY, B. A. and PAYNE, J. P. Reversal of atracurium blockade by neostigmine and edrophonium, (*ARS*) 796P
HUGHES, R. *see* EAGAR, B. M. 447; FLYNN, P. J. 599; 967
HULL, C. J. *see* BROOKER, J., (*ARS*) 1293P; STAFFORD, M. A. (*ARS*) 1284P
HULSE, M. G. *see* LINDAHL, S. G. E. 121
HUMPHREY, D. *see* MAHARAJ, R. J. 459
HUNT, P. C. W. *see* DERBYSHIRE, D. R., (*ARS*) 429P
HUNTER, J. M., BELL, C. F. and JONES, R. S. Reversal of block from atracurium with edrophonium in anephric patients, (*ARS*) 1285P
HUNTER, J. M., JONES, R. S. and UTTING, J. E. Comparison of vecuronium, atracurium and tubocurarine in normal patients and in patients with no renal function 941
HUNTER, S. C. *see* GLEN, J. B. 617; (*ARS*) 807P
HURTER, D. G. *see* MEE, E. W., (*CNM*) 1297P
HUSUM, B., WOLF, H. C., NIEBUHR, E., KYST, A. and VALENTIN, N. Sister chromatid exchanges in lymphocytes of humans anaesthetized with isoflurane 559
HUTCHINSON, A. *see* ANTROBUS, J. H. L., (*C*) 671
HÜTTEL, M. S., RINGSTED, C., WANSCHER, M., SCHOU OLESEN, A. and HOLE, P. Venous reactions following etomidate, (*C*) 933
HÜTTEL, M. S. *see* SCHOU OLESEN, A. 171
HUTTON, P. *see* ANDREWS, C. J. H., (*ARS*) 799P; BOADEN, R. W., (*ARS*) 799P
HYAKUTOME, K. *see* SAGAR, D. A., (*ARS*) 791P

IISALO, E., KANTO, J., AALTONEN, L. and MÄKELÄ, J. Flunitrazepam as an induction agent in children. *A clinical and pharmacokinetic study* 899
ILSLEY, A. H. *see* RUNCIMAN, W. B. 1015; 1117; 1247
INGRAM, D. *see* FLYNN, P. J., (*ARS*) 421P
INGRAM, D. A. *see* SEBEL, P. S. 1403
INGRAM, G. S. *see* RAMPTON, A. J. 1443
INOUE, K., NASHAN, B. and ARNDT, J. O. Droperidol inhibits cardiac vagal efferents in dogs 1259
ISHERWOOD, C. N., CALVEY, T. N., WILLIAMS, N. E., CHAN, K. and MURRAY, G. R. Elimination of phenoperidine in liver disease 843

JACK, R. D. *see* WHITWAM, J. G. 411
JAMES, M. F. M. *see* THORNTON, C. 315
JAMES, P. D. *see* AL-KHUDHAIRI, D., (*ARS*) 799P
JAOUDE, C. A. *see* BARAKA, A., (*C*) 673
JAUDE, C. A. *see* BARAKA, A., (*C*) 930
JEEVENDRA MARTYN, J. A. *see* SATWICZ, P. R. 479
JENKINSON, J. L. *see* ARMSTRONG, I. R., (*CNM*) 1360P; McRAE, W. R., (CNM) 1299P
JENNINGS, F. O. *see* BAXTER, A. D., (*C*) 665
JEWKES, D., WANG, A. and SYMON, L. Effects of halothane, enflurane and hypotension on central conduction time, (*CNM*) 1302P
JEWKES, D. *see* BRODRICK, P., (*CNM*) 1312P
JOHNSON, H. D. *see* MALE, C. G. 499
JOHNSTON, R. A. *see* UNNI, V. K. N. 1219
JONES, J. G. *see* HENEGHAN, C. P. H. 437; (*ARS*) 792P; THORNTON, C. 315
JONES, L. A. *see* CUTFIELD, G. R., (*ARS*) 1287P; DOYLE, R. L., (*ARS*) 1286P
JONES, R. M. Clinical comparison of inhalation anaesthetic agents 575
JONES, R. M., PEARCE, A. C. and WILLIAMS, J. P. Recovery characteristics following antagonism of atracurium with neostigmine or edrophonium 453
JONES, R. M., THOMPSON, M. C., PEARCE, A. C., CASSON, W. R. and CASHMAN, J. N. Some factors affecting train-of-four fade, (*ARS*) 793P
JONES, R. M. *see* CASHMAN, J. N., (*ARS*) 805P; CASSON, W. R., (*ARS*) 1281P; PEARCE, A. C., (*ARS*) 794P; 973
JONES, R. S. *see* HUNTER, J. M. 941; (*ARS*) 1285P
JONES, S. E. F., BEASLEY, J. M., MACFARLANE, D. W. R., DAVIS, J. M. AND HALL-DAVIES, G. Intrathecal morphine for postoperative pain relief in children 137
JONSON, B. *see* FLETCHER, R. 109
JORFELDT, L. *see* RUTBERG, H. 233
JOUCKEN, K. *see* DURANT, P. A. C. 917
JOUPPILA, P., JOUPPILA, R., BARINOFF, T. and KOIVULA, A. Placental blood flow during Caesarean section performed under subarachnoid blockade 1379
JOUPPILA, R., PUOLAKKA, J., KAUPPILA, A. and VUORI, J. Maternal and umbilical cord plasma noradrenaline concentrations during labour with and without segmental extradural analgesia, and during Caesarean section 251
JOUPPILA, R. *see* JOUPPILA, P. 1379
JUHL, B. *see* SCHURIZEK, B., (*C*) 312
JÜRS, G. *see* KRIER, C., (*CNM*) 1314P

KADWA, H. *see* MAHARAJ, R. J. 459
KALSO, E. Mechanism of action of extradural compared with intrathecal opiates, (*C*) 669
KANIARIS, P. *see* FASSOULAKI, A. 1045
KANTO, J. *see* IISALO, E. 899
KAPLAN, J. A. *Thoracic Anesthesia*, (*R*) 1057
KAPLAN, N. *see* MAHARAJ, R. J. 459
KARL, H. W. Ventricular arrhythmia or supraventricular arrhythmia with aberrant conduction, (*C*) 671
KATZ, R. L. *see* ASTLEY, B. A., (*ARS*) 793P
KAUPPILA, A. *see* JOUPPILA, R. 251
KAUSHIK, S., GROVER, V. K., SINGH, N. and YADAV, R. V. S. Use of alcuronium in patients undergoing renal transplantation 1229
KAY, B. *see* BEATTY, P. C. W., (*ARS*) 803P; 223; (*C*) 928; NIGHTINGALE, P., (*ARS*) 808P
KAY, N. H. *see* LAFFEY, D. A. 363
KEANEY, A. E. *see* FRYMAN, P. N. 1197
KEEN, R. I. *see* MACDONALD, A. M. 651
KELLY, D. A. *see* RAMPTON, A. J. 1143
KENNEDY, D. J. *see* NOBLE, J. 1439
KENNY, G. N. C. *see* PRENTICE, J. W., (*ARS*) 425P; 1433
KHOO, S.-S. *see* ABBOUD, T. K. 1351
KIMBERLEY, P. S. *see* FISHER, M. F., (*ARS*) 424P
KISHI, Y., OKUMURA, K. and FURUYA, H. Haemodynamic effects of nicardipine hydrochloride. Studies during its use to control acute hypertension in anaesthetized patients 1003
KLEIN, J. *see* FAITHFULL, N. S., (*ARS*) 424P; 867
KLEIRL-LINDNER, C. *see* PASCH, T., (*CNM*) 1296P
KNORRE, D. *see* REINERY, G. F., (*CNM*) 1303P
KOIVULA, A. *see* JOUPPILA, P. 1379
DE KORNFELD, T. J. *see* SLACK, S. J, (*R*) 810
KOUSHANPOUR, E. *see* BEHNIA, R. 1037
KRIER, C., WIEDEMANN, K., POLARZ, H. and JÜRS, G. Complications of high-dose barbiturate therapy (HDBT) in severe head-injury patients, (*CNM*) 1314P
KRUMHOLZ, W. *see* RUSS, W., (*CNM*) 1301P
KUMAR, B. and HIBBERT, G. R. Control of hypertension during aortic surgery using lumbar extradural blockade, (*ARS*) 797P
KUMAR, B. *see* CARNIE, J. 1171
KURER, F. L. and WELCH, D. B. Gynaecological laparoscopy: clinical experiences of two anaesthetic techniques 1207
KYST, A. *see* HUSUM, B. 559

LACOUMENTA, S., WALSH, E. S., WATERMAN, A. S., WARD, I., PATERSON, J. L. and HALL, G. M. Effects of ketamine anaesthesia on the metabolic response to pelvic surgery 493
LAFFEY, D. A. and KAY, N. H. Premedication with butorphanol. *Comparison with morphine* 363
LAM, A. M. *see* CHUNG, D. C., (*R*) 674
LANG, G. S. *see* BOLDY, D. A. R. 1109
DE LANGE, J. J. and BOOIJ, L. H. D. J. Haemodynamic consequences of application of acrylic cement during induced hypotension, (*C*) 670
LANGER, S. Z. and HICKS, P. E. Physiology of the sympathetic nerve ending 689
LARSSON, L. E. *see* NILSSON, K. 375
LATIMER, R. D. *see* NOBLE, J. 1439
LATTO, P. *see* REYNOLDS, A. D. 267
LAURENCE, A. S. Serum myoglobin and CPK changes following intermittent suxamethonium administration: effect of alcuronium, lignocaine and midazolam pretreatment, (*ARS*) 795P
LAURENCE, A. S. *see* BARKER, I., (*ARS*) 796P
LAWIN, P. *see* ZANDER, J., (*CNM*) 1304P
LAWLER, P. G. P. and NUNN, J. F. A reassessment of the validity of the iso-shunt graph 1325
LAYCOCK, J. R. D., COAKHAM, H. C., SILVER, I. A. and WALTERS, F. J. M. Sweep potential polarography: a new method for measurement of brain surface oxygen tensions, (*CNM*) 1304P
LEBOWITZ, P. W., NEWBERG, L. A. and GILETTE, M. T., (editors), *Clinical Anesthesia Procedures of the Massachusetts General Hospital*, 2nd Edn., (*R*) 1175

DE LEEDE, L. G. J. *see* DE BOER, A. G. 69
LEES, N. W. and ANTONIOS, W. R. A. Two-stage infusion of etomidate for the induction and maintenance of anaesthesia 1239
LEHANE, M. *see* ELLIS, F. R. 1267
LEHTINEN, A.-M., HOVORKA, J., LEPPÄLUOTO, J., VUOLTEENAHO, O. and WIDHOLM, O. Effect of intratracheal lignocaine, halothane and thiopentone on changes in plasma β-endorphin immunoreactivity in response to tracheal intubation 247
LEHTINEN, A.-M., HOVORKA, J. and WIDHOLM, O. Modification of aspects of the endocrine response to tracheal intubation by lignocaine, halothane and thiopentone 239
LEIMAN, B. C. and SISCHY, S. I.v. labetalol and coronary artery surgery, (*C*) 664
LEINO, P. *see* COZANITIS, D. A., (*C*) 1317
LEPOT, D. *see* VOISIN, C. 415
LEPPÄLUOTO, J. *see* LEHTINEN, A.-M. 247
LESLIE, G. C., PART, N, J. and THOMPSON, H. E. The 3-Hz staircase phenomenon in a known malignant hyperthermic, (*ARS*) 422P
LESSER, M. L. *see* SHARROCK, N. E. 285
LEVY, W. J. Clinical anaesthesia with isoflurane. *A review of the multicentre study* 1015
LEWIS, G. B. H. Nitrous oxide distends the bowel, (*C*) 1319
LIGHTIGFIELD, F. J. *see* GILLMAN, M. A., (*C*) 1319
LIND, B. *see* SKRETTING, P. 155
LINDAHL, S. G. E., HULSE, M. G. and HATCH, D. J. Comparison of ventilation and gas exchange in anaesthetized infants and children during spontaneous and artificial respiration 131
LINDE, H. W. *see* BEHNIA, R. 1037
LINGE, K. *see* RAMADAN, M. E., (*ARS*) 1293P
LINTER, S. P. K. and CLARKE, K. Caesarean section under extradural analgesia in a patient with Ebstein's anomaly 203
LITTLE, H. J. and BICHARD, A. R. Differential effects of the benzodiazepine antagonist RO 15-1788 after "general anaesthetic" doses of benzodiazepines in mice 1153
LLOYD, J. W. *see* PHILLIPS, D. M. 829
LOACH, A. *Anaesthesia for Orthopaedic Patients*, (Current Topics in Anaesthesia Series. eds S. A. Feldman and C. F. Scurr), (*R*) 209
LOCKYER, J. A. *see* SINCLAIR, M. E. 175
LODGE, D. and ANIS, N. A. Effects of ketamine and three other anaesthetics on spinal reflexes and inhibitions in the cat 1143
LONGBOTTOM, R. T. and PLEUVRY, B. J. Respiration and sedative effects of triazolam in volunteers 179
LOUGHRAN, P. G. *see* DUNDEE, J. W., (*ARS*) 804P
LOW, J. M., HARVEY, J. T., COOPER, G. M. and PRENDIVILLE, W. J. Plasma concentrations of catecholamines following adrenaline infiltration during gynaecological surgery 849
LOWRY, K. G., LYONS, S. M., CARSON, I. W., ORR, I. A. and DUNDEE, J. W. Midazolam v. diazepam for sedation in a cardiac surgical intensive care unit, (*ARS*) 1288P
LOWRY, K. G. *see* CHESTNUTT, W. N., (*ARS*) 807P; HARPER, K. W., (*ARS*) 1288P
LÜBEN, V. *see* RUSS, W., (*CNM*) 1301P
LUND, J. *see* CHRISTENSEN, F. R., (*C*) 668
LUNN, J. N. *see* CHILCOAT, R. T. 1417
LUYKX, M. W. *see* MARX, G. F. 1009
LYLE, D. J. R., NUNN, J. F., HAWES, D. W. C., DICKINS, J., TATE, M. and BAKER, J. A. A model lung with the capacity for simulated spontaneous breathing 645
LYONS, S. M. *see* LOWRY, K. G., (*ARS*) 1288P

McALLISTER, C. B. *see* McMURRAY, T. J., (*ARS*) 429P
McARDLE, C. S. *see* CUSHIERI, R. J. 855
McBRIDE, R. J. *see* UNNI, V. K. N. 1219
McCLEAN, E. *see* ELLIOTT, P., (*ARS*) 800P; FEE, J. P. H., (*ARS*) 1280P
McCLOY, R. F. Metabolic problems associated with gastrointestinal and pancreatic disease 83
McCULLOCH, W. J., DRUMMOND, G. B. and BROWN, D. T. Effect of positive expiratory pressure on expiratory duration during enflurane anaesthesia, (*ARS*) 1281P
McCULLOCH, W. J. *see* DRUMMOND, G. B., (*ARS*) 1280P
MacDONALD, A. M., KEEN, R. I. and PUGH, N. D. Myasthenia gravis and atracurium. *A case report* 651
MacDONALD, D. J. F. Locating the internal jugular vein, (*C*) 1447
MACDONALD, R. and BICKFORD SMITH, P. J. Extradural morphine and pain relief following episiotomy 1201
McDOWALL, D. G. *see* DEARDEN, N. M., (*CNM*) 1314P
McDOWALL, G. D. *see* SAGAR, D. A., (*ARS*) 791P
MACELLETTI, C. *see* SCHULLER, J. L. 1101
MacFARLANE, D. W. R. *see* JONES, S. E. F. 137
McGUINNESS, K. *see* NIGHTINGALE, P., (*ARS*) 808P
McHARDY, G. J. R. *see* ROGERS, D. J. DE S., (*ARS*) 801P
MacIVER, M. B. *see* ROTH, S. H., (*ARS*) 426P
McKENZIE, P. J., WISHART, H. Y. and SMITH, G. Long-term outcome after repair of fractured neck of femur. *Comparison of subarachnoid and general anaesthesia* 581
McKEOWN, D. W. and SCOTT, D. B. Influence of the addition of potassium to 0.5% prilocaine solution during i.v. regional anaesthesia 1167
McKILLOP, J. *see* COWAN, B. N., (*ARS*) 426P
McLEAN, C. I. *see* RUNCIMAN, W. B. 1117
McLEOD, B. J., HAMMOND, J. E. and WRIGHT, D. J. Effect of intravenous ranitidine on bronchomotor tone, (*ARS*) 1286P
McMURRAY, T. J., RIDDELL, J. G., DUNDEE, J. W. and McALLISTER, C. B. A new simple method for rapidly achieving and maintaining constant methohexitone concentrations, (*ARS*) 429P
McNEIL, E. L. *Airborne Care of the Ill and Injured*, (*R*) 1063
McNEIL, M. *see* HANNING, C. D., (*ARS*) 802P
McQUAY, H. J. *see* MOORE, R. A. 837; PHILLIPS, D. M. 829; SEAR, J. W., (*ARS*) 430P
McRAE, W. R. and JENKINSON, J. L. EEG changes during induced hypotension analysed by the cerebral function analysing monitor, (*CNM*) 1299P
MAGEE, D. A. and GALLAGHER, E. G. "Self-taming" of suxamethonium and serum potassium concentration 977
MAHARAJ, R. J., HUMPHREY, D., KAPLAN, N., KADWA, H., BLIGNAUT, P., BROCK-UTNE, J. -G. and WELSH, N. Effect of atracurium on intraocular pressure 459
MAJOR, E. *see* FRANK, M. 1075; WILLIAMS, D. J. M., (*ARS*) 427P; YATE, P. M., (*CNM*) 1298P
MÄKELÄ, J. *see* IISALO, E. 899
MALE, C. G. and JOHNSON, H. D. Oral benzodiazepine premedication in minor gynaecological surgery 499
MALMKVIST, G. *see* WERNER, O. 995; 1343
MANN, F. *Scientific Aspects of Acupuncture*, 2nd edn., (*R*) 809
MAPLESON, W. W. *see* CHILCOAT, R. T. 1417; SHAH, M. U. 1337
MARK, L. C. Historic first: acute tolerance to thiopentone in man, (*C*) 922
MARKUS, M. L. *The Coronary Circulation in Health and Disease*, (*R*) 810
MARSH, R. H. K., SPENCER, R. and NIMMO, W. S. Gastric emptying and drug absorption before surgery 161
MARSHALL, F. P. F. *see* SINCLAIR, M. E. 175
MARSHALL, M. and BIRD, T. *Blood Loss and Replacement*, (*R*) 1063
MÅRTENSSON, J. *see* RUTBERG, H. 233
MARTIN, P. A. *see* BROWN, F. F., (*ARS*) 805P
MARTY, J. *see* DESMONTS, J. M. 781
MARX, G. F., LUYKX, M. W. and COHEN, S.

Fetal – neonatal status following Caesarean section for fetal distress 1009
MATHER, L. E. *see* RUNCIMAN, W. B. 1015; 1117; 1247; SEOW, L. T., (*C*) 666
MAURY, M. *see* ECOFFEY, C. 1399
MAYNARD, D. E. *see* FRANK, M. 1075; WARK, K. J., (*ARS*) 1283P; YATE, P. M., (*CNM*) 1298P
MAYNARD, P. *see* BLACK, A. M. S. 289; 509
MAZZE, R. I. Metabolism of the inhaled anaesthetics implications of enzyme induction 275
MAZZE, R. I. *see* BADEN, J. M. 523
MEE, E. W., DORRANCE, D. E., BARSOUM, L. Z., HURTER, D. G. and NEIL-DWYER, G. Sequential cerebral blood flows following subarachnoid haemorrhage – is it an aid to management?, (*CNM*) 1297P
MEEKE, R. *see* WREN, W. S., (*ARS*) 798P; 881
MERCIER, P. *see* HOBZA, P., (*C*) 1447
MIKKELSEN, B. O. *see* CRAWFORD, M. E. 165
MILLAR, R. A. *see* SETHNA, D. M., (*C*) 924
MILLER, F. *see* ABBOUD, T. K. 1351
MILLER, J. D., BECKER, D. P., CHILD, D. C. and CARMICHAEL, L. M. Barbiturates in the management of severe head injury, (*CNM*) 1313P
MILLER, R. D., (editor). *The Year Book of Anaesthesia 1983*, (*R*) 1061
MILNER, B. B. and TANNETT, P. G. Neuroleptanaigesia in cerebral angiography, (*CNM*) 1309P
MINORS, D. S. *see* BELL, C. F. (*ARS*) 428P
MIRAKHUR, R. K. and CLARKE, R. S. J. Antagonism of neuromuscular block, (*C*) 927
MIRAKHUR, R. K. *see* CHESTNUTT, W. N., (*ARS*) 807P; GIBSON, F. M., (*ARS*) 794P
MOIR, D. D. *see* DUTTON, D. A. 1361; FRAME, W. T. 263; THORBURN, J. 551
MØLLER, I. W., FERNANDES, A. and EDSTRÖM, H. H. Subarachnoid anaesthesia with 0.5% bupivacaine: effects of density 1191
MONK, S. J. *see* ROSS, J. A. S. 527
MOORE, R. A., PATERSON, G. M. C., BULLINGHAM, R. E. S., ALLEN, M. C., BALDWIN, D. and McQUAY, H. J. Controlled camparison of intrathecal cinchocaine with intrathecal cinchocaine and morphine. *Clinical effects and plasma morphine concentrations* 837
MOORE, R. A. *see* PHILLIPS, D. M. 829; SEAR, J. W., (*ARS*) 430P
MOREL, D., FORSTER, A. and SUTER, P. M. I.v. Labetalol and coronary artery surgery, (*C*) 664
MORGAN, B. An efficient technique for performing extradural blockade, (*C*) 929
MORGAN, D. J., PAULL, J. D., TOH, C. T. and BLACKMAN, G. L. Aortocaval compression and plasma concentrations of thiopentone at Caesarean section 349
MORGAN, M. Control of intragastric pH and volume 47
MORGAN, R. J. M. *see* WILLIAMS, D. J. M., (*ARS*) 427P
MORGENROTH, K. *see* CUNITZ, G., (*CNM*) 1311P
MORRAN, C. G. *see* CUSCHIERI, R. J. 855
MORRIS, P. J. *see* HEUSER, D., (*CNM*) 1296P; SAGAR, D. A., (*ARS*) 791P
MORTIER, W. *see* ELLIS, F. R. 1267
MORTIMER, A. J. *see* SCOTT, I. L. 385
MORTON, N. S. and CUSCHIERI, R. J. Continuous intercostal nerve blockade, (*C*) 665
MOSTAFA, S. M. Spiral anaesthesia for Caesarean section. *Management of a patient with severe cardiavascular disease* 1275
MOSTAFA, S. M. and YATE, B. A modification to the Medishield anaesthetic gas scavenging system, (*C*) 929
MOYERS, J. *see* ZORAB, J. S. M., (*R*) 1059
MURPHY, D. F. A new method of continuous intercostal nerve blockade: clinical and anatomical studies, (*ARS*) 425P; Continuous intercostal nerve blockade. *An anatomical study to elucidate its mode of action* 627; Continuous intercostal nerve blockade, (*C*) 665; intercostal nerve blockade, (*C*) 1318
MURPHY, D. F., NALLY, B., GARDINER, J. and UNWIN, A. Effect of metoclopramide on gastric emptying before elective and emergency Caesarean section 1113
MURR, R., BILLER, M. and ENZENBACH, R. Influence of volume loading on the cardiovascular pattern of the sitting position, (*CNM*) 1305P
MURRAY, G. R. *see* ISHERWOOD, C. N. 843

NAGASHIMA, H. *see* BOROS, M. 195
NAISMITH, A. *see* CAMPBELL, B. C. 257
NALLY, B. *see* MURPHY, D. F. 1113
NANCEKIEVILL, D. G. *see* AMOS, R. J. 103
NASHAN, B. *see* INOUE, K. 1259
NAVARATNARAJAH, M. and WHITE, D. C. Labetalol and phaeocromocytoma, (*C*) 1179
NAVARATNARAJAH, M. *see* DAVIES, A. E. 913; HENEGHAN, C. P. H., (*ARS*) 792P
NEIL-DWYER, G. *see* MEE, E. W., (*CNM*) 1297P
NEILL, R. S. and WATSON, R. Plasma bupivacaine concentrations during combined regional and general anaesthesia for resection and reconstruction of head and neck carcinomata 485
NEWBERG, L. A. *see* LEBOWITZ, P. W., (*R*) 1175
NEWTON, D. E. F. *see* BENCINI, A. 959
NIBLETT, D. J. *see* COX, D. 905
NIEBUHR, E. *see* HUSUM, B. 559
NIELSEN, F. B. *Anaphylactoid reaction to Diazemuls*, (*C*) 1179
NIGHTINGALE, P., HEALY, T. E. J., HARGREAVES, J., McGUINNESS, K. and KAY, B. Propofol in emulsion form; induction characteristics and venous sequelae, (*ARS*) 808P
NIJVELD, A. *see* SCHULLER, J. L. 1101
NILSEN, O. G. *see* DALE, O. 535
NILSSON, K., LARSSON, L. E., ANDRÉASSON, S. and EKSTRÖM-JODAL, B. Blood-glucose concentrations during anaesthesia in children. *Effects of starvation and perioperative fluid therapy* 375
NIMMO, W. S. Effect of anaesthesia on gastric motility and emptying 29
NIMMO, W. S. *see* BARKER, J., (*CNM*) 1309P; DUTHIE, D. J. R., (*ARS*) 1292P; FRAME, W. T. 263; MARSH, R. H. K. 161
NOBLE, J., KENNEDY, D. J., LATIMER, R. D., HARDY, I., BETHUNE, D. W., COLLIS, J. M. and WALLWORK, J. Massive lignocaine overdose during cardiopulmonary bypass. *Successful treatment with cardiac pacing* 1439
NOELDGE, G., HINKSEN, H. and BUZELLO, W. Comparison between the continuous infusion of vecuronium and the intermittent administration of pancuronium and vecuronium 473
NORDSTRÖM, L. *see* WERNER, O. 995; 1343
NUNN, J. F. Review of volatile inhalation anaesthetic agents, chairman's introduction 1S; discussion (part I) 43S; (part II) 113S
NUNN, J. F. *see* LAWLER, P. G. P. 1325; LYLE, D. J. R. 645

OEHMEN, S. *see* PFEIFER, G., (*CNM*) 1312P
O'GRIOFA, P. *see* WREN, W. S., (*ARS*) 798P; 881
OH, T. E. *see* GIBBS, N. M., (*C*) 1179
OKUMURA, K. *see* KISHI, Y. 1003
OLDERSHAW, P. J. *see* SMITH, L. D. R. 767
ONG, L. L. *see* RODRIGO, M. R. C., (*C*) 934
ØRDING, H., RANKLEV, E. and FLETCHER, R. Investigation of malignant hyperthermia in Denmark and Sweden 1183

ØRDING, H. *see* ELLIS, F. R. 1267; ENGBÆK, J. 953
ORME, M. Drug absorption in the gut 59
ORR, I. A. *see* LOWRY, K. G., (*ARS*) 1288P
OSBORN, R. *see* BEHNIA, R. 1037
OSHIMA, E. *see* STEVANS, J. E. 395
OVERTON, J. H. *see* WARK, H. 1271
OWEN, H. and GALLOWAY, D. J. The effect of incisional infiltration of 0.5% bupivacaine on pain after surgery, (*ARS*) 1292P
OWEN, H. and SPENCE, A. A. Etomidate, (*E*) 555
OYAMA, T., (editor). *Endocrinology and the Anaesthetist. Monographs in Anaesthesiology*, (*R*) 1176

PADFIELD, A. Blood glucose concentrations in children undergoing outpatient dental anaesthesia 1225
PALLOT, D. J., (editor). *Control of Respiration*, (*R*) 1055
PANDIT, S. K. *see* CHESTNUTT, W. N., (*ARS*) 807P; ELLIOTT, P., (*ARS*) 800P
PARIKH, R. K. *see* CAMPBELL, B. C. 257
PARK, G. R. *see* DRUMMOND, G. B., (*ARS*) 422P; 873; 987
PARKIN, I. G. *see* HARRISON, G. R., (*ARS*) 797P
PARRIS, M. R. and CHAMBERS, W. A. The effect of added potassium on axillary nerve block with prilocaine or bupivacaine, (*ARS*) 1284P
PART, N. J. *see* LESLIE, G. C., (*ARS*) 422P
PASCH, T. Neurological sequelae following controlled hypotension, (*CNM*) 1297P
PASCH, T., PICHL, J., KLEIRLLINDNER, C. and GÖTZ, H. Hypertensive reactions following vasodilator-induced hypotension and their prevention by captopril, (*CNM*) 1296P
PATERSON, G. M. C. *see* MOORE, R. A. 837
PATERSON, J. L. *see* HALL, G. M. 903; LACOUMENTA, S. 493
PATRICK, M., EAGAR, B. M., TOFT, D. F. and SEBEL, P. S. Alfentanil-supplemented anaesthesia for short procedures. *A double-blind comparison with fentanyl* 861; Anaesthesia for short procedures: a comparison of alfentanil and fentanyl, (*ARS*) 430P
PATRICK, M. R. *see* SCHULLER, J. L. 1101
PATTERSON, C. C. *see* ELLIOTT, P., (*ARS*) 800P
PAULL, J. D. *see* MORGAN, D. J. 347
PAYNE, J. P. *see* ASTLEY, B. A., (*ARS*) 793P; HUGHES, R., (*ARS*) 796P
PEARCE, A. C., HEWITT, P. B. and ADAMS, A. P. Atracurium as the sole muscle relaxant for neurosurgical procedures, (*CNM*) 1310P
PEARCE, A. C., HODGE, M. and JONES, R. M. Vecuronium in day-stay surgery, (*ARS*) 794P
PEARCE, A. C., WILLIAMS, J. P. and JONES, R. M. Atracurium for short surgical procedures in day patients 973
PEARCE, A. C. *see* JONES, R. M. 453; (*ARS*) 793P
PEDERSEN, T. *see* ENGBÆK, J. 953
PFEIFER, G. and OEHMEN, S. The clinical importance of the Cushing response, (*CNM*) 1312P
PFEIFER, G. *see* FRENKEL, C., (*CNM*) 1310P
PFLUG, J. R. *see* WHITWAM, J. G. 411
PHILLIPS, D. M., MOORE, R. A., BULLINGHAM, R. E. S., ALLEN, M. C., BALDWIN, D., FISHER, A., LLOYD, J. W. and McQUAY, H. J. Plasma morphine concentrations and clinical effects after thoracic extradural morphine or diamorphine 829
PICHL, J. *see* PASCH, T., (*CNM*) 1296P
PIEPENBROCK, S. *see* SCHÄFFER, J., (*CNM*) 1306P
PINCIROLI, D. *see* RESTELLI, L. 1051
PITKÄNEN, M., HAAPANIEMI, L., TUOMINEN, M. and ROSENBERG, R. H. Influence of age on spinal anaesthesia with isobaric 0.5% bupivacaine 279
PLANTEVIN, O. M. *see* HARRIS, M. N. E. 1213
PLEUVRY, B. J. *see* HOUSTON, T. 1139; LONGBOTTOM, R. T. 179; STRAHAN, K., (*ARS*) 1290P
PLEUVRY, B. S. *see* BRADSHAW, E. G., (*ARS*) 1287P
POLARZ, H. *see* KRIER, C., (*CNM*) 1314P
PONTE, J. C. *see* WALMSLEY, A. J., (*ARS*) 803P
PRENDIVILLE, W. J. *see* LOW, J. M. 849
PRENTICE, J. W. and KENNY, G. N. C. An on-line computerized anaesthetic record, (*ARS*) 425P; Microcomputer-based anaesthetic record system 1433
PRYS-ROBERTS, C. Anaesthesia and hypertension 711
PRYS-ROBERTS, C. and HUG, C. C. jr. *Pharmacokinetics of Anaesthesia*, (*R*) 1058
PRYS-ROBERTS, C. *see* CARTER, J. A., (*ARS*) 1285P; DAGNINO, J. 1065
PUCHSTEIN, C. *see* AKEN, H. VAN., (*CNM*) 1295P; 1409; ZANDER, J., (*CNM*) 1304P
PUGH, N. D. *see* MACDONALD, A. M. 651
PUOLAKKA, J. *see* JOUPPILA, R. 251
PYBUS, D. A. *see* TORDA, T. A. 141

RADFORD, S. G. and BLACK, A. M. S. Acute phase protein changes after renal transplantation, (*ARS*) 1289P
RAMADAN, M. E., LINGE, K., SWIFT, A. C. and CAMPBELL, L. T. Nasal obstruction, alveolar ventilation and transcutaneous oxygen, (*ARS*) 1293P
RAMPTON, A. J., KELLY, D. A., SHANAHAN, E. C. and INGRAM, G. S. Occurrence of malignant hyperpyrexia in a patient with osteogenesis imperfecta 1443
RANKLEV, E. *see* ELLIS, F. R. 1267; ØRDING, H. 1183
RAO, M. H. *see* RUNCIMAN, W. B. 1015
RAVIZZA, A. *see* CERCHIARI, E. L. 325
RAVLO, O. *see* CARL, P. 1369
RAYA, J. A. *see* ABBOUD, T. K. 1351
REDDY, F. S. Antagonism of neuromuscular block, (*C*) 926
REES, G. M. *see* AMOS, R. J. 103
REID, J. L. *see* CAMPBELL, B. C. 257
REINERY, G. F., FISCHER, F., HEY, O. and KNORRE, D. Early diagnosis of venous air embolism during neurosurgical operations in the sitting position using an ultrasonic device (Doppler), (*CNM*) 1303P
RENZY-MARTIN, DE N. *see* BARNES, P. K., (*ARS*) 795P
RESTELLI, L., PINCIROLI, D., CONOSCENTE, F. and CAMMELLI, F. Insufficient venous drainage following axillary approach to brachial plexus blockade 1051
REYNOLDS, A. D., CROSS, R. and LATTO, P. Comparison of internal jugular and central venous pressure measurements 267
RIDDELL, J. G. *see* McMURRAY, T. J., (*ARS*) 429P
RINGSTED, C. *see* HÜTTEL, M. S., (*C*) 933
RIZZI, R. and VISENTIN, M. *Pain Therapy*, (*R*) 207
ROBBINS, R., DONATI, F., BEVAN, D. R. and BEVAN, J. C. Differential effects of myoneural blocking drugs on neuromuscular transmission in infants 1095
ROBERTS, J. T. *Fundaments of Tracheal Intubation*, (*R*) 1056
ROBERTSON, D. H. Transsacral neurolytic nerve blockade, (*C*) 669
RODRIGO, M. R. C., ONG, L. L. and WAHEED, A. A. Dorsal nerve block of penis in Chinese children, (*C*) 934
ROGERS, D. J. DE S., ALEXANDER, F. E., WRIGHT, D. J., McHARDY, G. J. R. and TWEEDDALE, P. M. Carboxyhaemoglobin concentrations before anaesthesia, (*ARS*) 801P
ROLF, L. *see* SCHOEPPNER, H., (*CNM*) 1300P
ROSEN, M. *see* BAHAR, M. 405; CROWHURST, J. A. 587; SHAH, M. 1235
ROSENBERG, R. H. *see* PITKÄNEN, M. 279
ROSS, J. A. S., MONK, S. J. and DUFFY, S. W. Effect of nitrous oxide on halothane-induced hepatotoxicity in hypoxic, enzyme-induced rats 527
ROTH, S. H., MACIVER, M. B. and STRUNIN, L. Differential membrane, cellular and synaptic actions of

anaesthetics, (*ARS*) 426P
ROYSTON, D., FLEMING, J. S. and WESTABY, S. Alteration in a product of peroxidation associated with cardiopulmonary bypass (CPB) in man, (*ARS*) 427P
RUBIN, A. P. *see* CUMMINGS, G. C. 573
RUNCIMAN, W. B., ILSLEY, A. H., MATHER, L. E., CARAPETIS, R. and RAO, M. H. A sheep preparation for studying interactions between blood flow and drug disposition. I: Physiological profile 1015
RUNCIMAN, W. B., MATHER, L. E., ILSLEY, A. H., CARAPETIS, R. J. and McLEAN, C. F. A sheep preparation for studying interactions between blood flow and drug disposition. II: Experimental applications 1117
RUNCIMAN, W. B., MATHER, L. E., ILSLEY, A. H., CARAPETIS, R. J. and UPTON, R. N. A sheep preparation for studying interactions between blood flow and drug deposition. III: Effects of general and spinal anaesthesia on regional blood flow and oxygen tensions 1247
RUSS, W., KRUMHOLZ, W., LÜBEN, V. and HEMPELMANN, G. A method for evaluation of cerebral function during induced barbiturate coma, (*CNM*) 1301P
RUTBERG, H., HÅKANSON, E., ANDERBERG, B., JORFELDT, L., MÅRTENSSON, J. and SCHILDT, B. Effects of the extradural administration of morphine or bupivacaine, on the endocrine responses to upper abdominal surgery 233
RUUSKANEN, O. *see* ESKOLA, J. 333
RYAN, D. W. Transsacral neurolytic nerve blockade, (*C*) 669
RYDER, W. A. *see* CUTFIELD, G. R., (ARS) 1287P; DOYLE, R. L., (ARS) 1286P

SADRI, F. *see* ABBOUD, T. K. 1351
SAGAR, D. A., HYAKUTOME, K., McDOWALL, G. D. and MORRIS, P. J. The effect of nitroprusside and trimetaphan-induced hypotension on the distribution of brain blood flow, (*ARS*) 791P
SAINT-MAURICE, C. *see* ECOFFEY, C. 1399
SALO, M. *see* ESKOLA, J. 333
SALT, P. J. *see* FAITHFULL, N. S., (*ARS*) 424P; 867
SANDERSON, P. J. *Antibiotics for Surgical Infections*, (*R*) 809
SANDORFY, C. *see* HOBZA, P., (*C*) 1447
SAPSED, S. *see* WHITWAM, J. G. 187; 411
SARKIS, F. *see* ABBOUD, T. K. 1351
SATWICZ, P. R., JEEVENDRA-MARTYN, J. A., SZYFELBEIN, S. and FIRESTONE, S. Potentiation of neuromuscular blockade using a combination of pancuronium and dimethyltubocurarine 479
SCHÄFFER, J. and PIEPENBROCK, S. Chemonucleolysis – general or local anaesthesia, (*CNM*) 1306P
SCHERPEREEL, P. A. *see* VOISIN, C. 415
SCHILDT, B. *see* RUTBERG, H. 233
SCHOEPPNER, H., ROLF, L., WAGNER, S. and HOKE, M. EEG-induced indication of drugs with brain protective potency, (*CNM*) 1300P
SCHOU OLESEN, A., HÜTTEL, M. S. and HOLE, P. Venous sequelae following the injection of etomidate and thiopentone i.v. 171
SCHOU OLESEN, A. *see* HÜTTEL, M. S., (*C*) 933
SCHRANZ, H. *see* FRYMAN, P. N. 1197
SCHREGEL, W. and SINGBARTL, G. Improvement of catheterization of the internal jugular vein by an ultrasound technique, (*CNM*) 1302P
SCHREGEL, W. *see* CUNITZ, G., (*CNM*) 1311P
SCHULLER, J. L., BOVILL, J. G., NIJVELD, A., PATRICK, M. R. and MACELLETTI, C. Early extubation for the trachea after open heart surgery for congenital heart disease. *A review of 3 year's experience* 1101
SCHULLER, J. *see* BOVILL, J. G., (*ARS*) 804P
SCHURIZEK, B., BØGGILD-MADSEN, B. and JUHL, B. Do patients with torsion of the testis have an increased risk of pulmonary aspiration during general anaesthesia? (*C*) 312
SCOTT, D. B. Toxicity caused by local anaesthetic agents, (*E*) 435
SCOTT, D. B. *see* McKEOWN, D. W. 1167; SINCLAIR, C. J. 147
SCOTT, I. L., BLACK, A. M. S., HAHN, C. E. W. and MORTIMER, A. J. Lung volume measurement by multiple indicator dilution. *A simple model and its ramifications* 385
SCOTT, I. L. *see* BLACK, A. M. S. 289; 509
SCRATCHERD, T. and GRUNDY, D. The physiology of intestinal motility and secretion 3
SEAR, J. W., MOORE, R. A., BALDWIN, D., ALLEN, M. C., BULLINGHAM, R. E. S. and McQUAY, H. J. Morphine kinetics in patients undergoing renal transplantation, (*ARS*) 430P
SEBEL, P. S., FLYNN, P. J. and INGRAM, D. A. Effect of nitrous oxide on visual, auditory and somatosensory evoked potentials 1403
SEBEL, P. S. *see* FLYNN, P. J., (*ARS*) 421P; PATRICK, M., (*ARS*) 430P; 861; WARK, K. J., (*ARS*) 1283P
SEBOLDT, H. *see* Guggenberger, H., (*CNM*) 1305P
SELBY, C. *see* YEOMAN, P. M., (*ARS*) 1291P
SEOW, L. T., MATHER, L. E. and COUSINS, M. J. Chlormethiazole infusion in elderly patients undergoing spinal anaesthesia, (*C*) 666
SERRA, M. *see* BADEN, J. M. 523
SETHNA, D. H., DEBOER, G. E. and MILLAR, R. A. Observations on "junctional rhythms" during anaesthesia (*C*) 924
SEWNAUTH, D. *see* CAMPBELL, B. C. 257
SHAH, J. L. Effect of posture on extradural pressure 1373
SHAH, J. L. *see* HARRISON, G. R., (*ARS*) 797P
SHAH, M., ROSEN, M. and VICKERS, M. D. Effect of premedication with diazepam, morphine or nalbuphine on gastrointestinal motility after surgery 1235
SHAH, M. V. and MAPLESON, W. W. Sore throat after intubation of the trachea 1337
SHANAHAN, E. C. *see* RAMPTON, A. J. 1443
SHARROCK, N. and FIERRO, L. E. Locating the internal jugular vein, (*C*) 1447
SHARROCK, N. E., LESSER, M. L. and GABEL, R. A. Segmental levels of anaesthesia following the extradural injection of 0.75% bupivacaine at different lumbar spaces in elderly patients 285
SHERMAN, E. H. *see* BOROS, M. 195
SHIMOSATO, S. *Anaesthesia and Cardiac Performance in Health and Disease*, (*R*) 208
SHNIDER, S. M. *see* ABBOUD, T. K. 1351
SHRIBMAN, A. J. and HANNING, C. D. A comparison of hyperbaric cinchocaine and hyperbaric bupivacaine: anaesthesia for transurethral prostatectomy, (*ARS*) 792P
SIGURDSSON, G. H. Ventricular arrhythmia or supraventricular arrhythmia with aberrant conduction, (*C*) 671
SILVER, I. A. *see* LAYCOCK, J. R. D., (*CNM*) 1304P
SIMPSON, P. *see* SINCLAIR, M. E. 175
SINCLAIR, C. J. and SCOTT, D. B. Comparison of bupivacaine and etidocaine in extradural blockade 147
SINCLAIR, M. E., SIMPSON, P., MARSHALL, F. P. F. and LOCKYER, J. A. Effect of varying methods of upper limb occlusion on fibrinolytic activity in man 175
SINGBARTL, G. *see* SCHREGEL, W., (*CNM*) 1302P
SINGH, N. *see* KAUSHIK, S. 1229
SINGHAL, C. K. *see* SINGHAL, M., (*C*) 1317
SINGHAL, M., GUPTA, M. and SINGHAL, C. K. Tube-in-tube a cause of acute airway obstruction, (*C*) 1317
SINOSICH, M. J. *see* BEST, N. 339
SISCHY, S. *see* LEIMAN, B. C., (*C*) 664
SKELLY, A. M., BOSCOE, M. J., DAWLING, S. and ADAMS, A. P. A comparison of diazepam and midazolam as sedatives for minor oral surgery, (*ARS*) 1279P

SKRETTING, P., VAAGENES, P., SUNDNES, K. O., EDSTRÖM, H. H. and LIND, B. Subarachnoid anaesthesia: comparison of hyperbaric solutions of bupivacaine and amethocaine 155
SLACK, S. J. and DE KORNFELD, T. J. *Anesthesiology: 1060 Multiple Choice Questions and Referenced Explanatory Answers*, (*R*) 810
SMITH, G. Cardiff Palliator, (*C*) 311
SMITH, G. and HALL, G. M. Anaesthesia and the gastrointestinal trace, (*E*) 1
SMITH, G. *see* AITKENHEAD, A. R. 813; COTTON, B. R. 37; DERBYSHIRE, D. R. (*ARS*) 429P; DERBYSHIRE, D. R. 725; FOËX, P., (*E*) 675; HANNING, C. D., (*ARS*) 802P; MCKENZIE, P. J. 581; VATER, M. 821
SMITH, G. B. *Ophthalmic Anaesthesia*, (*R*) 1059
SMITH, L. D. R. and OLDERSHAW, P. J. Inotropic and vasopressor agents 767
SNIPER, W. Filling a gap, (*C*) 313
SNOW, J. C. *Manual of Anesthesia*, 2nd edn., (*R*) 1059
SONANDER, H. *see* STENQVIST, O. 303
SOSIS, M. and AHMAD, I. An efficient technique for performing extradural blockade, (*C*) 928
DE SOUSA, B. *see* ABBOUD, T. K. 1351
SPENCE, A. A. *see* OWEN, H., (*E*) 555; WEATHERILL, D., (*ARS*) 423P; 741
SPENCER, R. *see* MARSH, R. H. K. 161
SPORN, R. *see* ELLIS, F. R. 1267
SRIVASTAVA, S. Angioneurotic oedema following atracurium, (*C*) 932
STAFFORD, M. A., BROOKER, J. and HULL, C. J. A data acquisition system for experimental anaesthetics, (*ARS*) 1284P
STAFFORD, M. A. *see* BROOKER, J., (*ARS*) 1293P
STAHLE, S. *see* WERNER, O. 995; 1343
STANEC, A. and BAKER, T. Prejunctional and postjunctional effects of tubocurarine and pancuronium in man 607
STANEC, A. and STEFANO, G. Cylic AMP in normal and malignant hyperpyrexia susceptible individuals following excercise 1243
STEERS, A. J. W. *see* BROWN, A. S., (*CNM*) 1298P
STEFANO, G. *see* STANEC, A. 1243
STEINBEREITNER, K. *see* ELLIS, F. R. 1267
STELLA, L., CRESCENTI, A. and TORRI, G. Effect of naloxone on the loss of consciousness induced by i.v. anaesthetic agents in man 369
STENQVIST, O. and SONANDER, H. Rebreathing characteristics of the Bain circuit. *An experimental and theoretical study* 303
STEPHENS, I. D., HO, P. C., HOLLOWAY, A. M., BOURNE, W. A. and TRIGGS, E. J. Pharmacokinetics of alcuronium in elderly patients undergoing total hip replacement or aortic reconstructive surgery 465
STEVANS, J. E., FUJINAGA, M., OSHIMA, E. and MORI, K. The biphasic pattern of the convulsive property of enflurane in cats 395
STRAHAN, K. and PLEUVRY, B. J. Interactions between meptazinol and neuromuscular blocking agents, (*ARS*) 1290P
STRICHARTZ, G. R. *see* WILDSMITH, J. A. W., (*E*) 937
STRUBE, P. J., DOWNING, J. W. and BROCK-UTNE, J. G. CSF pharmacokinetics of extradural morphine, (*C*) 921
STRUNIN, L. *see* ROTH, S. H., (*ARS*) 426P
SUNDNES, K. O. *see* SKRETTING, P. 155
SUPPAN, P. Use of atracurium in the presence of lower or upper limb tourniquets, (*C*) 931; 932
SUTCLIFFE, A. J. *Handbook of Emergency Anaesthesia*, (*R*) 207
SUTER, P. M. *see* MOREL, D., (*C*) 664
SUTTMANN, H. *see* DOENICKE, A., (*C*) 933
SWALES, J. D. Aetiology of hypertension 677
SWIFT, A. C. *see* RAMADAN, M. E., (*ARS*) 1293P
SYMON, L. *see* JEWKES, D., (*CNM*) 1302P
SZYFELVEIN, S. *see* SATWICZ, P. R. 479
TANNETT, P. G. *see* MILNER, B. B., (*CNM*) 1309P
TATE, M. *see* LYLE, D. J. R. 645
TAYLOR, K. M. *see* BAIN, W. H., (*R*) 1062
TEISNER, B. *see* BEST, N. 339
TERRELL, R. C. Physical and chemical properties of anaesthetic agents (*with an appendix on the manufacture of isoflurane*) 35
THEUNYNCK, D. *see* ELLIS, F. R. 1267
THOMAS, D. V. Nitrous oxide distends the bowel, (*C*) 1319
THOMAS, V. J. E. *see* BARNES, P. K., (*ARS*) 795P
THOMPSON, H. E. *see* LESLIE, G. C., (*ARS*) 422P
THOMPSON, M. C. *see* JONES, R. M., (*ARS*) 793P
THORBURN, J. and MOIR, D. D. Bupivacaine toxicity in association with extradural analgesia for Caesarean section 551
THORBURN, J. *see* DUTTON, D. A. 1361
THORNTON, C., HENEGHAN, C. P. H., JAMES, M. F. M. and JONES, J. G. Effects of halothane or enflurane with controlled ventilation on auditory evoked potentials 315
THORNTON, C. *see* HENEGHAN, C. P. H., (*ARS*) 792P
TOFT, D. F. *see* PATRICK, M., (*ARS*) 430P; 861
TOH, C. T. *see* MORGAN, D. J. 349
TORDA, T. A. and PYBUS, D. A. Extradural administration of morphine and bupivacaine. *A controlled comparison* 141
TORDA, T. A. *see* BARRATT, R. L. 1385
TORRI, G. *see* STELLA, L. 369
TRIGGS, E. J. *see* STEPHENS, I. D. 465
TRINER, L. *see* FRYMAN, P. N. 1197
TSACONA, H. *see* ARDITIS, J., (*C*) 923
TSANACLIS, L. M. *see* FRANK, M. 1075
TUNSTALL, M. E. and GEDDES, C. "Failed intubation" in obstetric anaesthesia. *An indication for use of the "Esophageal Gastric Tube Airway"* 659
TUOMINEN, M. *see* PITKÄNEN, M. 279
TWEDDEL, A. *see* COWAN, B. N., (*ARS*) 426P
TWEED, W. A. *see* DAVIES, J. M., (*ARS*) 430P
TWEEDDALE, P. M. *see* ROGERS, D. J. DES., (*ARS*) 810P

UNNI, V. K. N., JOHNSTON, R. A., YOUNG, H. S. A. and MCBRIDE, R. J. Prevention of intracranial hypertension during laryngoscopy and endotracheal intubation. *Use of a second dose of thiopentone* 1219
UNWIN, A. *see* MURPHY, D. F. 113
UPTON, R. N. *see* RUNCIMAN, W. B. 1247
UTTING, J. E. *see* HUNTER, J. M. 941

VAAGENES, P. *see* SKRETTING, P. 155
VAHERI, A. *see* COZANITIS, D. A., (*C*) 1317
VALENTIN, N. *see* HUSUM, B. 559
VANDAM, L. D. *see* VOLPITTO, P. P., (*R*) 207
VARONOS, D. D. *see* FASSOULAKI, A. 1045
VATER, M., SMITH, G., AHERNE, G. W. and AITKENHEAD, A. R. Pharmacokinetics and analgesic effect of slow-release oral morphine sulphate in volunteers 821
VATER, M. *see* AITKENHEAD, A. R. 813
VAZEERY, A. K. Haemodynamic consequences of application of acrylic cement during induced hypotension, (*C*) 670
VERBURG, R. *see* ELLIS, F. R. 1267
VERGHESE, C. *see* WARK, K. J., (*ARS*) 1283P
VERNIQUET, A. J. W. *see* YATE, P. M., (*CNM*) 1298P
VESEY, C. J. Nitroprusside infusions, (*C*) 311
VIARS, P. *Actualités en Anesthésie-Reanimation*, (*R*) 1061
VIBY-MOGENSEN, J. *see* ENGBÆK, J. 953
VICKERS, M. D. *see* BAHAR, M. 405; SHAH, M. 1235
VILJANEN, M. K. *see* ESKOLA, J. 333
VISENTIN, M. *see* RIZZI, R. 207
VOGEL, W. *see* CHRUBASIK, J., (*CNM*) 1307P
VOISIN, C., SCHERPEREEL, P. A., AERTS, C. and LEPOT,

D. *In vitro* toxicity of halogenated anaesthetics on guineapig alveolar macrophages, surviving in gas phase 415
VOLPITTO, P. P. and VANDAM, L. D., (editors). *The Genesis of Contemporary American Anaesthesiology*, (*R*) 207
VREE, T. B. *see* DRIESSEN, J. J. 1131
VUOLTEENAHO, O. *see* LEHTINEN, A.-M. 247
VUORI, J. *see* JOUPPILA, R. 251

WAGNER, S. *see* SCHOEPPNER, H., (*CNM*) 1300P
WAHEED, A. A. *see* RODRIGO, M. R. C., (*C*) 934
WALI, F. A. Actions and interactions of diazepam at the chick and rat skeletal muscle, (*ARS*) 1279P; Effect of atracurium on the smooth muscle preparation of the rat ileum, (*ARS*) 421P; The effect of general anaesthetics on calcium-induced luminescence of aequorin, (*ARS*) 802P
WALKER, M., AUSTIN, C. and BURT, D. E. R. Intravenous nutrition in intensive care: a role for the microcomputer, (*ARS*) 1281P
WALLWORK, J. *see* NOBLE, J. 1439
WALMSLEY, A. J., PONTE, J. C. and WRIGHT, D. Temperature changes along an extradural catheter: experimental and theoretical calculation, (*ARS*) 803P
WALSH, E. S. *see* LACOUMENTA, S. 493
WALTERS, F. J. M. *see* LAYCOCK, J. R. D., (*CNM*) 1304P
WALTON, B. *see* FLYNN, P. J. 967
WANG, A. *see* JEWKES, D., (*CNM*) 1302P
WANSCHER, M. *see* HÜTTEL, M. S., (*C*) 933
WARD, I. *see* LACOUMENTA, S. 493
WARD, S. Althesin modifies the firing activity of an isolated single neurone stimulated with acetylcholine, (*ARS*) 791P
WARDLEY-SMITH, B. *see* BROWN, F. F., (*ARS*) 805P; COHEN, S., (*ARS*) 806P; HALSEY, M. J., (*C*) 1448
WARK, H. and OVERTON, J. H. A paediatric "cardiac arrest" survey 1271
WARK, K. J., SEBEL, P. S., VERGHESE, C., MAYNARD, D. E. and EVANS, S. J. W. The cerebral function analysing monitor: an assessment of the effects of halothane, (*ARS*) 1283P
WATERHOUSE, J. M. *see* BELL, C. F., (*ARS*) 428P
WATERMAN, A. S. *see* LACOUMENTA, S. 493
WATKINS, J. *see* BARNES, P. K., (*ARS*) 795P
WATSON, R. *see* DUTTON, D. A. 1361; NEILL, R. S. 485
WEATHERILL, D. and SPENCE, A. A. Anaesthesia and disorders of the adrenal cortex 741
WEATHERILL, D., WISHART, H. Y., DAVIS, W. O. M., GRAY, W. M. and SPENCE, A. A. Does the opening of an abdominal wound influence nitrous oxide uptake?, (*ARS*) 423P
WELCH, D. B. *see* KURER, F. L. 1207
WELSH, N. *see* MAHARAJ, R. J. 459
WERNER, O. MALMKVIST, G., BECKMAN, A., STAHLE, S. and NORDSTRÖM, L. Carbon dioxide elimination from each lung during endobronchial anaesthesia. *Effects of posture and pulmonary arterila pressure* 995; Gas exchange and haemodynamics during thoracotomy 1343
WESTABY, S. *see* ROYSTON, D., (*ARS*) 427P
WEZEL, H. V. *see* BOVILL, J. G., (*ARS*) 804P
WHITE, D. C. *see* NAVARATNARAJAH, M., (*C*) 1179
WHITWAM, J. G., CHAKRABARTI, M. K., ASKITOPOULOU, H. and SAPSED, S. Effect of frequency of ventilation, positive end-expiratory pressure, Pa_{O_2} and Pa_{CO_2} on phrenic nerve activity. A study using a new valveless all-purpose ventilator 187
WHITWAM, J. G., PFLUG, J. R., CHAKRABARTI, M. K., SAPSED, S., GORDON, G. and JACK, R. D. Effect of halothane on lymph flow 411
WHITWAM, J. G. *see* GORDON, G. 1161
WIDHOLM, O. *see* LEHTINEN, A.-M. 239; 247
WIDMAN, G. B. *see* AXELSSON, K. H. 271
WIEDEMANN, K. *see* KRIER, C., (*CNM*) 1314P
WILDSMITH, J. A. W., GISSEN, A. J., GREGUS, J. and COVINO, B. G. The differential nerve blocking activity of a series of amino-ester local anaesthetic drugs, (*ARS*) 1282P
WILDSMITH, J. A. W. and STRICHARTZ, G. R. Local anaesthetic drugs—an historical perspective, (*E*) 937
WILLIAMS, D. J. M., MORGAN, R. J. M. and MAJOR, E. Urapidil in the treatment of hypertension following coronary bypass surgery, (*ARS*) 427P
WILLIAMS, J. P. *see* JONES, R. M. 453; PEARCE, A. C. 973
WILLIAMS, N. E. *see* ISHERWOOD, C. N. 843
WISHART, H. Y. *see* McKENZIE, 581; WEATHERILL, D., (*ARS*) 423P
WOLF, H. C. *see* HUSUM, B. 559
WOOD, G. J. *see* HALL, G. M. 903
WREN, W. S., MEEKE, R., DAVENPORT, J. and O'GRIOFA, P. Effects of nitrous oxide on the respiratory pattern of spontaneously breathing children during anaesthesia. *A computerized study* 881; The influence of nitrous oxide on the respiratory pattern of spontaneously breathing children during anaesthesia: a computerized study, (*ARS*) 798P
WRIGHT, D. *see* WALMSLEY, A. J., (*ARS*) 803P
WRIGHT, D. J. *see* HAMMOND, J. E. 299; McLEOD, B. J. (*ARS*) 1286P; ROGERS, D. J. DES, (*ARS*) 801P
WRIGHT, P. J., CLARKE, R. S. J., DUNDEE, J. W., BRIGGS, L. P. and GREENFIELD, A. A. Infusion rates for anaesthesia with propofol 613

YADAV, R. V. S. *see* KAUSHIK, S. 1229
YAO, F.-S. F. and ARTUSIO, J. F. *Anaesthesiology – Problem-Orientated Patient Management*, (*R*) 208
YATE, B. *see* MOSTAFA, S. M., (*C*) 929
YATE, P. M., MAYNARD, D. E., MAJOR, E., FRANK, M. and VERNIQUET, A. J. W. The cerebral function analysing monitor: a study using bolus doses of ICI 35 868, (*CNM*) 1298P
YEOMAN, P. M., FELLOWS, I. W., BYRNE, A. J. and SELBY, C. The effect of anaesthetic introduction using etomidate upon pituitary–adreno–cortical function, (*ARS*) 1291P
YOUNG, H. S. A. *see* UNNI, V. K. N. 1219

ZANDER, J., PUCHSTEIN, C., AKEN, H. VAN and LAWIN, P. Urapidil as a supplement to neuroleptanalgesia during neuroanaesthesia, (*CNM*) 1304P
ZEE, H. T. VAN DER *see* FAITHFULL, N. S., (*ARS*) 424P; 867
ZORAB, J. S. M. and MOYERS, J. (editors). *WFSA Lectures 1984 Volume 1*, (*R*) 1059

SUBJECT INDEX

Absorption, of drugs in the gut, ORME, M. 59
Accidental dural puncture, ABOULEISH, E. I., *et al.*, (*C*) 668
Acetylcholine, Althesin modifies the firing activity of an isolated single neurone stimulated with, WARD, S., *et al.*, (*ARS*) 791P
Acrylic cement, haemodynamic consequences of application of, during induced hypotension, DE LANGE, J. J., *et al.*, (*C*) 670
Actualitiés en Anesthésie–Réanimation, VIARS, P., (*R*) 1061
Acute phase protein, changes after renal transplantation, RADFORD, S. G., *et al.*, (*ARS*) 1289P
Adenosine triphosphate, (ATP) responsiveness of the cerebral circulation to alterations in mean arterial pressure during the administration of, AKEN, H. VAN, *et al.*, (*CNM*) 1295P
Adrenaline, infiltration during gynaecological surgery, plasma concentrations of catecholamines following, LOW, J. M., *et al.* 849
Adrenals, and the sympatho–adrenal system, FOËX, P., *et al.*, (*E*) 675
Adrenocortical disorders, and anaesthesia, WEATHERILL, D., *et al.* 741
Advances in Anesthesia, Volume I, GALLAGHER, T. J., (editor), (*R*) 1176
Aequorin, effect of general anaesthetics on calcium-induced luminescence of, WALI, F. A., (*ARS*) 802P
Aetiology, of hypertension, SWALES, J. D. 677
Age, influence on spinal anaesthesia with isobaric 0.5% bupivacaine, PITKÄNEN, M., *et al.* 279
Airborne Care of the Ill and Injured, McNEIL, E. L., (*R*) 1063
Airway obstruction, acute, a cause, tube-in-tube, SINGHAL, M., *et al.*, (*C*) 1317
Alcuronium, antagonism with edrophonium or neostigmine, HARPER, N. J. N., *et al.* 1089
——, lignocaine and midazolam pretreatment, effect on serum myoglobin and CPK changes following intermittent suxamethonium administration, LAURENCE, A. S., (*ARS*) 795P
——, midazolam and lignocaine pretreatments, suxamethonium-induced myalgia and relation with intraoperative myoglobin changes following, BARKER, I., *et al.*, (*ARS*) 796P
——, pharmacokinetics in elderly patients undergoing total hip replacement or aortic reconstructive surgery, STEPHENS, I. D., *et al.* 465
——, use in patients undergoing renal transplantation, KAUSHIK, S., *et al.* 1229
Alfentanil, compared with fentanyl, anaesthesia for short procedures, PATRICK, M., *et al.*, (*ARS*) 430P
——, in methohexitone, a comparison of differing concentrations: anaesthesia for short procedures, BROOKER, J., *et al.*, (*ARS*) 1293P
——, supplemented anaesthesia for short procedures. *A double-blind comparison with fentanyl,* PATRICK, M., *et al.* 861
Alpha and beta-adrenoceptor antagonists, FOËX, P. 751
Althesin, anaesthesia, hypoxic ventilatory drive in the dog under, GAUDY, J. H., *et al.* 631
——, blood viscosity and blood film morphology during prolonged sedation with, GIBBS, N. M., *et al.*, (*C*) 1179
——, effect on the auditory evoked response in man, HENEGHAN, C. P. H., *et al.*, (*ARS*) 792P
——, ketamine and lignocaine infusion for neurosurgery, BARKER, J., *et al.*, (*CNM*) 1309P
——, modifies the firing activity of an isolated single neurone stimulated with acetylcholine, WARD, S., *et al.*, (*ARS*) 791P
Alveolar ventilation, nasal obstruction and transcutaneous oxygen, RAMADAN, M. E., *et al.*, (*ARS*) 1293P
Amethocaine, comparison with bupivacaine in hyperbaric solutions for subarachnoid anaesthesia, SKRETTING, P., *et al.* 155
Amino-ester local anaesthetics, the differential nerve blocking activity of a series of, WILDSMITH, J. A. W., *et al.*, (*ARS*) 1282P
4-Aminopyridine, and 3,4-diaminopyridine, comparison of some pharmacological properties *in vivo,* HOUSTON, T., *et al.* 1139
Anaesthesia, and hypertension, PRYS-ROBERTS, C. 711
Anaesthesia for Orthopaedic Patients. (Current Topics in Anaesthesia Series. Editors S. A. Feldman and C. F. Scurr), LOACH, A., (*R*) 209
Anaesthesia in Midwifery, BEVIS, R., (*R*) 1058
Anaesthetic biotransformation, investigated with ^{19}F *in vivo* nuclear magnetic resonance, BROWN, F. F., *et al.*, (*ARS*) 805P
Anaesthetic record system, microcomputer-based, PRENTICE, J. W., *et al.* 1433
Anaphylactoid reaction, to Diazemuls, BRØGGER NIELSEN, F., (*C*) 1179
Anephric patients, comparison of vecuronium, atracurium and tubocurarine in normal patients and in patients with renal function, HUNTER, J. M., *et al.* 941
——, reversal of block from atracurium with edrophronium in, HUNTER, J. M., *et al.*, (*ARS*) 1285P
Anesthesia and Cardiac Performance in Health and Disease, SHIMOSATO, S., (*R*) 208
Anesthesiology: 1060 Multiple Choice Questions and Referenced Explanatory Answers, SLACK, S. J., *et al.*, (*R*) 810
Anesthesiology – Problem-Orientated Patient Management, YAO, F.-S. F., *et al.*, (*R*) 208
Aneurysm, spontaneous intracranial haemorrhage from: a multifactorial review, BROWN, A. S., *et al.*, (*CNM*) 1298P
Angioneurotic oedema, following atracurium, SRIVASTAVA, S., (*C*) 932
Antagonism of atracurium, with neostigmine or edrophonium, recovery characteristics, JONES, R. M., *et al.* 453
Antibiotics for Surgical Infections, SANDERSON, P. J., (*R*) 809
Anxiety, reduction, and plasma concentrations produced by two oral preanaesthetic medications, ELLIOTT, P., *et al.*, (*ARS*) 800P
Aortic surgery, control of hypertension using lumbar extradural blockade, KUMAR, B., *et al.*, (*ARS*) 797P
Arrhythmia, ventricular or supraventricular, with aberrant conduction, KARL, H. W., (*C*) 671
Artificial ventilation, deadspace and the single breath test for carbon dioxide during anaesthesia and. *Effects of tidal volume and frequency of respiration,* FLETCHER, R., *et al.* 109
Aspiration pneumonitis, against prophylactic use of magnesium trisilicate mixture B.P.C., sodium citrate mixture or cimetidine during labour, FRANK, M., *et al.* 355
Aspirin, compared with morphine infusion for the relief of postoperative pain, CASHMAN, J. N., *et al.*, (*ARS*) 805P
ATP, or SNP for intraoperative controlled hypotension? An experimental study on CBF and extracellular ion homeostasis, HEUSER, D., *et al.*, (*CNM*) 1296P
ATP-induced hypotension, haemodynamic and cerebral effects, AKEN, H. VAN, *et al.* 1409
Atracurium, and myasthenia gravis. *A case report,* MACDONALD, A. M., *et al.* 651
——, angioneurotic oedema following, SRIVASTAVA, S., (*C*) 932
——, as the sole muscle relaxant for neurosurgical procedures,

PEARCE, A. C., *et al.*, (*CNM*) 1310P
——, block, reversal with edrophonium in anephric patients, HUNTER, J. M., *et al.*, (*ARS*), 1285P
——, blockade, reversal by neostigmine and edrophonium, HUGHES, R., *et al.*, (*ARS*) 796P
——, comparison with vecuronium and tubocurarine in normal and anephric patients, HUNTER, J. M., *et al.* 941
——, effect on the smooth muscle preparation of the rat ileum, WALI, F. A., (*ARS*) 421P
——, effects on intraocular pressure, MAHARAJ, R. J., *et al.* 459
——, for short procedures in day patients, PEARCE, A. C., *et al.* 973
——, in a parturient with atypical cholinesterase, BARAKA, A., *et al.*, (*C*) 930
——, infusion for long surgical procedures, EAGAR, B. M., *et al.* 447
——, plasma histamine concentrations after administration of, BARNES, P. K., *et al.*, (*ARS*) 795P
——, recovery characteristics following antagonism with neostigmine or edrophonium, JONES, R. M., *et al.* 453
——, use in Caesarean section, FLYNN, P. J., *et al.* 599
——, use in cardiac surgery involving cardiopulmonary bypass with induced hypothermia, FLYNN, P. J., *et al.* 967
——, use in the presence of lower or upper limb tourniquets, SUPPAN, P., (*C*) 931
——, *v.* suxamethonium in a case of organophosphorous poisoning, BARAKA, A., *et al.*, (*C*) 673
Atropine, and glycopyrrolate, i.v., comparison in the prevention of bradycardia and arrhythmias following repeated doses of suxamethonium in children, GREEN, D. W., *et al.* 987
——, increases inspiratory flow during enflurane anaesthesia after pethidine premedication, DRUMMOND, G. B. 565
Auditory evoked potentials, effects of halothane or enflurane with controlled ventilation on, THORNTON, C., *et al.* 315
Auditory evoked response, in man, effect of Althesin, HENEGHAN, C. P. H., *et al.*, (*ARS*) 792P
Axillary nerve block, with prilocaine or bupivacaine, effect of added potassium, PARRIS, M. R., *et al.*, (*ARS*) 1284P
Axillary plexus blockade, causing insufficient venous drainage, RESTELLI, L., *et al.* 1051

Bain circuit, rebreathing characteristics. *An experimental and theoretical study,* STENQVIST, O., *et al.* 303
Barbiturate coma, induced, a method for evaluation of cerebral function during, RUSS, W., *et al.*, (*CNM*) 1301P
Barbiturates, in the management of severe head injury, MILLER, J. D., *et al.*, (*CNM*) 1313P
Baroreflex, control of heart rate, recovery after methohexitone–nitrous oxide anaesthesia in man, CARTER, J. A., *et al.*, (*ARS*) 1285P
Benzodiazepine, oral premedication in minor gynaecological surgery, MALE, C. G., *et al.* 499
Benzodiazepine "anaesthesia", pressure reversal of, COHEN, S., *et al.*, (*ARS*) 806P
Benzodiazepines, "general anaesthetic" doses in mice, differential effects of the benzodiazepine antagonist Ro15-1788, LITTLE, H. J., *et al.* 1153
——, two, failure to prevent suxamethonium-induced muscle pain, CHESTNUTT, W. N., *et al.*, (*ARS*) 807P
Bleeding time, effects of volatile anaesthetics and nitrous oxide–fentanyl anaesthesia on, FRYMAN, P. N., *et al.* 1197
Blood film morphology, and blood viscosity during prolonged sedation with Althesin, GIBBS, N. M., *et al.*, (*C*) 1179
——, and drug disposition, a sheep preparation for studying interactions. III: Effects of general and spinal anaesthesia on regional blood flow and oxygen tensions, RUNCIMAN, W. B., *et al.* 1247
Blood flow, and drug disposition, a sheep preparation for studying interactions between. I: physiological profile, RUNCIMAN, W. B., *et al.* 1015
——, and drug disposition, a sheep preparation for studying interactions between. II: Experimental applications, RUNCIMAN, W. B., *et al.* 1117
Blood-glucose concentrations, during anaesthesia in children. *Effects of starvation and perioperative fluid therapy,* NILSSON, K., *et al.* 375
——, in children undergoing outpatient dental anaesthesia, PADFIELD, A. 1225
——, in neurosurgical patients under general anaesthesia, ARMSTRONG, I. R., *et al.*, (*CNM*) 1306P
Blood Loss and Replacement, MARSHALL, M., *et al.*, (*R*) 1063
Blood viscosity, and blood film morphology during prolonged sedation with Althesin, GIBBS, N. M., *et al.*, (*C*)
B lymphocyte function, impaired during open-heart surgery. Effects of anaesthesia and surgery, ESKOLA, J., *et al.* 333
Body temperature rhythms, on intensive care, BELL, C. F., *et al.*, (*ARS*) 428P
Bone marrow changes, megaloblastic, induced by nitrous oxide, prevention using folinic acid, AMOS, R. J., *et al.* 103
Book Reviews
Actualités en Anesthésie-Réanimation, VIARS, P., (*R*) 1061
Advances in Anesthesia, Volume 1, GALLAGHER, T. J., (editor), (*R*) 1176
Airborne Care of the Ill and Injured, McNEIL, E. L., (*R*) 1063
Anaesthesia for Orthopaedic Patients, (Current Topics in Anaesthesia Series. eds. S. A. Feldman and C. F. Scurr), LOACH, A., (*R*) 209
Anaesthesia in Midwifery, BEVIS, R., (*R*) 1058
Anesthesia and Cardiac Performance in Health and Disease, SHIMOSATO, S., (*R*) 208
Anesthesiology: 1060 Multiple Choice Questions and Referenced Explanatory Answers, SLACK S. J., *et al.*, (*R*) 810
Anesthesiology—Problem-Orientated Patient Management, YAO, F. -S. F., (*R*) 208
Antibiotics for Surgical Infections, SANDERSON, P. J., (*R*) 809
Blood Loss and Replacement, MARSHALL, M., *et al.*, (*R*) 1063
Catheterization Techniques for Invasive Cardiovascular Monitoring, BLITT, C. D., *et al.*, (*R*) 208
Clinical Anesthesia Procedures of the Massachusetts General Hospital, 2nd. Edn, LEBOWITZ, P. W., *et al.*, (editors), (*R*) 1175
Control of Respiration, PALLOT, D. J., (editor), (*R*) 1055
Endocrinology and the Anaesthetist. Monographs in Anaesthesiology, OYAMA, T., (editor), (*R*) 1176
Essentials of Anesthesiology, CHUNG, D. C., *et al.*, (*R*) 674
European Advances in Intensive Care. International Anesthesiology Clinics. Vol 2, No. 2., GEIGER, K., (editor), (*R*) 1056
Fluid and Blood Therapy in Anesthesia (*Contemporary Anesthesia Practice* Series), BROWN, B. R. jr, (editor), (*R*) 1062
Fundamentals of Tracheal Intubation, ROBERTS, J. T., (*R*) 1056
Handbook of Emergency Anaesthesia, SUTCLIFFE, A. J., (*R*) 207
Handbook of Intensive Care, BAIN, W. H., *et al.*, (editors), (*R*) 1062
Intraoperative Doppler Sonography in Neurosurgery, GILSBACH, J. M., (*R*) 1060
Intravenous Technique and Therapy, GILBERTON, A. A., (editor), (*R*) 1175
James Robinson on the Inhalation of the Vapour of Ether, ELLIS, R. H., (*R*) 1175
Manual of Anesthesia, 2nd edn, SNOW, J. C., (editor), (*R*) 1059
M. C. Q. Tutor–Anaesthesia, 2nd edn, HEINEMANN,

W., (publisher), (*R*) 1176
New Pharmacologic Vistas in Anesthesia, BROWN, B. R. jr, (editor), (*R*) 1061
Ophthalmic Anaesthesia, SMITH, G. B., (*R*) 1059
Opiate Analgesia, BULLINGHAM, R. E. S., (editor), (*R*) 1055
Pain Therapy, RIZZI, R., *et al.*, (*R*) 207
Pharmacokinetics of Anaesthesia, PRYS-ROBERTS, C., *et al.*, (editors), (*R*) 1058
Post Anaesthetic Recovery – A Practical Approach, ELTRINGHAM, R., *et al.*, (*R*) 1175
Pulmonary Function Testing Guidelines and Controversies, CLAUSEN, J. L., (editor), (*R*) 1060
Recovery Room Care, FROST, E. A. M., *et al.*, (*R*) 809
Scientific Aspects of Acupuncture, 2nd edn, MANN, F., (*R*) 809
Standards for Intensive Care Units, (booklet), Biomedical Ltd (publishers), (*R*) 1176
The Coronary Circulation in Health and Disease, MARKUS, M. L., (*R*) 810
The Genesis of Contemporary American Anethesiology, VOLPITTO, P. P., *et al.*, (editors), (*R*) 207
The Year Book of Anaesthesia 1983, MILLER, R. D., (editor), (*R*) 1061
Thoracic Anesthesia, KAPLAN, J. A., (editor), (*R*) 1057
Veterinary Anaesthesia, 8th Edition, HALL, L. W., *et al.*, (*R*) 674
WFSA Lectures 1984 Volume 1, ZORAB, J. S. M., *et al.*, (*R*) 1059

Bowel distension, caused by nitrous oxide, THOMAS, D. V., (*C*) 1319

Bowel surgery, and anaesthesia, AITKENHEAD, A. R.

Brain injury, recovery after, some neurotransmitter and clinical implications, GILLMAN, M. A., *et al.*, (*C*) 1319

Brain protective potent drugs, indicated by the EEG, SCHOEPPNER, H., *et al.*, (*CNM*) 1300P

Brain stem, (BAER), effect of nitrous oxide (N_2O) on visual, auditory and somatosensory evoked potentials, FLYNN, P. J., *et al.*, (*ARS*) 421P

Brain surface oxygen tensions, measured by a new method: sweep potential polarography, LAYCOCK, J. R. D., *et al.*, (*CNM*) 1304P

Brain swelling, occurrence during anaesthesia and intensive care, CUNITZ, G., *et al.*, (*CNM*) 1311P

Breathing systems, studies on continuous positive airway pressure, COX, D., *et al.* 905

British Anaesthetic literature, (1953–1982), an analysis of thirty years of contributions, CARNIE, J., *et al.* 1171

Bronchomotor tone, effect of i.v. ranitidine on, McLEOD, B. J., *et al.*, (*ARS*) 1286P

Bupivacaine and etidocaine, comparison in extradural blockade, SINCLAIR, C. J., *et al.* 147

——, and extradural morphine. A controlled comparison, TORDA, T. A., *et al.* 141

——, comparison with amethocaine in hyperbaric solutions for subarachnoid anaesthesia, SKRETTING, P., *et al.* 155

——, 0.75% extradural, segmental levels of anaesthesia at different lumbar spaces in elderly patients, SHARROCK, N. E., *et al.* 285

——, 0.5%, for subarachnoid anaesthesia: effects of density, MØLLER, I. W., *et al.* 1191

——, for subarachnoid blockade. A comparison with cinchocaine, CUMMINGS, G. C., *et al.* 573

——, glucose-free 0.5%, for spinal anaesthesia: effects of different volumes, AXELSSON, K. H., *et al.* 271

——, hyperbaric, compared with hyperbaric cinchocaine: anaesthesia for transurethral prostatectomy, SHRIBMAN, A. J., *et al.*, (*ARS*) 792P

——, 0.5%, incisional infiltration, effect on pain after surgery, OWEN, H., *et al.*, (*ARS*) 1292P

——, isobaric 0.5%, for spinal anaesthesia, influence of age, PITKÄNEN, M., *et al.* 279

——, 0.5% or 0.75%, or 1.5% etidocaine for extradural Caesarean section, DUTTON, D. A., *et al.* 1361

——, or prilocaine for axillary nerve block, the effect of added potassium, PARRIS, M. R., *et al.*, (*ARS*) 1284P

——, plasma concentrations during combined regional and general anaesthesia for resection and reconstruction of head and neck carcinomata NEILL, R. S., *et al.* 485

——, toxicity in association with extradural analgesia for Caesarean section, THORBURN, J., *et al.* 551

Buprenorphine, compared with diamorphine, extradural and i.v., after abdominal surgery, ALEXANDER, J., *et al.*, (*ARS*) 1283P

——, sublingual comparison with morphine following abdominal surgery, LOW, J. M., *et al.* 849

Burn injury, potentiation of neuromuscular blockade using a combination of pancuronium and dimethyltubocurarine following SATWICZ, P. R., *et al.* 479

Butorphanol, compared with morphine for premedication, LAFFEY, D. A., *et al.* 363

Caesarean section, anaesthesia for, and the Jervell, Lange-Neilsen Syndrome (prolonged Q-T interval syndrome), FRESHWATER, J. V. 655

——, aortocaval compression and plasma concentrations of thiopentone, MORGAN, D. J., *et al.* 349

——, bupivacaine toxicity in association with extradural analgesia, for, THORBURN, J., *et al.* 551

——, elective and emergency, effect of metoclopramide on gastric emptying before, MURPHY, D. F., *et al.* 1113

——, fetal–neonatal status following Caesarean section for fetal distress, MARX, G. F., *et al.* 1009

——, general anaesthesia in severe pre-eclampsia. *Comparison of the renal and hepatic effects of enflurane and halothane*, CROWHURST, J. A., *et al.* 587

——, maternal and umbilical cord plasma noradrenaline concentrations during labour with and without segmental extradural analgesia, and during, JOUPPILA, R., *et al.* 251

——, performed under subarachnoid blockade, placental blood flow during, JOUPPILA, P., *et al.* 1379

——, spinal anaesthesia for. *Management of a patient with severe cardiovascular disease*, MOSTAFA, S. M. 1275

——, under extradural analgesia in a patient with Ebstein's anomaly, LINTER, S. P. K., *et al.* 203

——, use of atracurium, FLYNN, P. J., *et al.* 599

Calibration atmosphere generator, for operation theatre pollution studies. *A system for the controlled production of trace concentrations of inhalation anaesthetics*, GRAY, W. M., *et al.* 543

Captopril, to prevent hypertensive reactions following vasodilator-induced hypotension, PASCH, T., *et al.*, (*CNM*) 1296P

Carbon dioxide elimation, from each lung during endobronchial anaesthesia. *Effects of posture and pulmonary arterial pressure*, WERNER, O., *et al.* 995

Carboxyhaemoglobin, concentrations before anaesthesia, ROGERS, D. J. de S., *et al.*, (*ARS*) 801P

"Cardiac arrest", paediatric, a survey, WARK, H., *et al.* 1271

Cardiac arrhythmia, incidence during anaesthesia for dental extractions: halothane and isoflurane compared, CASSON, W. R., *et al.*, (*ARS*) 1281P

Cardiac arrhythmias, during anaesthesia for laparoscopy, HARRIS, M. N. E., *et al.* 1213

Cardiac surgery, in intensive care, midazolam *v.* diazepam for sedation, LOWRY, K. G., *et al.*, (*ARS*) 1288P

Cardiac vagal efferents, inhibited by droperidol in dogs, INOUE, K., *et al.* 1259

Cardiff Palliator, SMITH, G., (*C*) 311

Cardiopulmonary bypass, bronchospasm and hypotension after preoperative cimetidine and labetalol therapy, DURANT,

P. A. C., *et al.* 917
——, complement activation during, by heparin–protamine interaction, BEST, N., *et al.* 339
——, in man, associated with increased peroxidation product, malondialdehyde (MDA), ROYSTON, D., *et al.*, (*ARS*) 427P
——, massive lignocaine overdose during. *Successful treatment with cardiac pacing*, NOBLE, J., *et al.* 1439
——, with induced hypothermia, use of atracurium, FLYNN, P. J., *et al.* 967
Cardiopulmonary effects, of thoracotomy, WERNER, O., *et al.* 1343
Cardiovascular, and catecholamine responses to induction of anaesthesia using midazolam or thiopentone, and to tracheal intubation, in the elderly, DERBYSHIRE, D. R., *et al.* (*ARS*) 479P
Cardiovascular disease, severe, management of a patient with. Spinal anaesthesia for Caesarean section, MOSTAFA, S. M. 1275
Cardiovascular pattern, influence of volume loading in the sitting position, MURR, R., *et al.*, (*CNM*) 1305P
Cardiovascular responses, to extradural blockade of treated and untreated hypertensive patients: studies of anaesthesia in relation to hypertension. VI, DAGNINO, J., *et al.* 1065
Carotid endarterectomy, the effect of isoflurane on the encephalogram in patients during, CAMPKIN, T. V., *et al.*, (*CNM*) 1300P
Catecholamine, and cardiovascular responses to induction of anaesthesia using midazolam or thiopentone, and to tracheal intubation in the elderly, DERBYSHIRE, D. R., *et al.* (*ARS*) 429P
Catecholamines, plasma concentrations following adrenaline infiltration during gynaecological surgery, LOW, J. M., *et al.* 849
Catheterization, of internal jugular vein, improvement by an ultrasound technique, SCHREGEL, W., *et al.*, (*CNM*) 1302P
Catheterization Techniques for Invasive Cardiovascular Monitoring, BLITT, C. D., (*R*) 208
Cats, the biphasic pattern of the convulsive property of enflurane in cats, STEVENS, J. E., *et al.* 395
Caudal anaesthesia, pharmacokinetics of lignocaine in children following ECOFFEY, C., *et al.* 1399
CBF (cerebral blood flow), and extracellular ion homeostasis, an experimental study. ATP or SNP for intraoperative controlled hypotension?, HEUSER, D., *et al.*, (*CNM*) 1296
Central conduction time, effects of halothane, enflurane and hypotension, JEWKES, D., *et al.*, (*CNM*) 1302P
Central venous pressure, comparison with internal jugular pressure measurements, REYNOLDS, A. D., *et al.* 267
Cerebral angiography, neuroleptanalgesia, MILNER, B. B., *et al.*, (*CNM*) 1309P
Cerebral blood flow, and extracellular ion homeostasis during hypervolaemic haemodilution, GUGGENBERGER, H., *et al.*, (*CNM*) 1305P
——, (CBF), the effect of nitroprusside and Trimetaphan-induced hypotension on the distribution of SAGAR, D. A., *et al.*, (*ARS*) 791P
——, sequential measurements following subarachnoid haemorrhage is it an aid to management? MEE, E. W., *et al.*, (*CNM*) 1297P
Cerebral circulation, responsiveness to alterations in mean arterial pressure during the administration of adenosine triphosphate, AKEN, H. VAN, *et al.*, (*CNM*) 1295P
Cerebral effects, and haemodynamic effects of ATP-induced hypotension, AKEN, H. VAN, *et al.* 1409
Cerebral electrical activity, changes measured by the cerebral function analysing monitor following bolus injections of thiopentone, FRANK, M., *et al.* 1075
Cerebral function, evaluation during induced barbiturate coma, RUSS, W., *et al.*, (*CNM*) 1301P
Cerebral Function Analysing Monitor, an assessment of the effects of halothane, WARK, K. J., *et al.* (*ARS*) 1283P
——, clinical experience, JENKINSON, J. L., (*CNM*) 1298P
——, study using bolus doses of ICI 35 868, YATE, P. M., *et al.*, (*CNM*) 1298P
——, to measure changes in cerebral electrical activity following bolus injections of thiopentone, FRANK, M., *et al.* 1075
Chemical and physical properties, of anaesthetic agents, (*with an appendix on the manufacture of isoflurane*), TERRELL, R. C. 3S
Chemonucleolysis, general or local anaesthesia, SCHÄFFER, J., *et al.*, (*CNM*) 1306P
Children, and infants, anaesthetized comparison of ventilation and gas exchange during spontaneous and artificial ventilation, HULSE, M. G., *et al.* 131
——, and infants, ventilation and gas exchange during anaesthesia and surgery in spontaneously breathing, LINDAHL, S. G. E., *et al.* 121
——, blood-glucose concentrations during anaesthesia. *Effects of starvation and perioperative fluid therapy*, NILSSON, K., *et al.* 375
——, blood-glucose concentrations in children undergoing outpatient dental anaesthesia, PADFIELD, A. 1225
——, effects of nitrous oxide on the respiratory pattern when spontaneously breathing during anaesthesia. *A computerized study*, WREN, W. S., *et al.* 881
——, intrathecal morphine for postoperative pain relief in, JONES, S. E. F., *et al.* 137
——, pharmacokinetics of lignocaine following caudal anaesthesia in children, ECOFFEY, C., *et al.* 1399
Chlormethiazole, (Heminevrin), to control post-craniotomy epilepsy, BRODRICK, P., *et al.*, (*CNM*) 1312P
Chlormethiazole infusion, in elderly patients undergoing spinal anaesthesia, SEOW, L. T., *et al.*, (*C*) 666
Chloroform, and deuterated chloroform, to test hydrogen bonding in mechanisms of anaesthesia, HOBZA, P., *et al.*, (*C*) 1447
Cholesterol, and the interactions between lipid membranes and general anaesthetics, FASSOULAKI, A., *et al.* 1045
Cholinesterase, atracurium in a parturient with atypical, BARAKA, A., *et al.*, (*C*) 930
——, plasma, half-life, HALL, G. M., *et al.* 903
Chronic alcoholism, thiopentone pharmacokinetics in patients with, COUDERC, E., *et al.* 1393
Cimetidine, and labetalol, preoperative theorapy, bronchospasm and hypotension during cardiopulmonary bypass after, DURANT, P. A. C., *et al.* 917
——, and ranitidine two H_2-receptor antagonists, influence on the systemic availability of temazepam, ELLIOTT, P., *et al.*, (*ARS*) 800P
Cinchocaine, compared with bupivacaine for subarachnoid blockade, CUMMINGS, G. C., *et al.* 573
——, hyperbaric, compared with hyperbaric bupivacaine; anaesthesia for transurethral prostatectomy, SHRIBMAN, A. J., *et al.*, (*ARS*) 792P
——, intrathecal, controlled comparison with intrathecal cinchocaine and morphine. *Clinical effects and plasma morphine concentrations*, MOORE, R. H., *et al.* 837
Circle system, effect upon the concentration and second gas effects, CONWAY, C. M., (*ARS*) 423P
Circumcision, dorsal nerve block of penis for analgesia following circumcision in Chinese children, RODRIGO, M. R. C., *et al.*, (*C*) 934
Clinical Anesthesia Procedures of the Massachusetts General Hospital, 2nd. Edn, LE BOWITZ, P. W., *et al.*, (editors), (*R*) 1175
Closed circuit anaesthesia, ENDERBY, D. H., *et al.*, (*C*) 927
CNS actions, of enflurane in cats, the biphasic pattern of the convulsive property, STEVENS, J. E., *et al.* 395
Coma, barbiturate induced, a method for evaluation of cerebral function during, RUSS, W., *et al.*, (*CNM*) 1301P

Complement activation, during cardio pulmonary bypass by heparin–protamine interations BEST, N., *et al.* 339
Computer, assistance in the control of depth of anaesthesia, CHILCOAT, R. T., *et al.* 1417
Computer simulation, of rebreathing. Lung volume measurement by multiple indicator dilution. *A simple model and its ramifications,* SCOTT, I. L., *et al.* 385
Computerized anaesthetic record, on-line, PRENTICE, J. W., *et al.*, (*ARS*) 425P
Constant plasma concentrations, of methohexitone, a new simple method for rapidly achieving and maintaining, McMURRAY, T. J., *et al.*, (*ARS*) 429P
Continuous intercostal nerve blockade, BAXTER, A. D., *et al.*, (*C*) 665
Continuous positive airway pressure, breathing systems, studies, COX, D., *et al.* 905
Control of Respiration, PALLOT, D. J., (editor), (*R*) 1055
Coronary artery bypass surgery, urapidil in the treatment of hypertension following, WILLIAMS, D. J. M., *et al.*, (*ARS*) 427P
Coronary artery surgery, and i.v. labetalol, LEIMAN, B. C., *et al.*, (*C*) 664
——, comparison of nitroglycerine, verapamil and nifedipine in, BOVILL, J. G., *et al.*, (*ARS*) 804P
Coronary vascular reserve, and isoflurane anaesthesia, CUTFIELD, G. R., *et al.*, (*ARS*), 1287P
Corticosteroid synthesis, in man, the effect of induction of anaesthesia by etomidate on, DUTHIE, D. J. R., *et al.*, (*ARS*) 1292P
CPK, and myoglobin serum changes following intermittent suxamethonium administration: effect of alcuronium, lignocaine and midazolam pretreatment, LAURENCE, A., (*ARS*) 795P
Cranial extradural pressure, effects of isoflurane in neurosurgical patients, CAMPKIN, T. V., (*CNM*) 1308P
CSF pharmacokinetics, of extradural morphine, STRUBE, P. J., *et al.*, (*C*) 921
Cushing response, the clinical importance, PFEIFER, G., *et al.*, (*CNM*) 1312P
Cyclic AMP, in normal and malignant hyperpyrexia susceptible individuals following exercise, STANEC, A., *et al.* 1243

Data acquisition system, for experimental anaesthetics, STAFFORD, M. A., *et al.*, (*ARS*) 1284P
Day-case surgery, comparison between midazolam and thiopentone-based balanced anaesthesia, CRAWFORD, M. E., *et al.* 165
Day-stay surgery, with vecuronium, PEARCE, A. C., *et al.*, (*ARS*) 794P
Deadspace, and the single breath test for carbon dioxide during anaesthesia and artificial ventilation. *Effects of tidal volume and frequency of respiration,* FLETCHER, R., *et al.* 109
Denmark, and Sweden, investigation of malignant hyperthermia, ØRDING, H., *et al.* 1183
Density, effects on subarachnoid anaesthesia with 0.5% bupivacaine, MØLLER, I. W., *et al.* 1191
Dental extractions, the incidence of cardiac arrhythmia during anaesthesia for: halothane and isoflurane compared, CASSON, W. R., *et al.*, (*ARS*) 1281P
Depth of anaesthesia, computer assistance in the control of, CHILCOAT, R. T., *et al.* 1417
Dexamethasone, high dose, on outcome from severe head injury, DEARDEN, N. M., *et al.*, (*CNM*) 1314P
3,4-Diaminopyridine, and aminopyridine, comparison of some pharmacological properties *in vivo,* HOUSTON, T., *et al.* 1139
Diamorphine, compared with buprenorphine, extradural and i.v., after abdominal surgery, ALEXANDER, J., *et al.*, (*ARS*) 1283P
——, thoracic extradural, or morphine, plasma morphine concentrations and clinical effects after, PHILLIPS, D. M., *et al.* 829
Diazemuls, anaphylactoid reaction to, BRØGGER NIELSEN, F., (*C*) 1179
——, i.v., and Valium, plasma diazepam concentrations following, FEE, J. P. H., *et al.*, (*ARS*) 1280P
Diazepam, actions and interactions at the chick and rat skeletal muscle, WALI, F. A., (*ARS*) 1279P
——, and oxazepam, *in vitro* interaction with pancuronium and suxamethonium, DRIESSEN, J. J., *et al.* 1131
——, compared with diazepam plus pethidine with naloxone reversal: sedation for endoscopy, BOLDY, D. A. R., *et al.* 1109
——, compared with midazolam as sedatives for minor oral surgery, SKELLY, A. M., *et al.*, (*ARS*) 1279P
——, morphine or nalbuphine for premedication, effect on gastrointestinal motility after surgery, SHAH, M., *et al.* 1235
——, plasma concentrations following Valium and Diazemuls, i.v., FEE, J. P. H., *et al.*, (*ARS*) 1280P
——, *v.* midazolam for sedation in a cardiac surgical intensive care unit, LOWRY, K. G., *et al.*, (*ARS*) 1288P
Digital computer controlled gas flow generator, BOADEN, R. W., *et al.*, (*ARS*) 799P
Dimethyltubocurarine, and pancuronium for potentiation of neuromuscular blockade following burn injury, SATWICZ, P. R., *et al.* 479
"Diprivan", ICI 35 868, differences between the emulsion and Cremophor formulations, GLEN, J. B., *et al.*, (*ARS*) 807P
Dogs, droperidol inhibits cardiac vagal efferents in, INOUE, K., *et al.* 1259
——, renal tissue oxygenation following induced hypotension in dogs, BEHNIA, R., *et al.* 1037
Doppler ultrasonic device, for early diagnosis of venous air embolism during neurosurgical operations in the sitting position, REINERY, G. F., *et al.*, (*CNM*) 1303P
Dorsal nerve block, of penis for analgesia following circumcision in Chinese children, RODRIGO, M. R. C., *et al.*, (*C*) 934
Doxapram, and fentanyl, simultaneous infusions, ANDREWS, C. J. H., *et al.*, (*ARS*) 801P
Droperidol, and pethidine, myoneural effects, BOROS, M., *et al.* 195
——, inhibits cardiac vagal efferents in dogs, INOUE, K., *et al.* 1259
Drug absorption, and gastric emptying before surgery, MARSH, R. H. K., *et al.* 161
——, by sublingual and rectal routes, DE BOER, A. G., *et al.* 69
——, in the gut, ORME, M. 59
Drug disposition, and blood flow, a sheep preparation for studying interactions between. I: Physiological profile, RUNCIMAN, W. B., *et al.* 1015
——, and blood flow, a sheep preparation for studying interactions between. II: Experimental applications, RUNCIMAN, W. B., *et al.* 1117
——, and blood flow, a sheep preparation for studying interactions between. III: Effects of general and spinal anaesthesia on regional blood flow and oxygen tensions, RUNCIMAN, W. B., *et al.* 1247

Ebstein's anomaly, Caesarean section under extradural analgesia in a patient with, LINTER, S. P. K., *et al.* 203
Edrophonium, and neostigmine, to induce reversal of atracurium blockade, HUGHES, R., *et al.*, (*ARS*) 796P
——, or neostigmine for antagonism of alcuronium, HARPER, N. J. N., *et al.* 1089
——, or neostigmine, recovery characteristics following antagonism of atracurium with, JONES, R. M., *et al.* 453
——, to reverse atracurium block in anephric patients, HUNTER, J. M., *et al.*, (*ARS*) 1285P
EEG-induced indication of drugs, with brain protective

potency, SCHOEPPNER, H., *et al.*, (*CNM*) 1300P
Elderly, cardiovascular and catecholamine responses to induction of anaesthesia using midazolam or thiopentone, and to tracheal intubation, DERBYSHIRE, D. R., *et al.*, (*ARS*) 429P
Elderly patients, chlormethiazole infusion in patients undergoing spinal anaesthesia, SEOW, L. T., *et al.*, (*C*) 667
——, undergoing total hip replacement or aortic reconstructive surgery, pharmacokinetics of alcuronium, STEPHENS, I. D., *et al.* 465
Emulsion formulation, of ICI 36 868, pharmacology, GLEN, J. B., *et al.* 617
Endobronchial anaesthesia, carbon dioxide elimination from each lung during. *Effects of posture and pulmonary arterial pressure,* WERNER, O., *et al.* 995
Endobronchial tubes, double-lumen, comparison of the resistances, HAMMOND, J. E., *et al.* 299
Endocrine response, to tracheal intubation by lignocaine, halothane and thiopentone, LEHTINEN, A.-M., *et al.* 239
Endocrine responses, to upper abdominal surgery, effects of the extradural administration of morphine or bupivacaine, RUTBERG, H., *et al.* 233
Endocrinology and the Anaesthetist. Monographs in Anaesthesiology, OYAMA, T., (editor), (*R*) 1176
β-endorphin, plasma, changes in immunoreactivity in response to tracheal intubation, effect of intratracheal lignocaine, halothane and thiopentone, LEHTINEN, A.-M., *et al.* 247
Endoscopy, sedation for: a comparison between diazepam, and diazepam plus pethidine with naloxone reversal, BOLDY, D. A. R., *et al.* 1109
Endotracheal intubation, and laryngoscopy, prevention of intracranial hypertension during. *Use of a second dose of thiopentone,* UNNI, V. K. N., *et al.* 1219
Endotracheal tubes, and viruses, COZANITIS, D. A., *et al.*, (*C*) 1318
Enflurane, anaesthesia, after pethidine premedication, atropine increases inspiratory flow during, DRUMMOND, G. B. 656
——, and halothane, comparison of the renal and hepatic effects. General anaesthesia for Caesarean section in severe pre-eclampsia, CROWHURST, J. A., *et al.* 587
——, effect of positive expiratory pressure on expiratory duration during, McCULLOCH, W. J., *et al.*, (*ARS*) 1281P
——, halothane and hypotension, effects on central conduction time, JEWKES, D., *et al.*, (*CNM*) 1302P
——, halothane and their major metabolites, displacement of basic drugs from human serum proteins. *An in vitro study,* DALE, O., *et al.* 535
——, or halothane, effect of airway occlusion on respiratory timing during anaesthesia with, DRUMMOND, G. B. 215
——, or halothane with controlled ventilation, effects on auditory evoked potentials, THORNTON, C., *et al.* 315
——, the biphasic pattern of the convulsive property in cats, STEVENS, J. E., *et al.* 395
Enzyme induction, implications: metabolism of the inhaled anaesthetics, MAZZE, R. I. 275
Epilepsy, post-craniotomy, controlled by chlormethiazole (Heminevrin), BRODRICK, P., *et al.*, (*CNM*) 1312P
Epilepsy surgery, anaesthesia for, HEWITT, P. B., *et al.*, (*CNM*) 1308P
Episiotomy, extradural morphine and pain relief following, MACDONALD, R. 1201
Essentials of Anesthesiology, CHUNG, D. C., *et al.*, (*R*) 674
Etidocaine, and bupivacaine, comparison in extradural blockade, SINCLAIR, C. J., *et al.* 147
——, 1.5%, or bupivacaine, 0.5% and 0.75%, for extradural Caesarean section, DUTTON, D. A., *et al.* 1361
Etomidate, OWEN, H., *et al.*, (*C*) 555
——, and thiopentone i.v., venous sequelae following the injection of, SCHOU OLESEN, A., *et al.* 171
——, effect on corticosteroid synthesis in man, DUTHIE, D. J. R., *et al.*, (*ARS*) 1292P
——, effect upon pituitary–adrenocortical function, YEOMAN, P. M., *et al.*, (*ARS*) 1291P
——, two-stage infusion for the induction and maintenance of anaesthesia, LEES, N. W., *et al.* 1239
——, venous reactions following, DOENICKE, A., *et al.*, (*C*) 933
European Advances in Intensive Care. International Anesthesiology Clinics. Vol. 2, No. 2, GEIGER, K., (editor), (*R*) 1056
Evoked potentials, visual, auditory and somatosensory, effect of nitrous oxide, SEBEL, P. S., *et al.* 1403
Exercise, cyclic AMP in normal and malignant hyperpyrexia susceptible individuals following, STANEC, A., *et al.* 1243
Expiratory duration, effect of positive expiratory pressure on, during enflurane anaesthesia, McCULLOCH, W. J., *et al.*, (*ARS*) 1281P
Expiratory muscle activity, contribution to ventilation during anaesthesia, DRUMMOND, G. B., *et al.*, (*ARS*) 1280P
Expiratory pressure, positive, effect on expiratory duration during enflurane anaesthesia, McCULLOCH, W. J., *et al.*, (*ARS*) 1281P
Extracellular ion homeostasis, and CBF, an experimental study. ATP or SNP for intraoperative controlled hypotension? MEUSER, D., *et al.*, (*CNM*) 1296P
——, and cerebral blood flow during hypervolaemic haemodilution, GUGGENBERGER, H., *et al.*, (*CNM*) 1305P
Extradural analgesia, for Caesarean section in a patient with Ebsteins' anomaly, LINTER, S. P. K., *et al.* 203
——, in association with bupivacaine toxicity for Caesarean section, THORBURN, J., *et al.* 551
——, segmental, maternal and umbilical cord plasma noradrenaline concentrations during labour with and without, and during Caesarean section, JOUPPILA, R., *et al.* 251
Extradural blockade, an efficient technique for performing, SOSIS, M., *et al.*, (*C*) 928
——, cardiovascular responses to, in treated and untreated hypertensive patients: studies of anaesthesia in relation to hypertension. VI, DAGNINO, J., *et al.* 1065
——, comparison of bupivacaine and etidocaine, SINCLAIR, C. J., *et al.* 147
Extradural Caesarean section, choice of local anaesthetic drug. *Comparison of 0.5% and 0.75% bupivacaine and 1.5% etidocaine,* DUTTON, D. A. *et al.* 1361
Extradural catheter, temperature changes along: experimental and theoretical calculation, WALMSLEY, A. J., *et al.*, (*ARS*) 803P
Extradural catheters, fixation by means of subcutaneous tissue tunnelling, CARL, P., *et al.* 1369
Extradural morphine, and bupivacaine. *A controlled comparison,* TORDA, T. A., *et al.* 141
——, on-demand, low-dose infusion, and morphine metabolism under conditions of intensive care, CHRUBASIK, J., *et al.*, (*CNM*) 1307P
——, or bupivacaine, effects on the endocrine responses to upper abdominal surgery, RUTBERG, H., *et al.* 233
——, or diamorphine, thoracic, plasma morphine concentrations and clinical effects after, PHILLIPS, D. M., *et al.* 829
Extradural opiates, mechanism of action compared with intrathecal opiates, KALSO, E., (*C*) 669
Extradural pressure, cranial, and isoflurane. *A Study in neurosurgical patients,* CAMPKIN, T. V. 1083
——, effect of posture, SHAH, J. L. 1373
Extradural space, measurement of the depth using ultrasound, CURRIE, J. M. 345

"Failed intubation" in obstetric anaesthesia. *An indication for use of the "Esophageal Gastric Tube Airway",* TUNSTALL, M. E., *et al.* 659

Fasting period pre-anaesthetic, CRAWFORD, J. S., (*C*) 925
Fentanyl, a double-blind comparison with alfentanil anaesthesia for short procedures, PATRICK, M., *et al.* 861
——, and doxapram, simultaneous infusions, ANDREWS, C. J. H., *et al.*, (*ARS*) 801P
——, compared with alfentanil: anaesthesia for short procedures, PATRICK, M., *et al.*, (*ARS*) 430P
Fentanyl–nitrous oxide anaesthesia and volatile anaesthetics, effect on bleeding time, FRYMAN, P. N., *et al.* 1197
Fentanyl supplementation, to general anaesthesia, comparison with halothane on the stress response in upper abdominal surgery, CAMPBELL, B. C., *et al.* 257
Fetal asphyxia, regional distribution of myocardial blood flow, DAVIES, J. M., *et al.*, (*ARS*) 430P
Fetal–neonatal status, following Caesarean section for fetal distress, MARX, G. F., *et al.* 1009
Fibrinolytic activity, in man, effect of varying methods of upper limb occlusion on, SINCLAIR, M. E., *et al.* 175
Fluid and Blood Therapy in Anesthesia (Contemporary Anesthesia Practice Series), BROWN, B. R. jr., (editor), (*R*) 1062
Flunitrazepam, as an induction agent in children. *A clinical and pharmacokinetic study,* IISALO, E., *et al.* 899
Fluorocarbons, whole-body oxygenation using intraperitoneal perfusion of, FAITHFULL, N. S., *et al.* 867
Folinic acid, used to prevent nitrous oxide-induced megaloblastic changes in bone marrow, AMOS, R. J., *et al.* 103
Fosfomycin, pharmacokinetic aspects of CSF penetration, FRENKEL, C., *et al.*, (*CNM*) 1310P
Fundamentals of Tracheal Intubation, ROBERTS, J. T., (*R*) 1056

Gas exchange, and ventilation in anaesthetized infants and children during spontaneous and artificial ventilation, HULSE, M. G., *et al.* 131
Gastric emptying, and drug absorption before surgery, MARSH, R. H. K., *et al.* 161
——, and motility, effect of anaesthesia on, NIMMO, W. S. 29
——, effect of metoclopramide before elective and emergency Caesarean section, MURPHY, D. F., *et al.* 113
——, effect of naloxone during labour, FRAME, W. T., *et al.* 263
Gastric motility, and emptying, effect of anaesthesia on, NIMMO, W. S. 29
Gastrointestinal disease, and pancreatic disease, metabolic problems associated with, McCLOY, R. F. 83
Gastrointestinal motility, after surgery, effect of premedication with diazepam, morphine or nalbuphrine on, SHAH, M., *et al.* 1235
Gastrointestinal tract and anaesthesia, SMITH, G., *et al.*, (*E*) 1
General anaesthesia, compared with subarachnoid anaesthesia. Long-term outcome after repair of fractured neck of femur, McKENZIE, G. C., *et al.* 581
General anaesthetics, do they perturb lipid membranes? *The role of cholesterol,* FASSOULAKI, A., *et al.* 1045
Glycopyrrolate, i.v., comparison with atropine in the prevention of bradycardia and arrhythmias following repeated doses of suxamethonium in children, GREEN, D. W. *et al.* 981
Gynaecological laparoscopy, clinical experiences of two anaesthetic techniques, KURER, F. L., *et al.* 1207

Haemodynamic, and cerebral effects of ATP-induced hypotension, AKEN, H. VAN, *et al.* 1409
Halogenated anaesthetics, *in vitro* toxicity on guineapig alveolar macrophages, surviving in gas phase, VOISIN, C., *et al.* 415
Halothane, an assessment of the effects with the Cerebral Function Analysing Monitor, WARK, K. J., *et al.*, (*ARS*) 1283P
——, and enflurane, comparison of the renal and hepatic effects. General anaesthesia for Caesarean section in severe pre-eclampsia, CROWHURST, J. A., *et al.* 587
——, compared with isoflurane: the incidence of cardiac arrhythmia during anaesthesia for dental extractions, CASSON, W. R., *et al.*, (*ARS*) 1281P
——, effect on left ventricular relaxation, DOYLE, R. L., *et al.*, (*ARS*) 1286P
——, effect on lymph flow, WHITWAM, J. G., *et al.* 411
——, enflurane and hypotension, effects on central conduction time, JEWKES, D., *et al.*, (*CNM*) 1302P
——, enflurane and their major metabolites, displacement of some basic drugs from human serum proteins. *An in vitro study,* DALE, O. *et al.* 535
——, lignocaine and thiopentone, intratracheal effect on changes in plasma β-endorphin immunoreactivity in response to tracheal intubation, LEHTINEN, A.-M., *et al.* 247
——, lignocaine and thiopentone, modification of aspects of the endocrine response to tracheal intubation by, LEHTINEN, A.-M., *et al.* 239
——, or enflurane, effect of airway occlusion on respiratory timing during anaesthesia with DRUMMOND, G.B. 215
——, or enflurane with controlled ventilation, effects on auditory evoked potentials, THORNTON, C., *et al.* 315
——, to induce hepatoxicity in hypoxic, enzyme-induced rats, effect of nitrous oxide, ROSS, J. A. S., *et al.* 527
Halothane supplementation, to general anaesthesia, comparison to fentanyl on the stress response in upper abdominal surgery, CAMPBELL, B. C., *et al.* 257
Handbook of Emergency Anaesthesia, SUTCLIFFE, A. J., (*R*) 207
Handbook of Intensive Care, BAIN, W. H., *et al.*, (editors), (*R*) 1062
Heminevrin, (chlormethiazole) to control post-craniotomy epilepsy, BRODRICK, P., *et al.* (*CNM*) 1312P
Heparin–protamine interaction, complement activation during cardiopulmonary bypass by, BEST, N., *et al.* 339
Hepatotoxicity, halothane-induced, in hypoxic enzyme-induced rats, effect of nitrous oxide, ROSS, V. A. S., *et al.* 527
High-dose barbiturate therapy, (HDBT), complications in severe head injury patients, KRIER, C., *et al.*, (*CNM*) 1314P
Histamine, plasma concentrations after administration of atracurium, BARNES, P. K., *et al.*, (*ARS*) 795P
Hydrogen bonding, in mechanisms of anaesthesia tested with chloroform and deuterated chloroform, HOBZA, P., *et al.*, (*C*) 1447
Hyperpyrexia, malignant, cyclic AMP in normal and hyperpyrexia susceptible individuals following exercise, STANEC, A., *et al.* 1243
——, malignant, European group. ELLIS, F. R., (*E*) 1181
——, malignant, phosphorus-31 nuclear magnetic resonance studies of muscle metacolism in, GALLOWAY, G. J., *et al.*, (*C*) 663
Hypertension, acute, studies of the haemodynamic effects of nicardipine hydrochloride to control in anaesthetized patients, KISHI, Y., *et al.* 1003
——, aetiology of SWALES, J. D. 677
——, and anaesthesia, PRYS-ROBERTS, C. 711
——, control during aortic surgery using lumbar extradural blockade, KUMAR, B., *et al.*, (*ARS*)
——, sodium nitroprusside-induced, in the rat, the central and peripheral circulation during and after, GUSTAFSON, C. 1029
——, treated with urapidil following coronary artery bypass surgery, WILLIAMS, D. J. M., *et al.*, (*ARS*) 427P
Hypertensive patients, treated and untreated cardiovascular responses to extradural blockade of studies of anaesthesia in relation to hypertension. VI; DAGNINO, J., *et al.* 1065
Hypertensive reactions, following vasodilator-induced hypotension and their prevention by captopril, PASCH, T., *et al.*, (*CNM*) 1296P
Hyperthermia, malignant, investigation in Denmark and Sweden, ØRDING, H., *et al.* 1183

Hyperthermic, malignant, the 3-Hz staircase phenomenon in a known, LESLIE, G. C., *et al.*, (*ARS*) 422P
Hypervolaemic haemodilution, cerebral blood flow and extracellular ion homestasis, GUGGENBERGER, H., *et al.*, (*CNM*) 1305P
Hypnotic drugs, effects on the central nervous system, reliability of the vestibulo–ocular reflex as an index, CERCHIARI, E. L., *et al.* 325
Hypotension, ATP-induced, haemodynamic and cerebral effects, AKEN, H. VAN, *et al.* 1409
——, controlled, neurological sequelae following, PASCH, T., (*CNM*) 1297P
——, halothane and enflurane, effects on central conduction time, JEWKES, D., *et al.*, (*CNM*) 1302P
——, induced, haemodynamic consequences of application of acrylic cement during, DE LANGE, J. J., *et al.*, (*C*) 670
——, induced, in intracranial aneurysm surgery, BARKER, I., *et al.*, (*CNM*) 1295P
——, induced in dogs, renal tissue oxygenation following, BEHNIA, R., *et al.* 1037
——, trimetaphan-induced, and nitroprusside, effect on the distribution of brain blood flow, SAGAR, D. A., *et al.*, (*ARS*) 791P
——, vasodilator-induced, resulting in hypertensive reactions and their prevention by captopril, PASCH, T., *et al.*, (*CNM*) 1296P
Hypothalamo–pituitary–adrenocortical system, HODGES, J. R. 701
Hypoxia, positive end-expiratory pressure and phrenic nerve activity, interrelation in the anaesthetized dog, AL-KHUDHAIRI, D., *et al.*, (*ARS*) 799P
Hypoxic ventilatory drive, in the dog under Althesin anaesthesia, GAUDY, J. H., *et al.*, 631
3-H_2 staircase phenomenon, in a known malignant hyperthermic, LESLIE, G. C., *et al.*, (*ARS*) 422P

ICI 35 868, bolus doses, used to study the Cerebral Function Analysing Monitor, YATE, P. M., *et al.*, (*CNM*) 1298P
——, pharmacology of an emulsion formulation, GLEN, J. B., *et al.* 617
Incisional infiltration, of 0.5% bupivacaine, effect on pain after surgery, OWEN, H., *et al.*, (*ARS*) 1292P
Induction agent, flunitrazepam in children. *A clinical and pharmacokinetic study,* IISALO, E., *et al.* 899
Infants, differential effects of myoneural blocking drugs on neuromuscular transmission in, ROBBINS, R., *et al.* 1095
Infusion, two-stage, of etomidate for the induction and maintenance of anaesthesia, LEES, N. W., *et al.* 1239
Infusion rates, for anaesthesia with propofol, WRIGHT, P. J., *et al.* 613
Inhalation anaesthetic agents, clinical comparison, JONES, R. M. 57S
——, in neurosurgery, FROST, E. A. M. 47S
——, volatile, a review, NUNN, J. F., *et al.*, (editors) 1S
Inhaled general anaesthetics, a reassessment of the molecular structure–functional relationships of, HALSEY, M. J. 9S
In-line breathing filters, increase in resistance in humidified air, BUCKLEY, P. M. 637
Inotropic, and vasopressor agents, SMITH, L. D. R., *et al.* 767
Inspiratory flow, increased by atropine during enflurane anaesthesia after pethidine premedication, DRUMMOND, G. B. 565
Intensive care, body temperature rhythms in, BELL, C. F., *et al.*, (*ARS*) 428P
——, extradural, on-demand, low-dose infusion of morphine and morphine metabolism under conditions of, CHRUBASIK, J., *et al.*, (*CNM*) 1307P
——, intravenous nutrition in: a role for the microcomputer, WALKER, M., *et al.*, (*ARS*) 1281P
Intercostal nerve blockade, continuous, a new method for: clinical and anatomical studies, MURPHY, D. F., (*ARS*) 425P
——, DAWSON, A. D. G., (*C*) 1318
Internal jugular pressure, comparison with central venous pressure measurements, REYNOLDS, A. D., *et al.* 267
Internal jugular vein, location, MACDONALD, D. J. F., (*C*) 1447
Intestinal motility, and secretion, physiology, SCRATCHERD, T., *et al.* 3
Intestinal secretion, and motility, physiology, SCRATCHERD, T., *et al.* 3
Intracranial aneurysm surgery, induced hypotension in, BARKER, I., *et al.*, (*CNM*) 1295P
Intracranial hypertension, prevention during laryngoscopy and endotracheal intubation. *Use of a second dose of thiopentone,* UNNI, V. K. N., *et al.* 1219
Intragastric pH, and volume, control of, MORGAN, M. 47
Intragastric pressure, changes on induction of anaesthesia, DRUMMOND, G. B., *et al.* 873
Intragastric volume, and pH, control of, MORGAN, M. 47
Intraocular pressure, effects of atracurium on, MAHARAJ, R. J., *et al.* 459
Intraoperative Doppler Sonography in Neurosurgery, GILSBACH, J. M., (*R*) 1060
Intraoperative myoglobin changes, relation with suxamethonium-induced myalgia, changes following alcuronium, midazolam and lignocaine pretreatments, BARKER, I., *et al.*, (*ARS*) 796P
Intraperitoneal fluorocarbons, whole-body oxygenation using perfusion of, FAITHFULL, N. S., *et al.* 867
Intraperitoneal oxygenation, using per fluocarbon solutions, FAITHFULL, N. S., *et al.*, (*ARS*) 424P
Intrathecal morphine, and cinchocaine, controlled comparison with intrathecal cinchocaine. *Clinical effects and plasma morphine concentrations,* MOORE, R. A., *et al.* 837
——, for postoperative pain relief in children, JONES, S. E. F., *et al.* 137
——, hyperbaric, for the relief of pain in labour, ABBOUD, T. K., *et al.* 1351
Intrathecal opiates, mechanism of action compared with extradural opiates, KALSO, E., (*C*) 669
Intravenous nutrition, in intensive care: a role for the microcomputer, WALKER, M., *et al.*, (*ARS*) 1281P
Intravenous Technique and Therapy, GILBERTON, A. A., (editor), (*R*) 1175
Intubating conditions, (good), respiratory depression and hand muscle paralysis, rate of onset after vecuronium, BENCINI, A., *et al.* 959
Intubation, of the trachea, sore throat after, SHAH, M. V., *et al.* 1337
——, problem in patient with missing upper front teeth, SNIPER, W., (*C*) 313
Isoflurane, an appendix on the manufacture, physical and chemical properties of anaesthetic agents, TERRELL, R. C. 3S
——, anaesthesia, and coronary vascular reserve, CUTFIELD, G. R., *et al.*, (*ARS*) 1287P
——, and cranial extradural pressure, *A study in neurosurgical patients,* CAMPKIN, K. V. 1083
——, and halothane compared: the incidence of cardiac arrhythmia during anaesthesia for dental extractions, CASSON, W. R., *et al.*, (*ARS*) 1281P
——, effects on cranial extradural pressure in neurosurgical patients, CAMPKIN, T. V., (*CNM*) 1308P
——, for clinical anaesthesia. *A review of the multicentre study* 101S
——, its effect on the encephalogram in patients during carotid endarterectomy, CAMPKIN, T. V., *et al.*, (*CNM*) 1300P
——, pharmacology, EGER, E. I. II 71S
——, sister chromatid exchanges in lymphocytes of humans anaesthetized with, MUSUM, B., *et al.* 559

Iso-shunt graph, a reassessment of the validity, LAWLER, P. G. P., *et al.* 1325
I.V. anaesthetic agents, in man, effect of naloxone on the loss of consciousness induced by, STELLA, L., *et al.* 369
I.V. regional anaesthesia, influence of the addition of potassium to 0.5% prilocaine solution during, McKEOWN, D. W., *et al.* 1167

James Robinson on the Inhalation of the Vapour of Ether, ELLIS, R. H., (*R*) 1175
Jervell, Lange-Nielsen Syndrome, (prolonged Q-T interval syndrome), and anaesthesia for Caesarean section, FRESHWATER, J. V. 655
"Junctional rhythms", observations during anaesthesia, SETHNA, D. H., *et al.*, (*C*) 924

Ketamine, Althesin and lignocaine infusion for neurosurgery, BARKER, J., *et al.*, (*CNM*) 1309P
——, and three other anaesthetics effects on spinal reflexes and inhibitions in the cat, LODGE, D., *et al.* 1143
Ketamine anaesthesia, dose–response relationships and neuromuscular blocking effects of vecuronium and pancuronium during, ENGBEK, J., *et al.* 953
——, effects on the metabolic response to pelvic surgery, LACOUMENTA, A., *et al.* 493

Labetalol, and cimetidine, preoperative therapy, bronchospasm and hypotensia during cardiopulmonary bypass after, DURANT, P. A. C., *et al.* 917
——, and phaeochromocytoma, NAVARATNARAJAH, M., *et al.*, (*C*) 1179
——, i.v., and coronary artery surgery, LEIMAN, B. C., *et al.*, (*C*) 664
Labour, effect of naloxone on gastric emptying during, FRAME, W. T., *et al.* 263
——, intrathecal administration of hyperbaric morphine for the relief of pain, ABBOUD, T. K., *et al.* 1351
——, maternal and umbilical cord plasma noradrenaline concentrations during, with and without segmental extradural analgesia, and during Caesarean section, JOUPPILA, R., *et al.* 251
Laparoscopy, cardiac arrhythmias during anaesthesia for, HARRIS, M. N. E., *et al.* 1213
Laryngeal mask, ANTROBUS, J. H. L., *et al.*, (*C*) 671
Laryngoscopy, an endotracheal intubation, prevention of intracranial hypertension during. *Use of a second dose of thiopentone,* UNNI, V. K. N., *et al.* 1219
Left ventricular relaxation, effect of halothane on, DOYLE, R. L., *et al.*, (*ARS*) 1286P
Lignocaine, alcuronium and midazolam pretreatment, effect on serum myoglobin and CPK changes following intermittent suxamethonium administration, LAURENCE, A. S., (*ARS*) 795P
——, alcuronium and midazolam pretreatments, suxamethonium-induced myalgia, and relation with intraoperative myoglobin changes following, BARKER, I., *et al.* (*ARS*) 796P
——, Althesin and ketamine infusion for neurosurgery, BARKER, J., *et al.*, (*CNM*) 1309P
——, halothane and thiopentone, intratracheal, effect on changes in plasma β-endorphin immunoreactivity in response to tracheal intubation, LEHTINEN, A.-M. *et al.* 247
——, halothane and thiopentone, modification of aspects of the endocrine response to tracheal in tubation by, LEHTINEN, A.-M., *et al.* 239
——, pharmacocokinetics, in children following caudal anaesthesia, ECOFFEY, C., *et al.* 1379
Lignocaine overdose, massive, during cardiopulmonary by pass. *Successful treatment with cardiac pacing,* NOBLE, *et al.* 1439
Lipid membranes, are they perturbed by general anaesthetics. The role of cholesterol, FASSOULAKI, A., *et al.* 1045
Liver disease, elimination of phenoperidine, ISHERWOOD, C. N., *et al.* 843
Local anaesthetic, toxicity caused by, SCOTT, D. B., (*E*) 435
Local anaesthetic drugs, an historical perspective, WILDSMITH, J. A. W., *et al.*, (*E*) 937
Lower oesophageal sphincter, and anaesthesia, COTTON, B. R., *et al.* 37
Lumbar extradural blockade, control of hypertension during aortic surgery using, KUMAR, B., *et al.*, (*ARS*) 797P
Lumbar extradural space, resin injection studies, HARRISON, G. R., *et al.*, (*ARS*) 797P
Luminescence, calcium-induced, of aequorin, the effect of general anaesthetics, on WALI, F. A., (*ARS*) 802P
Lung volume, and (P_{AO_2}-Pa_{O_2}), changes during anaesthesia, HENEGHAN, C. P. H., *et al.* 437
——, measurement by multiple indicator dilution. *Difference in apparent volume of distribution of oxygen, nitrogen and argon,* BLACK, A. M. S., *et al.* 289
——, measurement by multiple indicator dilution. *Testing a modelled hypothesis with on-line computation,* BLACK, A. M. S., *et al.* 509
Lymph flow, effect of halothane, WHITWAM, J. G., *et al.* 411

Maintaining drug concentrations, at the therapeutic threshold, HARRISON, M. J., *et al.*, (*ARS*) 1291
Malignant hyperpyrexia, occurrence in a patient with osteogenesis imperfecta, RAMPTON, A. J., *et al.* 1443
Malignant hyperpyrexia (MH) susceptibility, a protocol for the investigation of, ELLIS, F. R., *et al.* 1267
Manual of Anesthesia, 2nd edn, SNOW, J. C., (editor), (*R*) 1059
Mass spectrometer, (MS), a microcomputer calibrator (MC) for use in anaesthesia, BEATTY, P. C. W., *et al.*, (*ARS*) 803P
M. C. Q. Tutor-Anaesthesia, 2nd Edn, HEINEMANN, W., (publisher), (*R*) 1176
Medishield anaesthetic gas scavenging system, a modification to, MOSTAFA, S. M., *et al.*, (*C*) 929
Meptazinol, and neuromuscular blocking agents, interactions, STRAHAN, K., *et al.*, (*ARS*) 1290P
Metabolic response, to pelvic surgery, effects of ketamine anaesthesia, LACOUMENTA, S., *et al.* 493
Metabolism of inhaled anaesthetics, implications of enzyme inductions, MAZZE, R. I. 27S
(Met) enkephalin, plasma, analgesia and TENS, DINGWALL, A., (*ARS*) 1289P
Methionine synthase, fetal, inhibition by nitrous oxide, BADEN, J. M., *et al.* 423
Methohexitone, a new simple method for rapidly achieving and maintaining constant concentrations, McMURRAY, T. J., *et al.*, (*ARS*) 429P
——, with alfentanil, a comparison of differing concentrations of alfentanil: anesthesia for short procedures, BROOKER, J., *et al.*, (*ARS*) 1293P
Methohexitone–nitrous oxide, anaesthesia in man, recovery of baroreflex control of heart rate after, CARTER, J. A., *et al.*, (*ARS*) 1285P
Metoclopramide, effect on gastric emptying before elective and emergency Caesarean section, MURPHY, D. F., *et al.* 1113
Microcomputer, basis for anaesthetic record system, PRENTICE, J. W., *et al.* 1433
Microcomputer calibrator (MC), for a mass spectrometer (MS for use in anaesthesia, BEATTY, P. C. W., *et al.*, (*ARS*) 803P
Midazolam, age and nature of operation influence the pharmacokinetics of HARPER, K. W., *et al.*, (*ARS*) 1288P
——, alcuronium and lignocaine pretreatment, effect on serum myoglobin and CPK changes following intermittent

suxamethonium administration, LAURENCE, A. S., (*ARS*) 795P
——, alcuronium and lignocaine pretreatments, suxamethonium-induced myalgia, and relation with intraoperative myoglobin changes following, BARKER, I., *et al.*, (*ARS*) 796P
——, and thiopentone: catecholamine and arterial pressure responses to induction and tracheal intubation in the elderly, DERBYSHIRE, D. R., *et al.*, (*ARS*) 429P
——, and thiopentone, comparison for anaesthesia for day-case surgery, CRAWFORD, M. E., *et al.* 165
——, compared with diazepam as sedatives for minor oral surgery, SKELLY, A. M., *et al.*, (*ARS*) 1279P
——, effects on phrenic nerve activity in the dog, antagonism by Ro 15–1788 and Ro 15–3505, GORDON, G., *et al.* 1161
——, some factors influencing the response to, DUNDEE, J. W., *et al.*, (*ARS*) 804P
——, *v.* diazepam for sedation in a cardiac surgical intensive care unit, LOWRY, K. G., *et al.*, (*ARS*) 1288P
Model lung, with the capacity for simulated spontaneous breathing, LYLE, D. J. R., *et al.* 645
Morphine, compared with aspirin infusion for the relief of postoperative pain, CASHMAN, J. N., *et al.*, (*ARS*) 805P
——, compared with butorphanol for premedication, LAFFEY, D. A., *et al.* 363
——, comparison with sublingual buprenorphine following abdominal surgery, CUSHIERI, R. J., *et al.* 855
——, diazepam or nalbuphine for premedication, effect on gastrointestinal motility after surgery, SHAM, M., *et al.* 1235
——, extradural and bypivacaine. *A controlled comparison,* TORDA, T. A., *et al.* 141
——, extradural, and pain relief following episiotomy, MACDONALD, R., *et al.* 1201
——, extradural, CSF pharmacokinetics, STRUBE, P. J., *et al.*, (*C*) 921
——, extradural, on-demand low-dose infusion, and morphine metabolism under conditions of intensive care, CHRUBASIK, J., *et al.*, (*CNM*) 1307P
——, extradural, or bupivacaine, effects on the endocrine responses to upper abdominal surgery, RUTBERG, H., *et al.* 233
——, hyperbaric, intrathecal administration for the relief of pain in labour, ABBOUD, T. K., *et al.* 1351
——, intrathecal, for postoperative pain relief in children, JONES, S. E. F., *et al.* 137
——, i. v. single-dose, pharmacokinetics in normal volunteers and patients with end-stage renal failure, AITKENHEAD, A. R., *et al.* 813
——, plasma concentrations and clinical effects after thoracic extradural morphine or diamorphine, PHILLIPS, D. M., *et al.* 829
Morphine kinetics, in patients undergoing renal transplantation, SEAR, J. W., *et al.*, (*ARS*) 4130P
Morphine sulphate, slow-release oral, pharmacokinetics and analgesic effect in volunteers, VATER, M., *et al.* 821
Morphine suppository sustained release, further development, HANNING, C. D., *et al.*, (*ARS*) 802P
Multicentre study, a review. Clinical anesthesia with isoflurane, LEVY, W. J.
Multiple indicator dilution, for measurement of lung volume. *Difference in apparent volume of distribution of oxygen nitrogen and argon,* BLACK, A. M. S., *et al.* 289
Muscle metabolism, phosphorus-31 nuclear magnetic resonance studies in malignant hyperpyrexia, GALLOWAY, G. J., *et al.*, (*C*) 663
Myalgia, suxamethonium-induced, and relation with intraoperative myoglobin changes following alcuronium, midazolam and lignocaine pretreatments, BARKER, I., *et al.*, (*ARS*) 796P
Myasthenia gravis, and atracurium, *A Case report,* MACDONALD, A. M. 651
Myocardial blood flow, regional distribution in fetal asphyxia, DAVIES, J. M., *et al.*, (*ARS*) 430P
Myoglobin, and CPK serum changes following intermittent suxamethonium administration: effect of alcuronium, lignocaine and midazolam pretreatment, LAURENCE, A. S., (*ARS*) 795P
Myoneural blocking drugs, differential effects on neuromuscular transmission in infants, ROBBINS, R., *et al.* 1095
Myoneural effects, of pethidine and droperidol, BOROS, M., *et al.* 195

Nalbuphine, diazepam or morphine for premedication, effect on gastrointestinal motility after surgery, SHAH, M., *et al.* 1235
Naloxone, effect on gastric emptying during labour, FRAME, W. T., *et al.* 263
——, effect on the loss of consciousness induced by i. v. anaesthetic agents in man, STELLA, L., *et al.* 369
——, to reverse diazepam compared with diazepam plus pethidine: sedation for endoscopy, BOLDY, D. A. R., *et al.* 1109
Nasal obstruction, alveolar ventilation and trancutaneous oxygen, RAMADAN, M. E., *et al.*, (*ARS*) 1293P
Nausea, and vomiting, CLARKE, R. S. J. 19
Neostigmine, and edrophonium to induce reversal of atracurium blockade, HUGHES, R., *et al.*, (*ARS*) 796P
——, or edrophonium for antagonism of alcuronium, HARPER, N. J. N., *et al.* 1089
——, or edrophonium, recovery characteristics following antagonism of atracurium with, JONES, R. M., *et al.* 453
Nerve blockade, continuous intercostal. *An anatomical study to elucidate its mode of action,* MURPHY, D. F. 627
Nerve blocking activity, differential, of a series of amino-ester local anaesthetic drugs, WILDSMITH, J. A. W., *et al.*, (*ARS*) 1282P
Neuroanaesthesia, urapidil as a supplement to neuroleptanalgesia during, ZANDER, J., *et al.*, (*CNM*) 1304P
Neuroleptanalgesia, in cerebral angiography, MILNER, B. B., *et al.*, (*CNM*) 1309P
——, supplemented by urapidil during neuroanaesthesia, ZANDER, J., *et al.*, (*CNM*) 1304P
Neuromuscular block, antagonism of, REDDY, F. S., (*C*) 926
——, potentiation with vecuronium-tubocurarine combination, GIBSON, F. M., *et al.*, (*ARS*) 794P
Neuromuscular blockade, potentiation using a combination of pancuronium and dimethyl tubocurarine after burn injury, SATIWICZ, P. R., *et al.* 479
——, with vecuronium, simultaneous recording of recovery of electrical and mechanical responses during recovery from, ASTLEY, B. A. *et al.*, (*ARS*) 793P
Neuromuscular blocking agents, and meptazinol, interactions, STRAHAN, K., *et al.*, (*ARS*) 1290P
Neuromuscular blocking drugs, a comparison of the rat and guineapig phrenic nerve–diaphragm preparation as models to investigate, BRADSHAW, E. G., *et al.*, (*ARS*) 1287P
——, non-depolarizing, for rapid tracheal intubation: the priming principle, FOLDES, F., (*C*) 663
Neuromuscular transmission, in infants, differential effects of myoneural blocking drugs on, ROBBINS, R., *et al.* 1095
Neuronal activity, effects of various anaesthetics on, ROTH, S. H., *et al.*, (*ARS*) 426P
Neurone, isolated single, stimulated with acetylcholine, Althesin modifies the firing activity, WARD, S., *et al.*, (*ARS*) 791P
Neurosurgery, Althesin, ketamine and lignocaine infusion for, BARKER, J. *et al.*, (*CNM*) 1309P
——, inhalation anaesthetic agents in, FROST, E. A. M. 475
Neurosurgical patients, blood-glucose concentrations under

general anaesthesia, ARMSTRONG, I. R., *et al.*, (*CNM*) 1306P
——, effects of isoflurane on cranial extradural pressure, CAMPKIN, T. V., (*CNM*) 1308P
Neurosurgical procedures, atracurium as the sole muscle relaxant for, PEARCE, A. C., *et al.*, (*CNM*) 1310P
New Pharmacologic Vistas in Anesthesia, BROWN, B. R. jr, (editor), (*R*) 1061
Nicardipine hydrochloride, haemodynamic effects. *Studies during its use to control acute hypertension in anaesthetized patients,* KISHI, Y., *et al.* 1003
Nifedipine, nitroglycerine and verapamil, comparison in coronary artery surgery, BOVILL, J. G., *et al.*, (*ARS*) 804P
Nitrogen excretion, and nitrous oxide uptake, measurement of the rates in man, BEATTY, P. C. W., *et al.* 223
Nitroglycerine, verapamil and nifedipine, comparison in coronary artery surgery, BOVILL, J. G., *et al.*, (*ARS*) 804P
Nitroprusside, and trimetaphan-induced hypotension, effect on the distribution of brain blood flow, SAGAR, D. A., *et al.*, (*ARS*) 791P
Nitroprusside infusions, BISSET, W. I. K., *et al.*, (*C*) 311
Nitrous oxide, and wound healing in rats, ALGIE, T. A., *et al.*, (*ARS*) 425P
——, distends the bowel, THOMAS, D. V., (*C*) 1319
——, effect on halothane-induced hepatoxicity in hypoxic, enzyme-induced rats, ROSS, J. A. S., *et al.* 527
——, effect on the respiratory pattern of spontaneously breathing children during anaesthesia. *A computerized study,* WREN, W. S., *et al.* 881
——, effect on visual, auditory and sensory evoked potentials, SEBEL, P. S., *et al.* 1403
——, induced megaloblastic changes in bone, prevention using folinic acid, AMOS, R. J., *et al.* 103
——, influence on the respiratory pattern of spontaneously breathing children during anaesthesia: a computerized study, WREN, W. S., *et al.*, (*ARS*) 798P
——, (N_2O), effect on visual, auditory and somatosensory evoked potentials, FLYNN, P. J., *et al.*, (*ARS*) 421P
——, to inhibit fetal methionine synthase, BADEN, J. M., *et al.* 523
Nitrous oxide-fentanyl anaesthesia, and volatile anaesthetics, effect on bleeding time, FRYMAN, P. N., *et al.* 1197
Nitrous oxide uptake, and nitrogen excretion in man, measurement of the rates, BEATTY, P. C. W., *et al.* 223
——, is it influenced by the opening of an abdominal wound?, WEATHERILL, D., *et al.*, (*ARS*) 423P
Noradrenaline, maternal and umbilical cord plasma concentrations during labour with and without segmental extradural analgesia, and during Caesarean section, JOUPPILA, R., *et al.* 251
Nuclear magnetic resonance, with 19F *in vivo,* to investigate anaesthetic biotransformation, BROWN, F. F., *et al.*, (*ARS*) 805P

Open heart surgery, for congenital heart disease, early extubation of the trachea. *A review of 3 years' experience,* SCHULLER, J. L., *et al.* 1101
Ophthalmic Anaesthesia, SMITH, G. B., (*R*) 1059
Opiate Analgesia, BULLINGHAM, R. E. S., (editor), (*R*) 1055
Oral morphine sulphate, slow-release, pharmacokinetics and analgesic effect in volunteers, VATER, M., *et al.* 821
Oral surgery, minor, a comparison of diazepam and midazolam as sedatives for, SKELLY, A. M., *et al.*, (*ARS*) 1279P
Osteogenesis imperfecta, occurrence of malignant hyperpyrexia in a patient with, RAMPTON, A. J., *et al.* 1443
Outpatient dental anaesthesia, blood glucose concentrations in children undergoing, PADFIELD, A. 1225
Oxazepam, and diazepam, *in vitro* injection with pancuronium and suxamethonium, DRIESSEN, J. J., *et al.* 1131

Paediatric "cardiac arrest", a survey, WARK, H., *et al.* 1271
Pain after surgery, the effect of incisional infiltration of 0.5% bupivacaine, OWEN, H., *et al.*, (*ARS*) 1292P
Pain recorder, of King's College Hospital/Napp Laboratories, FISHER, M. F., *et al.*, (*ARS*) 424P
Pain Therapy, RIZZI, R., *et al.*, (*R*) 207
Pancreatic disease, and gastrointestinal disease, metabolic problems associated with, McCLOY, R. F. 83
Pancuronium, and dimethyl-tubocurarine for potentiation of neuromuscular blockade after burn injury, SATWICZ, P. R., *et al.* 479
——, and suxamethonium, *in vitro* interaction with diazepam and oxazepam, DRIESSEN, J. J., *et al.* 1131
——, and tubocurarine in man, effects on prejunctional and postjunctional responses, STANEC, A., *et al.* 607
——, and vecuronium, dose–response relationships and neuromuscular blocking effects during ketamine anaesthesia, ENGBÆK, J., *et al.* 953
——, and vecuronium, intermittent administration, comparison with continuous infusion of vecuronium, NOELDGE, G., *et al.* 473
($P_{AO_2}-P_{aO_2}$), and lung volume changes during anaesthesia, MENEGHAN, C. P. H., *et al.* 437
Paralysis (hard muscle), good intubating conditions and respiratory depression, rate of onset after vecuronium, BENCINI, A., *et al.* 959
Pelvic surgery, effects of ketamine anaesthesia on the metabolic response to, LACOUMENTA, S., *et al.* 493
Perfluorocarbon solutions, for intraperitoneal oxygenation, FAITHFULL, N. S., *et al.*, (*ARS*) 424P
Peroxidation product, malondialdehyde (MDA), increased during cardiopulmonary bypass (CPB) in man, ROYSTON, D., *et al.*, (*ARS*) 427P
Pethidine, and droperidol, myoneural effects, BOROS, M., *et al.* 195
Pethidine plus diazepam, compared with diazepam with naloxone reversal: sedation for endoscopy, BOLDY, D. A. R., *et al.* 1109
Pethidine premedication, atropine increases inspiratory flow during enflurane anaesthesia after, DRUMMOND, G. B. 565
Phaeochromocytoma, anaesthetic management of patients with, DESMONTS, J. M., *et al.* 781
——, and labetolol, NAVARATNARAJAH, M., *et al.*, (*C*) 1179
——, vaginal delivery in a patient with a. *A case report,* DAVIES, A. E., *et al.* 913
Pharmacokinetics, of single-dose i.v. morphine in normal volunteers and patients with end-stage renal failure, AITKENHEAD, A. R., *et al.* 813
Pharmacokinetics of Anaesthesia, PRYS-ROBERTS, C., *et al.*, (editors), (*R*) 1058
Phenoperidine, elimination in liver disease, ISHERWOOD, C. N., *et al.* 843
Phosphorus-31 nuclear magnetic resonance (^{31}PNMR) studies, of muscle metabolism in malignant hyperpyrexia, GALLOWAY, G. J., *et al.*, (*C*) 663
Phrenic nerve activity, effect of frequency of ventilation, positive end-expiratory pressure, P_{aO_2} and P_{aCO_2} on. A study using a new, valveless all-purpose ventilator, WHITWAM, J. G., *et al.* 187
——, hypoxia and positive end-pressure, interrelation in the anaesthetized dog, AL-KHUDHAIRI, D., *et al.*, (*ARS*) 799P
Phrenic nerve–diaphragm preparations, comparison of the rat and guineapig preparations as models to investigate neuromuscular blocking drugs, BRADSHAW, E. G., *et al.*, (*ARS*) 1287P
Physical and chemical properties, of anaesthetic agents, (with an appendix on the manufacture of isoflurane, TERRELL, R. C. 35
Pituitary–adrenocortical function, the effect of anaesthetic

induction using etomidate upon, YEOMAN, P. M., *et al.*, (*ARS*) 1291P
Placental blood flow, during Caesarean section performed under subarachnoid blockade, JOUPPILA, P., *et al.* 1379
Plasma analgesic concentration—fact or fallacy, FAULDING, S., *et al.*, (*E*) 811
Pollution studies, for operation theatre, calibration atmosphere generator. A system for the controlled production of trace concentrations of inhalation anaesthetics, GRAY, W. M., *et al.* 543
Positive end-expiratory pressure, hypoxia and phrenic nerve activity, interrelation in the anaesthetized dog, AL-KHUDHAIRI, D., *et al.*, (*ARS*) 799P
Post Anaesthetic Recovery – A Practical Approach, ELTRINGHAM, R., *et al.*, (*R*) 1175
Post-craniotomy epilepsy, controlled by chlormethiazole (Heminevrin), BRODRICK, P., *et al.* (*CNM*) 1312P
Postoperative pain relief, a comparison of morphine and aspirin infusion, CASHMAN, J. N., *et al.*, (*ARS*) 805P
——, in children, treated with intrathecal morphine, JONES, S. E. F., *et al.* 137
Posture, effect on extradural pressure, SHAH, J. L. 1373
Potassium, added, effect on axillary nerve block with prilocaine or bupivacaine, PARRIS, M. R., *et al.*, (*ARS*) 1284P
——, influence of its addition to 0.5% prilocaine solution during i. v. regional anaesthesia, McKEOWN, D. W., *et al.* 1167
——, serum concentration, and "self-taming" of suxamethonium, MAGEE, D. A., *et al.* 977
Preanaesthetic medications, two oral, plasma concentrations and reduction in anxiety produced by, ELLIOTT, P., *et al.*, (*ARS*) 800P
Pre-eclampsia, severe, general anaesthesia for Caesarean section in. *Comparison of the renal and hepatic effects of enflurane and halothane,* CROWHURST, J. A., *et al.* 587
Premedication, with butorphanol compared with morphine, LAFFEY, D. A., *et al.* 363
——, with diazepam, morphine or nalbuphine, effect on gastrointestinal motility after surgery, SHAH, M., *et al.* 1235
——, with oral benzodiazepine in minor gynaecological surgery MALE, C. G., *et al.* 499
Preoxygenation techniques, three big breaths might do, DRUMMOND, G. B., *et al.* 422P
Prilocaine, 0.5%, influence of the addition of potassium during i.v. regional anaesthesia, McKEOWN, D. W., *et al.* 1167
——, or bupivacaine, for axillary nerve block, effect of added potassium, PARRIS, M. R., *et al.*, (*ARS*) 1284P
Priming principle, rapid intubation with non-depolarizing neuromuscular blocking drugs, FOLDES, F., (*C*) 663
Prophylaxis, comparison of the prophylactic use of magnesium trisilicate mixture B. P. C., sodium citrate mixture or cimetidine during labour, FRANK, M., *et al.* 355
Propofol, ("Diprivan"; ICI 35 808), differences between the emulsion and Cremophor formulations, GLEN, J. B., *et al.*, (*ARS*) 807P
——, for infusion rates for anaesthesia, WRIGHT, P. J., *et al.* 613
——, in emulsion form: induction characteristics and venous sequelae, NIGHTINGALE, P., *et al.*, (*ARS*) 808P
Prostatectomy, transurethral, anaesthesia for: a comparison of hyperbaric cinchocaine and hyperbaric bupivacaine, SHRIBMAN, A. J., *et al.*, (*ARS*) 792P
Protein binding, displacement by enflurane, halothane and their major metabolites. *An in vitro study,* DALE, O., *et al.* 535
Pulmonary arterial pressure, and posture, effects on carbon dioxide elimination from each lung during endobronchial anaesthesia, WERNER, O., *et al.* 995
Pulmonary artery catheterization, does left ventricular efection fraction selects patients suitable for, COWAN, B. N., *et al.*, (*ARS*) 426P
Pulmonary aspiration, an increased risk in patients with torsian of the testis during general anaesthesia, SCHURIZEK, B., *et al.* (*C*) 312
Pulmonary Function Testing Guidelines and Controversies, CLAUSEN, J. L., (editor), (*R*) 1060

Ranitidine, and cimetidine, two H_2-receptor antagonists, influence on the systemic availability of temazepam ELLIOTT, P., *et al.*, (*ARS*) 800P
——, i. v., effect on bronchomotor tone, McLEOD, B. J., *et al.*, (*ARS*) 1286P
Rat, chronic cannulation of the intradural or extradural space in the, BAHAR, M., *et al.* 405
——, the central and peripheral circulation during and after sodium nitroprusside-induced hypotension in the, GUSTAFSON, C. 1029
Rebreathing, computer simulation lung volume measurement by multiple indicator dilution. *A simple model and its ramifications,* SCOTT, I. L., *et al.* 385
Rebreathing characteristics, of the Bain circuit. *An experimental and theoretical study,* STENQVIST, O., *et al.* 303
Recovery Room Care, FROST, E. A M., *et al.*, (*R*) 809
Rectal drug absorption, and by sublingual routes of drug absorption, DE BOER, A. G., *et al.* 69
Regional anaesthesia, i. v., accidental administration of adrenaline during, ARDITIS, J., *et al.*, (*C*) 923
Renal failure, end-stage, pharmacokinetics of single-dose i.v. morphine in normal volunteers and patients with, AITKENHEAD, A. R., *et al.* 813
Renal tissue oxygenation, following induced hypotension in dogs, BEHNIA, R., *et al.* 1037
Renal transplantation, acute phase protein changes after, RADFORD, S. G., *et al.*, (*ARS*) 1289P
——, morphine kinetics in patients undergoing, SEAR, J. W., *et al.*, (*ARS*) 430P
——, use of alcuronium in patients undergoing, KAUSHIK, S., *et al.* 1229
Residual volume, changes following oxygen breathing, DEARDEN, N. M., (*C*) 672
Resin injection studies, of the lumbar extradural space, HARRISON, G. R., *et al.*, (*ARS*) 797P
Respiratory depression, good intubating conditions and hand muscle paralysis, rate of onset after vecuronium, BENCINI, A., *et al.* 959
Respiratory effects, and sedative effects of triazolam in volunteers, LONGBOTTOM, R. T., *et al.* 179
Respiratory pattern, of spontaneously breathing children during anaesthesia, effects of nitrous oxide. A computerized study, WREN, W. S., *et al.* 881
——, of spontaneously breathing children during anaesthesia influence of nitrous oxide: a computerized study, WREN, W. S., *et al.*, (*ARS*) 798P
Respiratory timing, effect of airway occlusion during anaesthesia with enflurane or halothane, DRUMMOND, G. B. 215
Ro 15–1788, and Ro 15–3505, to antagonize the effects of midazolam on phrenic nerve activity in the dog, GORDON, G., *et al.* 1161
——, benzodiazepine antagonist, differential effects after "general anaesthetic" doses of benzodiazepines in mice, LITTLE, H. J., *et al.* 1153
Ro 15–3505, and Ro 15–1788, to antagonize the effects of midazolam on phrenic nerve activity in the dog, GORDON, G., *et al.* 1161

Scientific Aspects of Acupuncture, 2nd edn, MANN, F., (*R*) 809
Second gas effects, and concentration, effect of the circle system, CONWAY, C. M., (*ARS*) 423P
Sedative, and respiratory effects of triazolam in volunteers, LONGBOTTOM, R. T., *et al.* 179
Segmental spread, of anaesthesia following the extradural

injection of 0.75% bupivacaine at different lumbar spaces in elderly patients, SHARROCK, N. E., *et al.* 285
Severe head injury, complications of high-dose barbiturate therapy (HDBT), KRIER, C., *et al.*, (*CNM*) 1314P
——, high dose dexamethasone on outcome from, DEARDEN, N. M., *et al.*, (*CNM*) 1314P
——, managed by barbiturates, MILLER, J. D., *et al.*, (*CNM*) 1313P
Sheep preparation, for studying interactions between blood flow and drug disposition. I: Physiological profile, RUNCIMAN, W. B., *et al.* 1015
——, for studying interactions between blood flow and drug deposition. II: Experimental applications, RUNCIMAN, W. B., *et al.* 1117
——, for studying interactions between blood flow and drug deposition. III: Effects of general and spinal anaesthesia on regional blood flow and oxygen tensions, RUNCIMAN, W. B., *et al.* 1247
Short surgical procedures, atracurium in day patients, PEARCE, A. C., *et al.* 973
Sister chromatid exchanges, in lymphocytes of humans anaesthetized with isoflurane, HUSUM, B., *et al.* 559
Site of sampling, kinetics of thiopentone in relation to, BARRATT, R. L., *et al.* 1385
Sitting position, influence of volume loading on the cardiovascular pattern in the, MURR, R., *et al.*, (*CNM*) 1305P
Skeletal muscle, chick and rat, actions and interactions of diazepam, WALI, F. A., (*ARS*) 1279P
Slow-release morphine sulphate, oral, pharmacokinetics and analgesic effect in volunteers, VATER, M., *et al.* 821
Smooth muscle preparation, the rat ileum, effect of atracurium, WALI, F. A., (*ARS*) 421P
Sodium nitroprusside, or ATP for intraoperative controlled hypotension? An experimental study on CBF and extracellular ion homeostasis, HEUSER, D., *et al.*, (*CNM*) 1296P
Sodium nitroprusside-induced hypotension, in the rat, the central and peripheral circulation during and after, GUSTAFSON, C. 1029
Sore throat, after intubation of the trachea, SHAH, M. U., *et al.* 1337
Spinal anaesthesia, chlormethiazole infusion in elderly patients undergoing, SEON, L. T., *et al.*, (*C*) 666
——, for Caesarean section. *Management of a patient with severe cardiovascular disease,* MOSTAFA, S. M. 1275
——, with glucose-free 0.5% bupivacaine: effects of different volumes, AXELSSON, K. H., *et al.* 271
——, with isobaric 0.5% bupivacaine, influence of age, PITKÄNEN, M., *et al.* 279
Spinal cannulation, chronic, of the intradural and extradural space in the rat, BAHAR, M., *et al.* 405
Spinal reflexes, and inhibitions in the cat, effects of ketamine and three other anaesthetics, LODGE, D., *et al.* 1143
Spontaneous intracranial haemorrhage, from aneurysm: a multifactorial review, BROWN, A. S., *et al.*, (*CNM*) 1298P
Spontaneous ventilation, and gas exchange during anaesthesia and surgery in infants and children, LINDAHL, S. G. E., *et al.* 121
Standards for Intensive Care Units, (booklet), Biomedical Ltd, (publishers), (*R*) 1176
Stress response, in upper abdominal surgery, comparison of fentanyl and halothane supplementation to general anaesthesia, CAMPBELL, B. C., *et al.* 257
Structure–functional relationships, molecular, a reassessment of the inhaled general anaesthetics, HALSEY, M. J. 9S
Subarachnoid anaesthesia, compared with general anaesthesia. Long-term outcome after repair of fractured neck of femur McKENZIE, P. J., *et al.* 581
——, comparison of hyperbaric solutions of bupivacaine and amethocaine, SKRETTING, P., *et al.* 155
——, with 0.5% bupivacaine: effects of density, MØLLER, I. W., *et al.* 1191
Subarachnoid blockade, placental blood flow during Caesarean section performed under, JOUPPILA, P., *et al.* 1379
——, with bupivacaine. *A comparison with cinchocaine,* CUMMINGS, G. C., *et al.* 573
Subarachnoid haemorrhage, followed by sequential cerebral blood flows – is it an aid to management?, MEE, E. W., *et al.*, (*CNM*) 1297P
Subcutaneous tissue tunnelling, for fixation of extradural catheters, CARL, P., *et al.* 1369
Sublingual drug absorption, and rectal routes of drug absorption, DE BOER, A. G., *et al.* 69
Suxamethonium, and pancuronium, *in vitro* interaction with diazepam and oxazepam, DRIESSEN, J. J., *et al.* 1131
——, comparison of i.v. glycopyrrolate and atropine in the prevention of bradycardia and arrhythmias following repeated doses of, in children, GREEN, D. W., *et al.* 981
——, "self-taming", and serum potassium concentration, MAGEE, D. A., *et al.* 977
——, serum myoglobin and CPK changes following intermittent administration of: effect of alcuronium, lignocaine and midazolam pretreatment, LAURENCE, A. S., (*ARS*) 795P
——, spasm. A differential diagnotic conundrum, ELLIS, F. R., *et al.* 381
——, *v.* atracurium in a case of organophosphorous poisoning, BARAKA, A., *et al.*, (*C*) 673
Suxamethonium-induced muscle pain, failure of two benzodiazepines to prevent, CHESTNUTT, W. N., *et al.*, (*ARS*) 807P
Suxamethonium-induced myalgia, and relation with intraoperative myoglobin changes following alcuronium, midazolam and lignocaine pretreatments, BARKER, I. *et al.*, (*ARS*) 796P
Sweden, and Denmark, investigation of malignant hyperthermia, ØRDING, H., *et al.* 1183
Sweep potential polarography, a new method for measurement of brain surface oxygen tensions, LAYCOCK, J. R. D., *et al.*, (*CNM*) 1304P
Sympathetic nerve ending, physiology of, LANGER, S. Z., *et al.* 689
Sympathoadrenal responses, to anaesthesia and surgery, DERBYSHIRE, D. R., *et al.* 725
Sympathoadrenal system, and the adrenals, FOËX, P., *et al.*, (*E*) 675

Temazepam, the influence of two H_2-receptor antagonists, cimetidine and ranitidine on the systemic availability of, ELLIOTT, P., *et al.*, (*ARS*) 800P
Temperature changes, along an extradural catheter: experimental and theoretical calculation, WALMSLEY, A. J., *et al.*, (*ARS*) 803P
TENS, analgesia and plasma (met)enkephalin. DINGWALL, A., (*ARS*) 1289P
Tetanic response, effects of tubocurarine and pancuronium in man, STANEC, A., *et al.* 607
The Coronary Circulation in Health and Disease, MARKUS, M. L., (*R*) 810
The Genesis of Contemporary American Anesthesiology, VOLPITTO, P. P., *et al.*, (editors), (*R*) 207
The Year Book of Anaesthesia 1983, MILLER, R. D., (editor), (*R*) 1061
Thiopentone, acute tolerance in man: historic first, MARK, L. C., (*C*) 922
——, and etomidate, i.v., venous sequelae following the injection of SCHOU OLESEN, A., *et al.* 171
——, and midazolam catecholamine and arterial pressure responses to induction and tracheal intubation in the elderly, DERBYSHIRE, D. R., *et al.*, (*ARS*) 429P
——, and midazolam comparison for anaesthesia for day-case

CONTENTS

JANUARY

EDITORIAL: Anaesthesia and the gastrointestinal tract 1
G. Smith and G. M. Hall

SYMPOSIUM ON THE GASTROINTESTINAL TRACT

The physiology of intestinal motility and secretion..... 3
T. Scratcherd and D. Grundy

Nausea and vomiting 19
R. S. J. Clarke

Effect of anaesthesia on gastric motility and emptying..... 29
W. S. Nimmo

The lower oesophageal sphincter and anaesthesia 37
B. R. Cotton and G. Smith

Control of intragastric pH and volume 47
M. Morgan

Drug absorption in the gut..... 59
M. Orme

Drug absorption by sublingual and rectal routes 69
A. G. De Boer, L. G. J. De Leede and D. D. Breimer

Metabolic problems associated with gastrointestinal and pancreatic disease 83
R. F. McCloy

Anaesthesia and bowel surgery 95
A. R. Aitkenhead

FEBRUARY

CLINICAL INVESTIGATION

Prevention of nitrous oxide-induced megaloblastic changes in bone marrow using folinic acid 103
R. J. Amos, J. A. L. Amess, D. G. Nancekievill and G. M. Rees

Deadspace and the single breath test for carbon dioxide during anaesthesia and artificial ventilation. *Effects of tidal volume and frequency of respiration* 109
R. Fletcher and B. Jonson

Ventilation and gas exchange during anaesthesia and surgery in spontaneously breathing infants and children 121
S. G. E. Lindahl, M. G. Hulse and D. J. Hatch

Comparison of ventilation and gas exchange in anaesthetized infants and children during spontaneous and artificial ventilation 131
M. G. Hulse, S. G. E. Lindahl and D. J. Hatch

Intrathecal morphine for postoperative pain relief in children 137
S. E. F. Jones, J. M. Beasley, D. W. R. Macfarlane, J. M. Davis and G. Hall-Davies

Extradural administration of morphine and bupivacaine. *A controlled comparison*..... 141
T. A. Torda and D. A. Pybus

Comparison of bupivacaine and etidocaine in extradural blockade 147
C. J. Sinclair and D. B. Scott

Subarachnoid anaesthesia: comparison of hyperbaric solutions of bupivacaine and amethocaine 155
P. Skretting, P. Vaagenes, K. O. Sundnes, H. H. Edström and B. Lind

Gastric emptying and drug absorption before surgery 161
R. H. K. Marsh, R. Spencer and W. S. Nimmo

Comparison between midazolam and thiopentone-based balanced anaesthesia for day-case surgery..... 165
M. E. Crawford, P. Carl, R. S. Andersen and B. O. Mikkelsen

Venous sequelae following the injection of etomidate and thiopentone i.v. 171
A. Schou Olesen, M. S. Hüttel and P. Hole

Effect of varying methods of upper limb occlusion on fibrinolytic activity in man..... 175
M. E. Sinclair, P. Simpson, F. P. F. Marshall and J. A. Lockyer

EXPERIMENTAL

Respiratory and sedative effects of triazolam in volunteers..... 179
R. T. Longbottom and B. J. Pleuvry

Effect of frequency of ventilation, positive end-expiratory pressure, Pa_{O_2} and Pa_{CO_2} on phrenic nerve activity. A study using a new, valveless all-purpose ventilator..... 187
J. G. Whitwam, M. K. Chakrabarti, H. Askitopoulou and S. Sapsed

Myoneural effects of pethidine and droperidol..... 195
M. Boros, I. A. Chaudhry, H. Nagashima, R. M. Duncalf, E. H. Sherman and F. F. Foldes

CASE REPORT

Caesarean section under extradural analgesia in a patient with Ebstein's anomaly 203
S. P. K. Linter and K. Clarke

BOOK REVIEWS

The Genesis of Contemporary American Anesthesiology 207
Pain Therapy 207
Handbook of Emergency Anaesthesia 207
Anesthesia and Cardiac Performance in Health and Disease 208
Anesthesiology—Problem-Orientated Patient Management 208
Catheterization Techniques for Invasive Cardiovascular Monitoring 208
Anaesthesia for Orthopaedic Patients 209

ERRATA 210

MARCH

EDITORIAL: Fifty years of thiopentone 211
J. W. Dundee

CLINICAL INVESTIGATION

Effect of airway occlusion on respiratory timing during anaesthesia with enflurane or halothane 215
G. B. Drummond

Measurement of the rates of nitrous oxide uptake and nitrogen excretion in man 223
P. C. W. Beatty, B. Kay and T. E. J. Healy

Effects of the extradural administration of morphine, or bupivacaine, on the endocrine responses to upper abdominal surgery 233
H. Rutberg, E. Håkanson, B. Anderberg, L. Jorfeldt, J. Mårtensson and B. Schildt

Modification of aspects of the endocrine response to tracheal intubation by lignocaine, halothane and thiopentone 239
A.-M. Lehtinen, J. Hovorka and O. Widholm

Effect of intratracheal lignocaine, halothane and thiopentone on changes in plasma β-endorphin immunoreactivity in response to tracheal intubation 247
A.-M. Lehtinen, J. Hovorka, J. Leppäluoto, O. Vuolteenaho and O. Widholm

Maternal and umbilical cord plasma noradrenaline concentrations during labour with and without segmental extradural analgesia, and during Caesarean section 251
R. Jouppila, J. Puolakka, A. Kauppila and J. Vuori

Comparison of fentanyl and halothane supplementation to general anaesthesia on the stress response in upper abdominal surgery 257
B. C. Campbell, R. K. Parikh, A. Naismith, D. Sewnauth and J. L. Reid

Effect of naloxone on gastric emptying during labour 263
W. T. Frame, R. H. Allison, D. D. Moir and W. S. Nimmo

Comparison of internal jugular and central venous pressure measurements 267
A. D. Reynolds, R. Cross and P. Latto

Spinal anaesthesia with glucose-free 0.5% bupivacaine: effects of different volumes 271
K. H. Axelsson, H. H. Edström and G. B. Widman

Influence of age on spinal anaesthesia with isobaric 0.5% bupivacaine 279
M. Pitkänen, L. Haapaniemi, M. Tuominen and R. H. Rosenberg

Segmental levels of anaesthesia following the extradural injection of 0.75% bupivacaine at different lumbar spaces in elderly patients 285
N. E. Sharrock, M. L. Lesser and R. A. Gabel

EXPERIMENTAL

Measurement of lung volume by multiple indicator dilution. *Difference in apparent volume of distribution of oxygen, nitrogen and argon* 289
A. M. S. Black, C. E. W. Hahn, P. Maynard and I. L. Scott

APPARATUS

Comparison of the resistances of double-lumen endobronchial tubes 299
J. E. Hammond and D. J. Wright

Rebreathing characteristics of the Bain circuit. *An experimental and theoretical study* 303
O. Stenqvist and H. Sonander

CORRESPONDENCE

Cardiff Palliator 311
Nitroprusside infusions 311
Do patients with torsion of the testis have an increased risk of pulmonary aspiration during general anaesthesia? 312
Filling a gap 313

APRIL

CLINICAL INVESTIGATION

Effects of halothane or enflurane with controlled ventilation on auditory evoked potentials 315
C. Thornton, C. P. H. Heneghan, M. F. M. James and J. G. Jones

Reliability of the vestibulo–ocular reflex as an index of the effects of hypnotic drugs on the central nervous system 325
E. L. Cerchiari, D. Carugo, T. Della Puppa and A. Ravizza

Impaired B lymphocyte function during open-heart surgery. *Effects of anaesthesia and surgery* 333
J. Eskola, M. Salo, M. K. Viljanen and O. Ruuskanen

Complement activation during cardiopulmonary bypass by heparin–protamine interaction 339
N. Best, M. J. Sinosich, B. Teisner, J. G. Grudzinskas and M. McD. Fisher

Measurement of the depth to the extradural space using ultrasound 345
J. M. Currie

Aortocaval compression and plasma concentrations of thiopentone at Caesarean section 349
D. J. Morgan, J. D. Paull, C. T. Toh and G. L. Blackman

Comparison of the prophylactic use of magnesium trisilicate mixture B.P.C., sodium citrate mixture or cimetidine during labour 355
M. Frank, M. Evans, P. Flynn and C. Aun

Premedication with butorphanol. *Comparison with morphine* 363
D. A. Laffey and N. H. Kay

Effect of naloxone on the loss of consciousness induced by i.v. anaesthetic agents in man 369
L. Stella, A. Crescenti and G. Torri

Blood-glucose concentrations during anaesthesia in children. *Effects of starvation and perioperative fluid therapy* 375
K. Nilsson, L. E. Larsson, S. Andréasson and B. Ekström-Jodal

Suxamethonium spasm. *A differential diagnostic conundrum* 381
F. R. Ellis and P. J. Halsall

EXPERIMENTAL

Lung volume measurement by multiple indicator dilution. *A simple model and its ramifications* 385
I. L. Scott, A. M. S. Black, C. E. W. Hahn and A. J. Mortimer

The biphasic pattern of the convulsive property of enflurane in cats 395
J. E. Stevens, M. Fujinaga, E. Oshima and K. Mori

Chronic cannulation of the intradural or extradural space in the rat 405
M. Bahar, M. Rosen and M. D. Vickers

Effect of halothane on lymph flow 411
J. G. Whitwam, J. R. Pflug, M. K. Chakrabarti, S. Sapsed, G. Gordon and R. D. Jack

In vitro toxicity of halogenated anaesthetics on guinea-pig alveolar macrophages, surviving in gas phase 415
C. Voisin, P. A. Scherpereel, C. Aerts and D. Lepot

ABSTRACTS

Proceedings of the Anaesthetic Research Society, London Meeting, November 12, 1983 ..... 421P

Errata 433

MAY

EDITORIAL: Toxicity caused by local anaesthetic agents 435
D. B. Scott

CLINICAL INVESTIGATION

Changes in lung volume and $(PA_{O_2} - Pa_{O_2})$ during anaesthesia 437
C. P. H. Heneghan, N. A. Bergman and J. G. Jones

Infusion of atracurium for long surgical procedures 447
B. M. Eagar, P. J. Flynn and R. Hughes

Recovery characteristics following antagonism of atracurium with neostigmine or edrophonium 453
R. M. Jones, A. C. Pearce and J. P. Williams

Effects of atracurium on intraocular pressure 459
R. J. Maharaj, D. Humphrey, N. Kaplan, H. Kadwa, P. Blignaut, J.-G. Brock-Utne and N. Welsh

Pharmacokinetics of alcuronium in elderly patients undergoing total hip replacement or aortic reconstructive surgery 465
I. D. Stephens, P. C. Ho, A. M. Holloway, W. A. Bourne and E. J. Triggs

Comparison between the continuous infusion of vecuronium and the intermittent administration of pancuronium and vecuronium 473
G. Noeldge, H. Hinksen and W. Buzello

Potentiation of neuromuscular blockade using a combination of pancuronium and dimethyltubocurarine 479
P. R. Satwicz, J. A. Jeevendra Martyn, S. Szyfelbein and S. Firestone

Plasma bupivacaine concentrations during combined regional and general anaesthesia for resection and reconstruction of head and neck carcinomata 485
R. S. Neill and R. Watson

Effects of ketamine anaesthesia on the metabolic response to pelvic surgery 493
S. Lacoumenta, E. S. Walsh, A. E. Waterman, I. Ward, J. L. Paterson and G. M. Hall

Oral benzodiazepine premedication in minor gynaecological surgery 499
C. G. Male and H. D. Johnson

EXPERIMENTAL

Measurement of lung volume by multiple indicator dilution. *Testing a modelled hypothesis with on-line computation* 509
A. M. S. Black, I. L. Scott, C. E. W. Hahn, P. Maynard and A. B. Baker

Inhibition of fetal methionine synthase by nitrous oxide 523
J. M. Baden, M. Serra and R. I. Mazze

Effect of nitrous oxide on halothane-induced hepatotoxicity in hypoxic, enzyme-induced rats 527
J. A. S. Ross, S. J. Monk and S. W. Duffy

Displacement of some basic drugs from human serum proteins by enflurane, halothane and their major metabolites. *An in vitro study* 535
O. Dale and O. G. Nilsen

APPARATUS

Calibration atmosphere generator for operation theatre pollution studies. *A system for the controlled production of trace concentrations of inhalation anaesthetics* 543
W. M. Gray and G. W. Burnside

CASE REPORT

Bupivacaine toxicity in association with extradural analgesia for Caesarean section 551
J. Thorburn and D. D. Moir

JUNE

EDITORIAL: Etomidate 555
H. Owen and A. A. Spence

CLINICAL INVESTIGATION

Sister chromatid exchanges in lymphocytes of humans anaesthetized with isoflurane 559
B. Husum, H. C. Wolf, E. Niebuhr, A. Kyst and N. Valentin

Atropine increases inspiratory flow during enflurane

anaesthesia after pethidine premedication 565
G. B. Drummond

Subarachnoid blockade with bupivacaine. *A comparison with cinchocaine* 573
G. C. Cummings, D. B. Bamber, H. H. Edstrom and A. P. Rubin

Long-term outcome after repair of fractured neck of femur. *Comparison of subarachnoid and general anaesthesia* 581
P. J. McKenzie, H. Y. Wishart and G. Smith

General anaesthesia for Caesarean section in severe pre-eclampsia. *Comparison of the renal and hepatic effects of enflurane and halothane* 587
J. A. Crowhurst and M. Rosen

Use of atracurium in Caesarean section 599
P. J. Flynn, M. Frank and R. Hughes

Prejunctional and postjunctional effects of tubocurarine and pancuronium in man 607
A. Stanec and T. Baker

Infusion rates for anaesthesia with propofol 613
P. J. Wright, R. S. J. Clarke, J. W. Dundee, L. P. Briggs and A. A. Greenfield

EXPERIMENTAL

Pharmacology of an emulsion formulation of ICI 36 868 617
J. B. Glen and S. C. Hunter

Continuous intercostal nerve blockade. *An anatomical study to elucidate its mode of action* 627
D. F. Murphy

Hypoxic ventilatory drive in the dog under Althesin anaesthesia 631
J. H. Gaudy, S. Bergeret, J. F. Boitier and F. Ferracci

APPARATUS

Increase in resistance of in-line breathing filters in humidified air 637
P. M. Buckley

A model lung with the capacity for simulated spontaneous breathing 645
D. J. R. Lyle, J. F. Nunn, D. W. C. Hawes, J. Dickins, M. Tate and J. A. Baker

CASE REPORTS

Myasthenia gravis and atracurium. *A case report* 651
A. M. MacDonald, R. I. Keen and N. D. Pugh

Anaesthesia for Caesarean section and the Jervell, Lange-Nielsen Syndrome (prolonged Q-T interval syndrome) 655
J. V. Freshwater

"Failed intubation" in obstetric anaesthesia. *An indication for use of the "Esophageal Gastric Tube Airway"* 659
M. E. Tunstall and C. Geddes

CORRESPONDENCE

Rapid tracheal intubation with non-depolarizing neuromuscular blocking drugs: the priming principle 663

Phosphorus-31 nuclear magnetic resonance studies of muscle metabolism in malignant hyperpyrexia 663

I.v. labetalol and coronary artery surgery 664

Continuous intercostal nerve blockade 665

Chlormethiazole infusion in elderly patients undergoing spinal anaesthesia 666

Accidental dural puncture 668

Mechanism of action of extradural compared with intrathecal opiates 669

Transsacral neurolytic nerve blockade 669

Haemodynamic consequences of application of acrylic cement during induced hypotension 670

The laryngeal mask 671

Ventricular arrhythmia or supraventricular arrhythmia with aberrant conduction 671

Changes in residual volume following oxygen breathing 672

Atracurium *v.* suxamethonium in a case of organophosphorous poisoning 673

BOOK REVIEWS

Veterinary Anaesthesia 674

Essentials of Anesthesiology 674

JULY

EDITORIAL: The adrenals and sympathoadrenal system 675
P. Foëx and G. Smith

SYMPOSIUM ON THE ADRENALS AND SYMPATHOADRENAL SYSTEM

Aetiology of hypertension 677
J. D. Swales

Physiology of the sympathetic nerve ending 689
S. Z. Langer and P. E. Hicks

The hypothalamo–pituitary–adrenocortical system 701
J. R. Hodges

Anaesthesia and hypertension 711
C. Prys-Roberts

Sympathoadrenal responses to anaesthesia and surgery 725
D. R. Derbyshire and G. Smith

Anaesthesia and disorders of the adrenal cortex 741
D. Weatherill and A. A. Spence

Alpha and beta-adrenoceptor antagonists 751
P. Foëx

Inotropic and vasopressor agents 767
L. D. R. Smith and P. J. Oldershaw

Anaesthetic management of patients with phaeochromocytoma 781
J. M. Desmonts and J. Marty

ABSTRACTS

Proceedings of the Anaesthetic Research Society, Belfast Meeting, March 30–31, 1984 ..... 791P

BOOK REVIEWS

Scientific Aspects of Acupuncture 809

Recovery Room Care 809

Antibiotics for Surgical Infections 809

Anesthesiology: 1060 Multiple Choice Questions and Referenced Explanatory Answers 810

The Coronary Circulation in Health and Disease 810

AUGUST

EDITORIAL: Plasma analgesic concentration—fact or fallacy 811
S. Faulding and G. M. Hall

CLINICAL INVESTIGATION

Pharmacokinetics of single-dose i.v. morphine in normal volunteers and patients with end-stage renal failure 813
A. R. Aitkenhead, M. Vater, K. Achola, C. M. S. Cooper and G. Smith

Pharmacokinetics and analgesic effect of slow-release oral morphine sulphate in volunteers 821
M. Vater, G. Smith, G. W. Aherne and A. R. Aitkenhead

Plasma morphine concentrations and clinical effects after thoracic extradural morphine or diamorphine 829
D. M. Phillips, R. A. Moore, R. E. S. Bullingham, M. C. Allen, D. Baldwin, A. Fisher, J. W. Lloyd and H. J. McQuay

Controlled comparison of intrathecal cinchocaine with intrathecal cinchocaine and morphine. *Clinical effects and plasma morphine concentrations* 837
R. A. Moore, G. M. C. Paterson, R. E. S. Bullingham, M. C. Allen, D. Baldwin and H. J. McQuay

Elimination of phenoperidine in liver disease 843
C. N. Isherwood, T. N. Calvey, N. E. Williams, K. Chan and G. R. Murray

Plasma concentrations of catecholamines following adrenaline infiltration during gynaecological surgery 849
J. M. Low, J. T. Harvey, G. M. Cooper and W. J. Prendiville

Comparison of morphine and sublingual buprenorphine following abdominal surgery 855
R. J. Cuschieri, C. G. Morran and C. S. McArdle

Alfentanil-supplemented anaesthesia for short procedures. *A double-blind comparison with fentanyl* 861
M. Patrick, B. M. Eagar, D. F. Toft and P. S. Sebel

Whole-body oxygenation using intraperitoneal perfusion of fluorocarbons 867
N. S. Faithfull, J. Klein, H. van der Zee and P. J. Salt

Changes in intragastric pressure on induction of anaesthesia 873
G. B. Drummond and G. R. Park

Effects of nitrous oxide on the respiratory pattern of spontaneously breathing children during anaesthesia. *A computerized study* 881
W. S. Wren, R. Meeke, J. Davenport and P. O'Griofa

Flunitrazepam as an induction agent in children. *A clinical and pharmacokinetic study* 899
E. Iisalo, J. Kanto, L. Aaltonen and J. Mäkelä

Half-life of plasma cholinesterase 903
G. M. Hall, G. J. Wood and J. L. Paterson

APPARATUS

Studies on continuous positive airway pressure breathing systems 905
D. Cox and D. J. Niblett

CASE REPORTS

Vaginal delivery in a patient with a phaeochromocytoma. *A case report* 913
A. E. Davies and M. Navaratnarajah

Bronchospasm and hypotension during cardiopulmonary bypass after preoperative cimetidine and labetalol therapy 917
P. A. C. Durant and K. Joucken

CORRESPONDENCE

CSF pharmacokinetics of extradural morpine 921

Historic first: acute tolerance to thiopentone in man 922

Accidental administration of adrenaline during i.v. regional anaesthesia 923

Observations on "junctional rhythms" during anaesthesia 924

The pre-anaesthesia fasting period 925

Antagonism of neuromuscular block 926

Closed circuit anaesthesia 927

An efficient technique for performing extradural blockade 928

A modification to the Medishield anaesthetic gas scavenging system 929

Atracurium in a parturient with atypical cholinesterase 930

Use of atracurium in the presence of lower and upper limb tourniquets 931

Angioneurotic oedema following atracurium 932

Venous reactions following etomidate 933

Dorsal nerve block of penis in Chinese children 934

SEPTEMBER

EDITORIAL: Local anaesthetic drugs—an historical perspective 937
J. A. W. Wildsmith and G. R. Strichartz

CLINICAL INVESTIGATION

Comparison of vecuronium, atracurium and tubocurarine in normal patients and in patients with no renal function 941
J. M. Hunter, R. S. Jones and J. E. Utting

Dose–response relationships and neuromuscular blocking effects of vecuronium and pancuronium during ketamine anaesthesia 953
J. Engbæk, H. Ørding, T. Pedersen and J. Viby-Mogensen

Rate of onset of good intubating conditions, respiratory depression and hand muscle paralysis after vecuronium 959
A. Bencini and D, E. F. Newton

Use of atracurium in cardiac surgery involving cardiopulmonary bypass with induced hypothermia 967
P. J. Flynn, R. Hughes and B. Walton

Atracurium for short surgical procedures in day patients..... 973
A. C. Pearce, J. P. Williams and R. M. Jones

"Self-taming" of suxamethonium and serum potassium concentration 977
D. A. Magee and E. G. Gallagher

Comparison of i.v. glycopyrrolate and atropine in the prevention of bradycardia and arrhythmias following repeated doses of suxamethonium in children..... 981
D. W. Green, A. S. E. Bristow and M. Fisher

Arterial oxygen saturation before intubation of the trachea. *An assessment of oxygenation techniques*..... 987
G. B. Drummond and G. R. Park

Carbon dioxide elimination from each lung during endobronchial anaesthesia. *Effects of posture and pulmonary arterial pressure* 995
O. Werner, G. Malmkvist, A. Beckman, S. Stahle and L. Nordström

Haemodynamic effects of nicardipine hydrochloride. *Studies during its use to control acute hypertension in anaesthestized patients* 1003
Y. Kishi, K. Okumura and H. Furuya

Fetal–neonatal status following Caesarean section for fetal distress 1009
G. F. Marx, M. W. Luykx and S. Cohen

EXPERIMENTAL

A sheep preparation for studying interactions between blood flow and drug disposition. I: Physiological profile 1015
W. B. Runciman, A. H. Ilsley, L. E. Mather, R. Carapetis and M. H. Rao

The central and peripheral circulation during and after sodium nitroprusside-induced hypotension in the rat 1029
C. Gustafson

Renal tissue oxygenation following induced hypotension in dogs..... 1037
R. Behnia, E. Koushanpour, T. K. Goldstick, H. W. Linde and R. Osborn

Do general anaesthetics perturb lipid membranes? *The role of cholesterol* 1045
A. Fassoulaki, P. Kaniaris and D. D. Varonos

CASE REPORT

Insufficient venous drainage following axillary approach to brachial plexus bloccade 1051
L. Restelli, D. Pinciroli, F. Conoscente and F. Cammelli

BOOK REVIEWS

Opiate Analgesia 1055
Control of Respiration 1055
Fundamentals of Tracheal Intubation 1056
European Advances in Intensive Care. International Anesthesiology Clinics. Vol. 2, No. 2 1056
Thoracic Anesthesia..... 1057
Pharmacokinetics of Anaesthesia 1058
Anaesthesia in Midwifery 1058
WFSA Lectures 1984 Volume 1 1059
Ophthalmic Anaesthesia..... 1059
Manual of Anesthesia, 2nd edn 1059
Intraoperative Doppler Sonography in Neurosurgery 1060
Pulmonary Function Testing Guidelines and Controversies..... 1060
Actualités en Anesthésie-Réanimation 1061
The Year Book of Anaesthesia 1983..... 1061
New Pharmacologic Vistas in Anesthesia..... 1061
Fluid and Blood Therapy in Anesthesia (Contemporary Anesthesia Practice Series)..... 1062
Handbook of Intensive Care..... 1062
Airborne Care of the Ill and Injured..... 1063
Blood Loss and Replacement 1063

OCTOBER

CLINICAL INVESTIGATION

Studies of anaesthesia in relation to hypertension. VI: Cardiovascular responses to extradural blockade of treated and untreated hypertensive patients..... 1065
J. Dagnino and C. Prys-Roberts

Changes in cerebral electrical activity measured by the cerebral function analysing monitor following bolus injections of thiopentone..... 1075
M. Frank, D. E. Maynard, L. M. Tsanaclis, E. Major, and P. E. Coutino

Isoflurane and cranial extradural pressure. *A study in neurosurgical patients*..... 1083
T. V. Campkin

Antagonism of alcuronium with edrophonium or neostigmine 1089
N. J. N. Harper, E. G. Bradshaw and T. E. J. Healy

Differential effects of myoneural blocking drugs on neuromuscular transmission in infants..... 1095
R. Robbins, F. Donati, D. R. Bevan and J. C. Bevan

Early extubation of the trachea after open heart surgery for congenital heart disease. *A review of 3 years' experience* 1101

J. L. Schuller, J. G. Bovill, A. Nijveld, M. R. Patrick and C. Macelletti

Sedation for endoscopy: a comparison between diazepam, and diazepam plus pethidine with naloxone reversal 1109
D. A. R. Boldy, J. S. C. English, G. S. Lang and A. M. Hoare

Effect of metoclopramide on gastric emptying before elective and emergency Caesarean section 1113
D. F. Murphy, B. Nally, J. Gardiner and A. Unwin

EXPERIMENTAL

A sheep preparation for studying interactions between blood flow and drug disposition. II: Experimental applications 1117
W. B. Runciman, L. E. Mather, A. H. Ilsley, R. J. Carapetis and C. F. McLean

In vitro interaction of diazepam and oxazepam with pancuronium and suxamethonium 1131
J. J. Driessen, T. B. Vree, J. van Egmond, L. H. D. J. Booij and J. F. Crul

Comparison of some pharmacological properties of 4-aminopyridine and 3,4-diaminopyridine *in vivo* 1139
T. Houston and B. J. Pleuvry

Effects of ketamine and three other anaesthetics on spinal reflexes and inhibitions in the cat 1143
D. Lodge and N. A. Anis

Differential effects of the benzodiazepine antagonist Ro 15-1788 after "general anaesthetic" doses of benzodiazepines in mice 1153
H. J. Little and A. R. Bichard

Antagonism of the effects of midazolam on phrenic nerve activity in the dog by Ro 15-1788 and Ro 15-3505 1161
G. Gordon, E. M. Grundy, D. Al-Khudhairi, D. J. Anderson and J. G. Whitwam

Influence of the addition of potassium to 0.5% prilocaine solution during i.v. regional anaesthesia 1167
D. W. McKeown and D. B. Scott

SPECIAL ARTICLE

An analysis of thirty years of contributions to the British Anaesthetic Literature (1953–1982) 1171
J. Carnie and B. Kumar

BOOK REVIEWS

Clinical Anesthesia Procedures of the Massachusetts General Hospital 1175
Post Anaesthetic Recovery—A Practical Approach 1175
James Robinson on the Inhalation of The Vapour of Ether 1175
Intravenous Technique and Therapy 1175
Standards for Intensive Care Units 1176
Endocrinology and the Anaesthetist. Monographs in Anaesthesiology 1176
Advances in Anaesthesia, Volume 1 1176
M. C. Q. Tutor—Anaesthesia 1176

CORRESPONDENCE

Labetalol and phaeochromocytoma 1179
Analphylactoid reactions to Diazemuls 1179
Blood viscosity and blood film morphology during prolonged sedation with Althesin 1179

NOVEMBER

EDITORIAL:

European Malignant Hyperpyrexia Group 1181
F. R. Ellis

CLINICAL INVESTIGATION

Investigation of malignant hyperthermia in Denmark and Sweden 1183
H. Ørding, E. Ranklev and R. Fletcher

Subarachnoid anaesthesia with 0.5% bupivacaine: effects of density 1191
I. W. Møller, A. Fernandes and H. H. Edström

Effect of volatile anaesthetics and nitrous oxide–fentanyl anaesthesia on bleeding time 1197
P. N. Fyman, L. Triner, H. Schranz, J. Hartung, P. A. Casthely, L. M. Abrams, A. E. Keaney and J. E. Cottrell

Extradural morphine and pain relief following episiotomy 1201
R. Macdonald and P. J. Bickford Smith

Gynaecological laparoscopy: clinical experiences of two anaesthetic techniques 1207
F. L. Kurer and D. B. Welch

Cardiac arrhythmias during anaesthesia for laparoscopy 1213
M. N. E. Harris, O. M. Plantevin and A. Crowther

Prevention of intracranial hypertension during laryngoscopy and endotracheal intubation. *Use of a second dose of thiopentone* 1219
V. K. N. Unni, R. A. Johnston, H. S. A. Young and R. J. McBride

Blood glucose concentrations in children undergoing outpatient dental anaesthesia 1225
A. Padfield

Use of alcuronium in patients undergoing renal transplantation 1229
S. Kaushik, V. K. Grover, H. Singh and R. V. S. Yadav

Effect of premedication with diazepam, morphine or nalbuphine on gastrointestinal motility after surgery 1235
M. Shah, M. Rosen and M. D. Vickers

Two-stage infusion of etomidate for the induction and maintenance of anaesthesia 1239
N. W. Lees and W. R. A. Antonios

EXPERIMENTAL

Cyclic AMP in normal and malignant hyperpyrexia susceptible individuals following excercise 1243
A. Stanec and G. Stefano

A sheep preparation for studying interactions between blood flow and drug disposition. III: Effects of general and spinal anaesthesia on regional blood flow and oxygen tensions 1247
W. B. Runciman, L. E. Mather, A. H. Ilsley, R. J. Carapetis and R. N. Upton

Droperidol inhibits cardiac vagal efferents in dogs 1259
K. Inoue, B. Nashan and J. O. Arndt

SPECIAL ARTICLES

A protocol for the investigation of malignant hyperpyrexia (MH) susceptibility 1267
F. R. Ellis, R. Fletcher, P. J. Halsall, J. J. A. Heffron, M. Lehane, W. Mortier, H. Ørding, E. Ranklev, P. Sporn, K. Steinbereitner, D. Theunynck and R. Verburg (The European Malignant Hyperpyrexia Group)

A paediatric "cardiac arrest" survey 1271
H. Wark and J. H. Overton

CASE REPORT

Spinal anaesthesia for Caesarean section. *Management of a patient with severe cardiovascular disease* 1275
S. M. Mostafa

ABSTRACTS

Proceedings of the Anaesthetic Research Society, Edinburgh Meeting, June 30, 1984 1279

Proceedings of the Combined Meeting of the Neuroanaesthetists' Travelling Club with German and Austrian Neuroanaesthetists, Edinburgh, March 29–31, 1984 1295

CORRESPONDENCE

Tube-in-tube: a cause of acute airway obstruction 1317

Viruses and endotracheal tubes 1317

Intercostal nerve blockade 1318

Recovery after brain injury—some neurotransmitter and clinical implications 1319

Nitrous oxide distends the bowel 1319

DECEMBER

EDITORIAL: The computer and anaesthesia. *A personal view of the new technology* 1321
N. W. Goodman
Acknowledgement 1324
W. Fitch

CLINICAL INVESTIGATION

A re-assessment of the validity of the iso-shunt graph 1325
P. G. P. Lawler and J. F. Nunn

Sore throat after intubation of the trachea 1337
M. V. Shah and W. W. Mapleson

Gas exchange and haemodynamics during thoracotomy 1343
O. Werner, G. Malmkvist, A. Beckman, S. Stahle and L. Nordström

Intrathecal administration of hyperbaric morphine for the relief of pain in labour 1351
T. K. Abboud, S. M. Shnider, P. A. Dailey, J. A. Raya, F. Sarkis, N. M. Grobler, S. Sadri, S.-S. Khoo, B. DeSousa, C. L. Baysinger and F. Miller

Choice of local anaesthetic drug for extradural Caesarean section. *Comparison of 0.5% and 0.75% bupivacaine and 1.5% etidocaine* 1361
D. A. Dutton, D. D. Moir, H. B. Howie, J. Thorburn and R. Watson

Fixation of extradural catheters by means of subcutaneous tissue tunnelling 1369
P. Carl, M. E. Crawford and O. Ravlo

Effect of posture on extradural pressure 1373
J. L. Shah

Placental blood flow during Caesarean section performed under subarachnoid blockade 1379
P. Jouppila, R. Jouppila, T. Barinoff and A. Koivula

Kinetics of thiopentone in relation to the site of sampling 1385
R. L. Barratt, G. G. Graham and T. A. Torda

Thiopentone pharmacokinetics in patients with chronic alcoholism 1393
E. Couderc, C. Ferrier, J. P. Haberer, D. Henzel and P. Duvaldestin

Pharmacokinetics of lignocaine in children following caudal anaesthesia 1399
C. Ecoffey, J. Desparmet, A. Berdeaux, M. Maury, J. F. Giudicelli and C. Saint-Maurice

EXPERIMENTAL

Effect of nitrous oxide on visual, auditory and somatosensory evoked potentials 1403
P. S. Sebel, P. J. Flynn and D. A. Ingram

Haemodynamic and cerebral effects of ATP-induced hypotension 1409
H. Van Aken, C. Puchstein, W. Fitch and D. I. Graham

APPARATUS

Computer assistance in the control of depth of anaesthesia 1417
R. T. Chilcoat, J. N. Lunn and W. W. Mapleson

Microcomputer-based anaesthetic record system 1433
J. W. Prentice and G. N. C. Kenny

CASE REPORTS

Massive lignocaine overdose during cardiopulmonary bypass. *Successful treatment with cardiac pacing* 1439
J. Noble, D. J. Kennedy, R. D. Latimer, I. Hardy, D. W. Bethune, J. M. Collis and J. Wallwork

Occurrence of malignant hyperpyrexia in a patient with osteogenesis imperfecta 1443
A. J. Rampton, D. A. Kelly, E. C. Shanahan and G. S. Ingram

CORRESPONDENCE
Locating the internal jugular vein 1447
Hydrogen bonding in mechanisms of anaesthesia tested with chloroform and deuterated chloroform 1447

BOOKS RECEIVED 1450

ERRATA 1451

Index to Volume 56 1453

SUPPLEMENT

REVIEW OF VOLATILE INHALATION ANAESTHETIC AGENTS

PAGE

PART I
Chairman's Introduction 1S
J. F. Nunn
Physical and chemical properties of anaesthetic agents (with an appendix on the Manufacture of Isoflurane) 3S
R. C. Terrell
A reassessment of the molecular structure – functional relationships of the inhaled general anaesthetics 9S
M. J. Halsey
Metabolism of the inhaled anaesthetics: implications of enzyme induction 27S
R. I. Mazze
Discussion 43S
(Chairman: *J. F. Nunn*)

PART II
Chairman's Introduction 45S
A. A. Spence
Inhalation anaethetic agents in neurosurgery 47S
E. A. M. Frost
Clinical comparison of inhalation anaesthetic agents 57S
R. M. Jones
The pharmacology of isoflurane 71S
E. I. Eger
Clinical anaesthesia with isoflurane. *A review of the Multicentre study* 101S
W. J. Levy
Discussion 113S
(Chairman: *J. F. Nunn*)